

Tabella1

Catalogo carrier sutrak		
Teilenummer Part number	Bezeichnung	Description
-010-006	Bedienteil	operating panel, driver
-022-588-2	Verdampfer 24VDC EM3	evaporator 24VDC, EM3
-022-667-2	Verdampfer 12VDC	evaporator 12VDC, EM14
-022-672-2	Verdampfer, grau 24VDC	evaporator GY 24VDC, EM14
-022-672-2-H	Verdampfer 24VDC	evaporator 24VDC, EM14
-022-741-S	Verdampferheizpaket EM14	evaporator coil w. HTR, EM14
-030-006	E-Motorschutz, Verflüssiger	E-Motor protection, condenser
-030188	Spannrolle 2-rillig	idler, 2-groove
-030-271	Verflüssiger 24VDC CM4	condenser 24VDC CM4
-030300	Distanzbuchse	spacer
-030503	Distanzbuchse	spacer
-031-001	Verflüssiger 12VDC CM7	condenser 12VDC CM7
-031-001-24v	Verflüssiger 24VDC CM7	condenser 24VDC CM7
-033-065	Verflüssiger 24VDC CM2	condenser 24VDC CM2
-033-068	ersetzt durch 77-62123-20	use > 77-62123-20
040119	Axialventilator 24VDC	fan, axial 24VDC
-040-130	Verdampfer 24VDC EM22	evaporator 24VDC EM22
040133	Gebläse DR 24VDC 3V	blower, DR 24VDC
040149	Gebläse DR 24VDC 1V	blower, DR 24VDC 1V
040160	Gebläse, DR 24VDC	blower, DR 24VDC
040175	ersetzt durch 28,21,01,001	use > 28,20,01,001
040395	Ausströmdüse	nozzle, outlet
-04-60005-00	Kugellager, Kuppl. O5G	bearing, clutch O5G
05,02,51,021	BG Verdampfer V350 m.Spoiler 24VDC	evaporator assy w/spoiler 24VDC V350
05,02,95,001	BG Verdampfer 6Kw	assy evaporator, 6Kw
05,05,10,001	Verdampfer V22 24VDC rechts	evaporator assy 24VDC V22 rgt.
05,05,10,002	Verdampfer V22 24VDC links	evaporator assy 24VDC V22 lft.
05,05,10,019	Verdampfer V180-2 links	evaporator assy 24VDC V180-2 lft.
05,05,10,108	Verdampfer V180-2 rechts	evaporator assy 24VDC V180-2 rgt.

Tabella1

05,08,10,004	Frontbox 2025 24VDC	front box 2025 24VDC
06,02,10,011	BG Kondensator K310 24VDC LN 1Krs.	condenser assy 24VDC K310 1krs. LN
06,02,11,014	BG Kondensator K310 24VDC 1Krs. LN ORFS	condenser assy 24VDC K310 1krs. LN ORFS
06,02,50,004	BG Kondensator K350 1Krs. 24VDC	condenser assy 24VDC K350 1krs. LN
06,02,62,001	BG Kondensator K310 24VDC 1Krs. ESPO	condenser 24VDC, K310 1krs, ESPO
06,05,10,010	ersetzt durch 06,05,10,016	use > 06,05,10,016
06,05,10,011	BG Kondensator K100-2 2Krs. 24VDC AB=1	condenser assy 24VDC K100-2 2Krs. w/duct
06,05,10,012	BG Kondensator K100-2 2Krs. 24VDC AB=0	condenser assy 24VDC K100-2 2Krs. w/o duct
06,05,10,015	BG Kondensator K100-2 1Krs. 24VDC R134a AB=	condenser assy 24VDC K100-2 1Krs. R134a w/duct
06,05,10,016	BG Kondensator K100-2 1Krs. 24VDC AB=0	condenser assy 24VDC K100-2 1Krs. w/o duct
06,05,10,018	BG Kondensator K100-2 Tropik 1Krs. 24VDC AB=	condenser assy tropic 24VDC K100-2 1Krs. w/duct
06,05,10,021	BG Kondensator K100-2 Tropik 1Krs. 24VDC AB=	condenser assy tropic 24VDC K100-2 1Krs. w/o duct
06,05,15,005	BG Kondensator K105-1, 1Krs. 24VDC	condenser assy 24VDC K105-1 1Krs.
06,05,15,006	BG Kondensator K105-2 1Krs. 24VDC	condenser assy 24VDC K105-2 1Krs.
06,05,15,007	BG Kondensator K105-2 Tropik 1Krs. 24VDC	condenser assy tropic 24VDC K105-2 1Krs.
06,05,16,013	BG Kondensator K115 Tropik 1Krs. 24VDC	condenser assy tropic 24VDC K115 1Krs.
06,05,16,014	BG Kondensator K115 1Krs. 24VDC T9	condenser assy 24VDC K115 1Krs. T9
06,05,16,018	BG Kondensator K190 1Krs. 24VDC	condenser assy 24VDC K190
06,05,18,003	BG Kondensator K125 1Krs. 24VDC AB=0	condenser assy 24VDC K125 1Krs. w/o duct
06,05,18,004	BG Kondensator K125 1Krs. 24VDC AB=1	condenser assy 24VDC K125 1Krs. w/duct
06,05,20,001	Kondensator K180 R134a	condenser 24VDC, K180
06,05,21,001	Kondensator K181 R134a	condenser 24VDC, K181
06,05,25,005	Kondensator K40-5 R134a 24VDC	condenser 24VDC, K40-5
06,05,27,001	BG Kondensator K191 Kompl.	condenser assy K191
06,05,95,001	BG Verflüssiger 7,5Kw, 24VDC	assy condenser 7,5Kw 24VDC
07,30,95,020	Kond.-Einheit m. Schalkasten CIVIS 12m	assy condenser w/control board CIVIS 12m
07,30,95,021	Verfl.-einheit m. Schalkasten CIVIS 18m	assy cond. w/control board CIVIS 18m
07,30,95,025	Verfl.einheit m. Schalkasten CIVIS 18m, kompl.	assy cond. w/control board CIVIS 18m, compl.
070164	Filtermatte 1457x329x10	filter mat 1457x329x10
08,04,01,016	ersetzt durch 08,18,01,002-01	use > 08,18,01,002-01
08,05,95,011	Halter, Kompr., Agora NM8PK	bracket, compr., Agora NM8PK
08,05,95,013	Kompressor,halter TM16	bracket, compr., TM16
08,05,95,015	BG Verstärkung Kompressorhalterung	support, compr., reinforced
08,08,01,068	Kompressor,halter MB-Sprinter 212-312D	bracket, compressor, MB-Sprinter 212-312D
08,08,01,810	Kompressorhalter MB-Vario	bracket, compressor, MB-Vario

Tabella1

08,08,01,834	Kompresorhalter MB611-814D	bracket, compressor, MB611-814D
08,08,01,845	Kompresorhalter MB-Sprinter 208-416CDI	bracket, compressor, MB-Sprinter 208-416CDI
08,08,01,849	Kompresorhalter MB-Sprinter 208-416CDI	bracket, compressor, MB-Sprinter 208-416CDI
08,17,01,006	Kompresorhalter DB0303	bracket, compressor, DB0303
08,17,01,022	Kompresorhalter B12/D12	bracket, compressor, B12/D12
08,18,01,002	Kompresorhalter MB-Vario TM/DKS, Kompl.	bracket, compressor, MB-Vario TM/DKS, compl.
08,18,01,002-C	Kompresorhalter MB-Vario TM/DKS, retrofit	bracket, compressor, MB-Vario TM/DKS, retrofit
08,18,01,002-C	Kompresorhalter MB-Vario TM/DKS ohne Spannrr	bracket, compressor, MB-Vario TM/DKS w/o pulley
10,01,15,001	Aufhängung hi-re	suspension re-rgt
10,01,15,002	Aufhängung hi-li DA31-1	suspension re-lft, DA31-1
10,04,01,004	Zwischenplatte f. Verdichter	disk middle f. compr.
10,04,01,006	Schweissauflage DA38	plate, welding DA38
10,04,04,006	Distanzhülse	spacer
10,05,01,003	Frischlufkanal	duct, fresh air
10,07,01,003	Spannband, Verdampferhaube	tightening strap, cover evap
10,08,01,006	Heizöltank	tank, fuel oil
10,10,02,018	Anschlagblech f. Filter	stopper plate f. filter
10,10,04,007	Entwässerungseinheit AC131	drain water pipe, AC131
10,10,04,043	Gegenplatte Kondenswasserablauf AC136	plate, drain pan
10,10,05,090	Abdeckblech Luftverteiler	plate, air diffuser
10,10,05,116	Deckblech f. Zuluftgehäuse	plate, top f. supply housing
10,10,08,011	MTG-Rahmen f. Wasserheizgerät	frame MTG f. water heater
10,10,09,004	MTG-Blech re V18-3	plate MTG rgt, V18-3
10,10,09,071	MTG-Blech Gr.5 Stauff	plate MTG Gr.5
10,10,09,074	MTG-Blech m. Scharnier WWA	plate MTG cap
10,10,09,079	MTG-Blech f. Klemmengehäuse	plate MTG f. clamphousing
10,10,09,083	MTG-Winkel Verd.	angel MTG compr.
10,10,09,084	MTG-Blech m. Gewindebolzen	plate MTG w. threadplug
10,10,09,085	E-Montageblech ACR	plate, el., ACR
10,10,09,094	E-Montageblech f. Zylinderkopf	plate, el. f. cylinder head
10,10,12,041	Abgleichblech 100	adjust sheet 100
10,10,14,010	Wasserabweiser AC353/313	water separator, AC313/353
10,10,15,002	Schutzblech	guard plate
10,10,18,001	Zwischenblech AC25-4	middle sheet metal, AC25-4
10,10,19,043	Halteblech f. Filter AC40-10	plate, support f. filter, AC40-10

Tabella1

10,10,19,080	Halteblech	plate, support
10,10,19,083	Halteblech	plate, support
10,10,19,085	Haltewinkel f. Verschluss mittig	bracket bended f. stopper centric
10,10,19,087	Haltewinkel f. Verschluss	bracket bended f. stopper
10,10,19,088	Haltewinkel f. Verschluss	bracket bended f. stopper
10,10,19,109	Haltewinkel f. ZS-Gebläse ACR-Regio	bracket bended f. blower ACR-Regio
10,10,19,111	Haltewinkel f. ZS-Gebläse ACR DA5	bracket bended f. blower AUX, ACR-DA5
10,10,19,112	Haltewinkel f. ZS-Gebläse ACR DA5	bracket bended f. blower AUX, ACR-DA5
10,10,19,123	Verstärkungsmittel WWA	angle, reinf OR=1cement WWA
10,10,20,006	Ventilatorblech AC25-4	plate, f. blower, AC25-4
10,16,01,006	Lagerkörper	bearing casing
10,16,01,015	Lagerbock f. Klappe re	bearing block f. flap rgt
10,16,01,016	Lagerbock f. Klappe li	bearing block f. flap lft
10,16,01,021	Lagerbock re AC132	bearing block rgt, AC132
10,16,01,022	Lagerbock li AC132	bearing block lft, AC132
10,16,01,023	Lagerbock m. Buchse AC132	bearing block w. bushing, AC132
10,16,01,026	Lagerbock mittig V315/355	bearing block centric, V315/355
10,16,01,028	ersetzt durch 32,01,04,003	use > 32,01,04,003
10,16,01,029	Lagerbock m. Buchse	bearing block w. connector
10,16,01,030	Lagerbock li	bearing block lft
10,16,01,031	Lagerbock re	bearing block rgt
10,16,01,034	Scharnieroberteil	hinge, top
10,16,01,037	Scharnierunterteil	hinge, bottom
10,16,01,041	Lagerbock li AC353KL	bearing block lft, AC353KL
10,16,01,042	Lagerbock re AC353KL	bearing block rgt, AC353KL
10,16,01,043	Winkel f. Fl.-Leitung AC313/353	angle f. liquid line, AC313/353
10,16,01,045	MTG-Platte aussen AC353	plate MTG OSD, AC353
10,16,01,046	MTG-Platte innen AC353	plate MTG inside, AC353
10,16,01,047	Halteblech f. Haltestab AC353	plate, support f. fastening rod, AC353
10,16,01,050	Abschlußblech Verd. AC353	plate, end evap, AC353
10,16,01,051	Abschlußblech Verd. AC353	plate, end evap, AC353
10,16,01,052	Scharnierunterteil	hinge, bottom
10,16,01,053	Scharnieroberteil	hinge, top
10,16,01,060	Halter f. SL Stauff	supportt f. SL
10,16,01,063	Lagerbock f. Klappe V193	bearing block f. flap, V193

Tabella1

10,16,01,074	Halteblech f. Haltestab AC313G3/353G3	plate, support f. fastening rod, AC313/353 G3
10,16,95,001	Scharnier Links AC133 / AC135	hinge, left AC133 / AC135
10,16,95,002	Scharnier Recht AC133 / AC135	hinge, right AC133 / AC135
10,16,95,003	Scharnier links - V 184	hinge, left V 184
10,16,95,004	Scharnier rechts V 184	hinge, right, V 184
10,17,01,008	Spannhülse	adapter, sleeve
10,17,95,100	Distanzbuchse f. Spannrolle	spacer, idler
10,19,01,001	SI-Bügel f. Verfl.-Abdeckung K35/31/10-2	ring, circlip f. cover cond., K35/31/10-2
10,19,01,006	SI-Bügel	ring, circlip
10,19,03,001	Haltebügel mittig	support, centric
10,19,03,015	Haltebügel mittig V310	support, centric, V310
10,19,03,024	Haltebügel AC110	support, AC110
10,25,02,001	Fuß, vorne DA31-1	E-Motor support DA31-1
10,28,03,004	Gehäuse V10-3	housing, V10-3
10,28,03,050	Spoiler AC310/350	spoiler, AC310/350
10,28,03,057	Deckel Verd. basalt-GU ACR DA5	cap, evap basalt-GY, ACR-DA5
10,28,03,059	Deckel WWA basalt-GU ACR DA5	cap, WWA basalt-GY, ACR-DA5
10,28,03,060	Spoiler basalt-GU ACR DA5	spoiler basalt-GY, ACR-DA5
10,28,03,061	Unterteil AC260/261	unit chassis, AC260/261
10,28,03,062	Deckel V133 links, mit Bohrung	cover, evaporator V133 left
10,28,03,092	Deckel Verd. licht grau ACR DA5	cap, evap light gray, ACR-DA5
10,28,03,095	Deckel re V136-24	cover right, V136-24
10,28,03,096	Deckel li V136-24	cover left, V136-24
10,28,03,097	Zwischendeckel, V136-24	cover, intermediate evap. V136-24
10,28,03,098	Frontspoiler AC136-2230	spoiler, front, AC136-2230
10,28,03,099	Heckspoiler	spoiler, rear
10,28,03,100	Verd.Wanne li+re V136-24	housing base, evap., lft 24KW, V136
10,28,03,125	Verd.-Wanne re 24KW V136	housing base evap., rgt 24KW, V136
10,28,03,126	Verd.Wanne li+re V136-32	housing base evap., rgt 32KW, V136
10,28,03,137	ersetzt durch 75,25,01,088	use > 75,25,01,088
10,28,03,142	Deckel li V353	cap lft, V353
10,28,03,143	Deckel re V353	cap rgt, V353
10,28,03,187	Verd.-Deckel V193 rechts	cover, evap, V193 right
10,28,03,189	Deckel V353 re R=8115	cover right, V353
10,28,03,190	Deckel V353 li R=8115	cover left, V353

Tabella1

10,28,03,215	Spoiler, vorne AC136-2030	spoiler, front, AC136-2030
10,28,03,218	Spoiler, hinten AC136-2030	spoiler, rear, AC136-2030
10,28,03,236	Luftkanal, aussen AC353	air duct, outside AC353
10,28,03,242	Luftkanal aussen R=6000 AC353	air duct, R=6000 AC353
10,28,03,264	Deckel V135 rechts, mit Bohrung "B"	cover, evap. V135 rgt.
10,28,03,265	Deckel V135 links, ohne Bohrung	cover, evap. V135 lft.
10,28,03,273	Luftkanal aussen AC353 m. Serv.deckel	air duct, w/service cover AC353
10,28,04,002	Gehäuseboden AC270	housing base AC270
10,28,05,025	Frontverkleidung K355 weiß	front cover, K355 white
10,28,05,025	Frontverkleidung K355 grau	front cover, K355 gray
10,28,05,026	Lüfterringe AC315/355	housing fan blade AC315/355
10,28,05,027	Spoiler AC132	spoiler, AC132
10,28,05,033	Lüfterringe AC133	housing fan blade, AC133
10,28,05,044	Deckel K353-Temsa	cover, kond. K353 Temsa
10,28,05,052	Deckel R8115 K353	cap R8115, K353
10,28,05,054	Deckel R8118 K313	cover evap., R8118, K313
10,28,05,055	Deckel K313 R=9144 Plaxton	cover evap. R9144, K313 Plaxton
10,28,05,059	Deckel K313 R10000	cover evap. R10000, K313
10,28,08,018	Verfl.-Boden K355	housing base cond., K355
10,28,08,031	Verfl.-Boden AC353	housing base cond., AC353
10,28,08,034	Kondensatorunterteil K310	housing base cond., K310
10,28,10,023	Gerätegehäuseunterteil AC7	unit housing, AC7
10,28,10,049	Gerätegehäuseunterteil AC6	unit housing, AC6
10,28,10,118	Frischlufthklappe AC111/112	flap, fresh air AC111/112
10,28,15,011	Frischluffiltergehäuse	housing, fresh air filter
10,28,15,031	Zuluftkasten li ACR DA5	cabinet, supply lft, ACR-DA5
10,28,15,032	Deckenkanalblech T2,5	ceiling duct plate T2,5
10,28,15,041	Gehäuseblech	housing, sheet
10,28,15,047	Zuluftkasten re ACR DA5	cabinet, supply rgt, ACR-DA5
10,28,15,062	Luftverteilergehäuse	air diffuser housing
10,28,15,063	Scharnierleiste AC353	strip, hinge, AC353
10,28,20,002	Anschlußgehäuse DA38	conn. housing, DA38
10,28,20,016	Anschlußgehäuse	conn. housing, EA 10
10,28,20,017	Anschlußgehäuse	conn. housing, EA 14
10,28,20,027	Anschlusskasten re	terminal box rgt

Tabella1

10,28,20,028	Anschlusskasten li	terminal box lft
10,28,20,029	Anschlußgehäuse	conn. Housing
10,30,02,005	Distanzstück, Drehzahlhebel	spacer, speed controller
10,30,05,025	Schubstange M6, Frischluftklappe AC111	rod M6, fresh air flap AC111
10,30,05,031	Gewindestange M6, L130	threaded rod M6, L130
10,34,01,001	Abdeckgitter Verfl.-Gebläse AC7/8-TK7-2	grille f. blower cond., AC7/8-TK7-2
10,34,01,005	Abdeckgitter f. Verfl.-Gebläse	grille f. blower cond.
10,34,01,010	Lüftergitter f. Verfl. K310	fan grill f. cond., K310
10,34,01,014	Lüftergitter f. Verfl. 16x16x1 AC110	fan grill f. cond. 16x16x1, AC110
10,34,01,021	Abdeckgitter f. Verfl.-Gebläse	grille f. blower cond.
10,34,01,022	Lüftergitter, Kond., AC6	grille f. blower cond. AC6
10,34,02,003	Ansauggitter f. Verfl. AC34	grille f. blower cond. AC34
10,34,05,015	Schutzgitter	protective grating
10,34,08,016	Lüftungsgitter SW	ventilation grid BK
10,34,10,002	Filtergitter AC7	grid, filter AC7
10,34,10,003	Filtergitter AC8	grid, filter AC8
10,34,10,009	Rahmen, Aussenluftfilter	frame, fresh air filter
10,34,10,010	Rahmen, Umluftluftfilter	frame, return air filter
10,34,11,001	Zuluftgitter ACR DA5	supply, gratings, ACR DA5
10,34,11,008	Zuluftgitter 825x125	supply, gratings 825x125
10,35,01,001	Abdeckkappe Verfl.-Gebläse	cover f. cond.. E-Motors
10,37,03,008	Gebläsehalter	blower mounting
10,37,03,014	Gebläsehalter re AC18-B	blower mounting rgt, AC18-B
10,37,03,015	Gebläsehalter li AC18-B	blower mounting lft, AC18-B
10,37,03,023	Gebläsehalter re DG550	blower mounting rgt, DG550
10,37,03,024	Gebläsehalter li DG550	blower mounting lft, DG550
10,37,03,025	Gegenplatte f. Gebläsehalter	plate, mounting f. blower mounting
10,37,05,016	Spannschiene kompl. FK4	slide rail cpl.
10,37,05,018	Halter f. Spannrolle FK4	bracket f. idler
10,37,05,042	Grundplatte	base plate DB 0303
10,37,05,043	Halteplatte MB0814 N60 OM366/OM366A	plate, support
10,37,05,051	Verd.-Halter	bracket, compr.
10,37,05,061	Grundplatte	base plate
10,37,05,063	Verdi.-Halter	compressor,
10,37,05,086	Verd.-Halter	bracket, compr.

Tabella1

10,37,05,093	Verdichterwippe FK26	tray compr.
10,37,05,148	Befestigungswinkel	angle bracket
10,37,05,149	Untergestell f. Verdi.-Halter	underframe f. bracket compr.
10,37,05,150	Grundplatte f. Verdi.-Halter	base plate f. bracket compr.
10,37,05,157	Verdi.-Halter MB312D/OM601/Scroll	bracket compr.
10,37,05,158	Halteplatte MB312D/OM602/TRS	plate, support
10,37,05,168	Stütze f. Verdi.-Halter MB-Sprinter	support, compr. Bracket MB-Sprinter
10,37,05,172	Träger unten, Lichtmaschine	bracket bottom, alternat OR=1
10,37,05,212	Halter f. Pneum.-Zylinder li	supportt f. cylinder, pneu. lft
10,37,05,213	Verd.-Halter DKS32 MB-Vario	bracket, compr. DKS32 MB-Vario
10,37,05,226	Halter Lichtmaschine re 28VDC/80A	support f. generator rgt 28VDC/80A
10,37,05,239	Befestigungswinkel	angle bracket
10,37,05,248	Verd.-Halter DKS32 MB-Vario	bracket, compr. DKS32 MB-Vario
10,37,05,255	Grundplatte f. Verd.-Halter	base plate f. bracket compr.
10,37,05,256	Verdichterwippe FK26/50/4/40	bracket, compr. FKX26/50/40
10,37,05,262	Halter, Kompr., Pneu-Zylinder	bracket, compr. pneu.-cylinder
10,37,06,004	Halter f. Lichtmaschine	support f. generator
10,37,06,020	Halter f. Lichtmaschine	support f. generator
10,37,06,027	Halter f. Lichtmaschine	supportt f. generator
10,37,07,001	Halter f. Verfl.-Gebläse K35/31/10-2	support f. blower cond., K35/31/10-2
10,37,07,004	Halter f. Verfl.-Gebläse	support f. blower cond.
10,37,07,005	Halter f. Verfl.-Gebläse TK26/K100	support f. blower cond., TK26/K100
10,37,07,006	Halter Verfl.-Gebläse 4-arm AC21-II	support blower cond. 4-arm, AC21-II
10,37,07,020	Halter f. Verfl.-Gebläse TK7 AC7	support f. blower cond., AC7
10,37,07,024	Spannschelle H39,6 A=76	mounting clamb H39,6 A=76
10,37,07,028	Halter f. Verfl.-Gebläse 4-arm AC40K-2	support f. blower cond. 4-arm, AC40K-2
10,37,07,044	E-Motorhalter f. Verfl.-Gebläse 4-arm	engine protect. f. blower cond. 4-arm
10,37,07,047	Stellmotorhalter AC315/55	servo E-Motor support, AC315/55
10,37,07,051	Halter f. Verfl.-Gebläse	support f. blower cond.
10,37,07,056	Halter f. Verfl.-Gebläse	support f. blower cond.
10,37,07,058	Halter f. Verfl.-Gebläse	support f. blower cond.
10,37,11,027	Halter f. Absperrventil	support f. valve, shutoff
10,37,11,045	Halter f. Absperrventil AC45-6	support f. valve, shutoff, AC45-6
10,37,11,053	Klappenhebel AC111/112	Lever, air flap
10,37,11,056	Deckelhalter AC313/353	bracket, cover, AC313/353

Tabella1

10,37,11,066	Haltewinkel für Start-Stop DZR	bracket, speed controller
10,37,13,010	Halterung DRZ-Magnet	bracket, speed controller
10,37,17,013	Klappenhebel AC136	bracket, flap, AC136
10,37,21,012	Klappenhalter AC132	bracket, flap, AC132
10,37,25,002	Halter f. HF ACR-DA5	support f. high floor, ACR-DA5
10,37,52,019	Spannrolle	idler
10,37,52,020	Schraube	bolt
10,37,52,021	Schraube	bolt
10,37,52,022	Scheibe	disc
10,37,52,023	Abstandsrohr	distance sleeve
10,37,52,025	Mutter	nut
10,37,52,044	Riemenspanner	belt spanner
10,37,52,052	Umlenkrolle Kunststoff D95 B50	deflection pulley plastic D95 B50
10,37,95,010	Gebläsehalter DRG, mitte	support, blower DRG middle
10,37,95,011	Gebläsehalter DRG, seite	support, blower DRG side
10,37,95,101	Halter, compr. Agora 2x17 kompl.	bracket, compr. Agora 2x17, compl.
10,40,02,001	Anlagenabdeckung TK7A	cover, unit, TK7A
10,40,02,002	Anlagenabdeckung TK7D	cover, unit, TK7D
10,40,02,003	Anlagenabdeckung AC7	cover, unit AC7
10,40,02,006	Anlagenabd. nicht erhöht TK7D	cover, unit unraised, TK7D
10,40,02,016	Anlagenabd. AC7/TK7D	cover, unit, AC7/TK7D
10,40,02,023	Anlagenabd. WS TK7A-2	cover, unit WH, TK7A-2
10,40,02,025	Anlagenabd.AC8 o.Aussp.,+22	cover, unit +22, AC8
10,40,02,028	Anlagenabd. +22 AC7	cover, unit +22, AC7
10,40,02,033	Anlagenabd. TK7D	cover, unit, TK7D
10,40,02,034	Anlagenabd. m. Aussenspoiler AC6	cover, unit w. spoiler, OSD, AC6
10,40,02,037	Anlagenabd. m. Aussparung +30 AC6	cover, unit w. spoiler, OSD +30, AC6
10,40,02,038	Gerätehaube K80	cover K80
10,40,02,040	Anlagenabd. TK7D2-lang	cover, unit, TK7D2-lang
10,40,02,043	Anlagenabd. +/-0 AC7-S	cover, unit +/-0, AC7-S
10,40,02,062	Gerätehaube AC7 +/- 0,0mm	cover AC7
10,40,04,001	Verampferhaube TK7D	cover evap, TK7D
10,40,04,009	Verdampferhaube AC7	cover evap, AC7
10,40,04,011	Verdampferhaube AC8	cover evap, AC8
10,40,04,016	Verdampferhaube WS TK7D	cover evap WH, TK7D

Tabella1

10,40,04,021	Verdampferhaube AC7/7-S	cover evap, AC7/7-S
10,40,95,011	Kondensatordeckel Civis	cover, condenser Civis
10,40,95,012	Luftleitring Verflüssigergebläse Civis	air duct, condenser fan Civis
10,43,03,002	Spannrollenhebel D13	lever, tension pulley
10,43,03,006	Hebel f. Stellmotor AC340	lever f. E-Motor, servo, AC340
10,43,03,013	Stellhebel AC313/353	lever f. E-Motor, AC313/353
10,43,03,016	Schubstange Klappe AC353	conn. rod flap, AC353
10,46,04,017	Verschlußklappe f. Ventil AC40	seal flap f. valve, AC40
10,46,04,027	Frischlufthklappe V310/350	flap, fresh air, V310/350
10,46,04,030	Verschlußklappe f. Ventil	seal flap f. valve
10,46,04,037	Frischlufthklappe V355	return fresh air flap, V355
10,46,04,039	Frischlufthklappe re AC340	return fresh air flap rgt, AC340
10,46,04,041	Frischlufthklappe li AC340	return fresh air flap lft, AC340
10,46,04,062	Klappe AC313	flap, AC313
10,46,04,069	Klappe AC353	flap, AC353
10,49,02,009	Verdi.-Halter re	bracket compr. rgt
10,49,02,015	Einschweißkonsole	welded bracket
10,49,02,021	Verdi.-Halter	bracket compr.
10,49,02,025	Verd.-Halter	bracket compr.
10,49,02,028	Halter, Verdichter	bracket compressor,
10,55,01,005	Grundplatte f. Halter K31-2/3	base plate f. support, K31-2/3
10,55,01,028	Grundplatte f. Halter K350	base plate f. support, K350
10,55,03,001	Stahlplatte li K310	steel plate lft, K310
10,55,05,004	Halteblech z. Trockner K310/350	plate, support f. drier, K310/350
10,55,05,007	Gegenplatte, Kondensator K310/350	plate, support f. condenser K310/350
10,58,03,008	Zwischenstück Fr.-Luft AC7	support middle fresh air, AC7
10,58,03,013	Filterträger Frischluft	filter carrier fresh air
10,58,03,015	Filterträger Fr.-Luft	filter carrier fresh air
10,58,03,018	Schutzgitter	protective grading wire grille
10,58,04,085	Rahmen K187 m.Verf.Verkl.und Abdeckblech	frame K187 w/cond. frame & cover
10,58,05,023	Holzrahmen AC6/TK6	wood-framework, AC6/TK6
10,58,05,027	Holzrahmen flach LVT AC7	wood-framework flat, AC7
10,58,08,020	Abdeckrahmen f. Gitter AC315	cover frame grille V315
10,58,08,027	Abdeckrahmen Gitter lackiert V355	cover frame grille varnished, V355
10,58,08,028	Spannrahmen f. Gitter V355	frame f. grille, V355

Tabella1

10,58,08,030	Spannrahmen AC315	frame, AC315
10,58,08,032	Spannrahmen AC355-Trolley	frame, AC355-Trolley
10,58,08,033	Abdeckrahmen AC355-Trolley	cover frame, AC355-Trolley
10,60,01,001	Leitungskomb. SL re komb. V35/31/10-2	combination SL rgt comb., V35/31/10-2
10,60,01,003	S-D-Leitung kombi. TK7A/D	line S-P combi., TK7A/D
10,60,01,004	S-D-Leitung li	conn. S-P lft
10,60,01,005	S-D-Leitung re komb. AC31/35-3	line S-P rgt comb., AC31/35-3
10,60,01,006	S-D-Kombination re AC10-3	comb. S-P rgt, AC10-3
10,60,01,007	S-D-Kombination re AC10-3	comb. S-P rgt, AC10-3
10,60,01,010	S-D-Anschluß AC7/8	conn. S-P, AC7/8
10,60,01,016	S-D-Leitung re Kombination V310/350	line S-P rgt comb., V310/350
10,60,01,017	S-D-Leitung li Kombination V310/350	line S-P lft, V310/350
10,60,01,018	S-Leitung re V310/350	line SL rgt, V310/350
10,60,01,019	S-Leitung li V310/350	line SL lft, V310/350
10,60,01,019	S-Leitung li V310/350	line SL lft, V310/350
10,60,01,029	S-Anschluß AC340	conn. SL, AC340
10,60,01,030	S-Leitung li V310/350	line SL lft, V310/350
10,60,01,031	S-Leitung re V310/350-2krs	line SL rgt, V310/350-2krs
10,60,01,035	S-D-Anschluß TRS105	conn. S-P
10,60,01,041	S-D-Anschluß D=M26x1,5 S=M30x2 DKS32	conn. S-P axial D=M26x1,5 S=M30x2
10,60,01,045	S-D-Leitung kombi AC132L	line S-P combi., AC132L
10,60,01,050	S-D-Leitung re ACR-DA5	line S-P rgt, ACR-DA5
10,60,01,053	S-D-Anschluß, DKS32	conn. S-P,
10,60,01,057	S-D-Leitung, rechts 2Krs.	line S-P right 2Krs.
10,60,01,058	S-D-Leitung, links 2Krs.	line S-P left 2Krs.
10,60,01,059	Flanschanschluss	conn. flange
10,60,01,060	Flanschanschluss	conn. flange
10,60,01,063	S-Leitung V355/315	line SL, V355/315
10,60,01,064	S-Leitung li V355/315	line SL lft, V355/315
10,60,01,065	S-Leitung re V355/315	line SL rgt, V355/315
10,60,01,065	S-Leitung re V355/315	line SL rgt, V355/315
10,60,01,071	S-Leitung AC355-1krs	line SL, AC355-1krs
10,60,01,072	S-D-Anschluß DKS32	conn. S-P
10,60,01,074	S-Anschluß 1'1/16" OR=1-M30x2 V133	conn. SL 1'1/16" OR=1-M30x2, V133
10,60,01,075	S-D-Anschluß DKS32	conn. S-P

Tabella1

10,60,01,078	S-D-Anschluß radial DKS32/TM31	conn. S-P radial
10,60,01,083	S-Anschluß M30x2-M36x2 AC136	conn. SL M30x2-M36x2, AC136
10,60,01,086	S-D-Leitung re komb. 7/8"-1'1/16" V310	line S-P rgt comb. 7/8"-1'1/16", V310
10,60,01,087	S-D-Leitung li 7/8"-1'1/16" V310	line S-P lft 7/8"-1'1/16", V310
10,60,01,091	Adapter, Saug AC133/AC135	adapter, suction AC133/135
10,60,01,102	Anschlußstück f. SL AC136	connector, suction line AC136
10,60,01,113	Adapter-Druckleitung AC136	Adapter, discharge AC136
10,60,02,006	D-Leitung Verd. li AC31-3	line, press. evap lft, AC31-3
10,60,02,007	D-Leitung AC7 R134a	line, press. AC7
10,60,02,008	D-Leitung Verd. li AC10-3	line, press. evap lft, AC10-3
10,60,02,009	D-Leitung Verd. re AC31-3	line, press. evap rgt, AC31-3
10,60,02,011	D-Leitung Verd. re AC35-3	line, press. evap rgt, AC35-3
10,60,02,012	D-Leitung Verd. li AC35-3	line, press. evap lft, AC35-3
10,60,02,016	D-Leitung innen AC8	line, press. inside, AC8
10,60,02,019	D-Leitung innen AC8	line, press. inside, AC8
10,60,02,021	Druckleitung Verfl.	line, press. cond.
10,60,02,030	D-Leitung Verfl. AC7	line, press. cond., AC7
10,60,02,031	KM-Leitung Verfl. AC130/131	refrigerant line cond., AC130/131
10,60,02,035	KM-Leitung z. Trockner AC130/131	refrigerant line f. drier, AC130/131
10,60,02,036	D-Leitung ACR-DA5	line, press., ACR-DA5
10,60,02,039	D-Leitung li AC131	line, press. lft, AC131
10,60,02,040	D-Leitung re AC131	line, press. rgt, AC131
10,60,02,041	D-Leitung li AC130	line, press. lft, AC130
10,60,02,044	D-Anschluß re 1'1/16" OR=1-7/8" AC133	conn. disch. rgt 1'1/16" OR=1-7/8", AC133
10,60,02,045	D-Leitung, Verfl. re 7/8"-7/8" K133	line, press., cond. rgt 7/8"-7/8", K133
10,60,02,046	D-Leitung, Verfl. li 7/8"-7/8" K133	line, press., cond. lft 7/8"-7/8", K133
10,60,02,050	D-Anschluß li 1/16" OR=1-7/8" AC133	conn. disch. lft 1/16" OR=1-7/8", AC133
10,60,02,053	Adapter, Druck AC136	Adapter, discharge AC136
10,60,02,057	Anschlußstück f. DS AC136	conn. discharge AC136
10,60,02,058	Druckleitung AC137	line, discharge
10,60,03,002	Fl.-Leitung, Verfl.	liquid line, cond.
10,60,03,003	Fl.-Leitung Verd. AC31-3	liquid line evap, AC31-3
10,60,03,018	Fl.-Leitung z. Exp.-Ventil TK7A2	liquid line f. valve, exp., TK7A2
10,60,03,019	Fl.-Leitung z. Verd. Var1 AC310/350	liquid line f. evap, AC310/350
10,60,03,020	Fl.-Leitung z. Sammler TK7A2	liquid line f. receiver, TK7A2

Tabella1

10,60,03,023	Fl.-Leitung z. Trockner K107	liquid line f. drier
10,60,03,026	Fl.-Leitung rechts, Kond-Samm	liquid line rgt., cond.-receiver
10,60,03,027	Fl.-Leitung z. Verfl. re K350	liquid line f. cond.. rgt, K350
10,60,03,028	Fl.-Leitung z. Sammler li K350-2krs	liquid line f. receiver lft, K350-2krs
10,60,03,029	Fl.-Leitung z. Verfl. li K350	liquid line f. receiver lft, K350
10,60,03,046	Fl.-Leitung z. Verd. Var2 AC310/350	liquid line f. evap, AC310/350
10,60,03,049	Fl.-Leitung li ACR-DA5	liquid line lft, ACR-DA5
10,60,03,050	Fl.-Leitung re ACR-DA5	liquid line rgt, ACR-DA5
10,60,03,053	Fl.-Leitung, Verfl. K315/355-1krs	liquid line, cond., K315/355-1krs
10,60,03,054	Fl.-Leitung Verfl. K315/355	liquid line cond., K315/355
10,60,03,055	Fl.-Leitung, Magnetventil V310	liquid line, valve, SOL, V310
10,60,03,056	FL-Bogen V310/350	liquid line bend, V310/350
10,60,03,061	Fl.-Leitung K355	liquid line, K355
10,60,03,062	Fl.-Leitung 5/8UNF AC310	liquid line 5/8UNF, AC310
10,60,03,064	Fl.-Leitung 7/8"-5/8" V133/135	liquid line 7/8"-5/8", V133
10,60,03,065	Fl.-Leitung Trockner 7/8"- 14 UNF V133	liquid line f. drier 7/8"-7/8", V133
10,60,03,066	Fl.-Leitung z. Ventil V310/350	liquid line f. valve, SOL, V310/350
10,60,03,067	Fl.-Leitung z. Ventil V310/350	liquid line f. valve, SOL, V310/350
10,60,03,070	Fl.-Leitung K35-5	liquid line K35-3
10,60,03,081	Fl.-Leitung z. Sammler re K310/350-2krs	liquid line f. receiver rgt, K310/350-2krs
10,60,03,082	Fl.-Leitung z. Sammler li K310/350-2krs	liquid line f. receiver lft, K310/350-2krs
10,60,03,084	Fl.-Leitung AC111	liquid line AC111
10,60,03,088	Fl.-Leitung AC335	liquid line AC353
10,60,03,089	Fl.-Leitung, Verfl. innen AC353	liquid line, cond. inside, AC353
10,60,03,092	Fl.-Leitung K310/350 links	liquid line K310/350 lft.
10,60,03,093	Fl.-Leitung AC 353	liquid line AC353
10,60,03,094	Exp.-Ventil f. Fl.-Leitung li AC135	valve, exp. f. liquid line lft, AC135
10,60,03,095	Exp.-Ventil f. Fl.-Leitung re AC135	valve, exp. f. liquid line rgt, AC135
10,60,03,098	Fl.-Leitung, Verd-Magnetventil. AC310	liquid line, evap.-solenoid valve AC310
10,60,03,101	Fl.-Leitung f. FB SZ06 0°-5/8" 45°-5/8"	liquid line f. FB SZ06 0°-5/8" 45°-5/8"
10,60,03,104	Fl.-Leitung, #6, Frontbox	liquid line SZ06, front box
10,60,03,117	Fl.-Leitung AC310/350 ORFS	liquid line ORFS AC310/350
10,60,03,121	Fl.-Leitung K310/350 rechts	liquid line K310/350
10,60,03,123	Flüssigkeitsleitung kpl. AC353	liquid line AC353
10,60,03,133	Flüssigkeitsleitung AC363 SZ 10	liquid line SZ10, AC363

Tabella1

10,60,08,003	Fl.-Leistungsverteiler AC136-24/32	distributor1, liquid line AC136
10,60,10,018	ersetzt durch 10,60,10,018-01	use > 10,60,10,018-01
10,60,10,018-01	Entlüftungsleitung Wirbel	exhaust pipe
10,60,10,020	Adapter, Kühlwasseranschluss AC250	adapter, heater conn. AC250
10,60,15,020	S-Leitung AC7	line SL, AC7
10,60,15,032	D-Leitung Verfl. re-li mit RSV AC35	line, press. cond. rgt-lft R22, AC353
10,60,15,045	D-Anschluß K80	conn. disch., K80
10,60,15,055	Hochdruckleitung AC111	line discharge AC111
10,60,15,070	S-Leitung kz. D28	liquid line AC112
10,60,15,077	Druckleitung AC112	line SL sht. D28
10,60,15,083	Fl.-Leitung AC112	line, discharge AC112
10,60,16,004	Fl.-Leitung z. Sammler li R22 AC35-3	liquid line f. receiver lft R22, AC35-3
10,60,16,006	Fl.-Leitung z. Trockner R22 AC35-3	liquid line f. drier R22, AC35-3
10,60,16,031	Fl.-Leitung Magnetventil-Trockner AC132	liquid line sol. - drier AC132
10,60,16,032	Fl.-Leitung Trockner D15 7/8" AC132	liquid line f. drier D15 7/8", AC132
10,60,16,035	Fl.-Leitung, Kond.-V.L AC132	liquid line AC132
10,60,16,045	Fl.-Leitung z. Trockner AC110	liquid line f. drier, AC110
10,60,16,053	Hzg-Adapter re AC250	adapter HTR rgt, AC250
10,60,16,056	Hzg-Adapter li AC250	adapter HTR lft, AC250
10,60,16,058	W-Leitung li AC250	water line lft, AC250
10,60,16,085	Fl.-Leitung z. Trockner AC261/270	liquid line f. drier, AC261/270
10,60,16,090	Fl.-Leitung v. Trockner 5/8" AC40	liquid line fr. drier 5/8", AC40
10,60,17,029	Fl.-Leitung z. Exp.-Ventil AC7	liquid line f. valve, exp., AC7
10,60,20,003	S-Leitung Verd. TK7D	line SL evap, TK7D
10,60,20,004	S-Leitung Verd. re-li	line SL evap rgt-lft
10,60,20,038	S-Leitung Verd. re-li AC31/35	line SL evap rgt-lft, AC31/35
10,60,20,043	Saugleitung Kompr. links SZ16	line SL, compr. left SZ16
10,60,20,044	Saugleitung Kompr. rechts SZ16	line SL, compr. right SZ16
10,60,20,053	S-Leitung FB 7/8"-14	line SL FB 7/8"
10,60,20,055	S-Leitung NW25	line SL NW25
10,60,20,062	S-Leitung NW25	line SL NW25
10,60,20,078	SD-Leitung S16 für RVI	line SL SZ16, RVI
10,60,21,018	D-Leitung elastisch SZ16 AC310/350	line, press. elastic SZ16, AC310/350
10,60,21,034	Druckleitung, Kompr., links SZ12	line DL, compr. left SZ12
10,60,21,035	Druckleitung, Kompr., SZ12	line DL, compr. right SZ12

Tabella1

10,60,21,038	D-Leitung li AC355-1krs	line, press. lft, AC355-1krs
10,60,21,041	Fl.-Leitung	liquid line
10,60,21,041	Fl.-Leitung	liquid line
10,60,21,042	Fl.-Leitung ZS-Verdampfer AC315/355	liquid line evap AUX, AC315/355
10,60,21,044	S-Leitung AC355	line SL, AC355
10,60,21,045	D-Leitung re AC355-1+2krs	line, press. rgt, AC355-1+2krs
10,60,21,046	Fl.-Leitung AC315/355/7355	liquid line, AC315/355/7355
10,60,21,047	Fl.-Leitung ZS-Verdampfer AC310	liquid line evap AUX, AC310
10,60,21,048	Fl.-Leitung Verd. V310/350	liquid line compr., V310/350
10,60,21,052	D-Leitung	line, press.
10,60,21,053	D-Leitung Verd. re SZ12 AC350	line, press. compr. rgt SZ12, AC350
10,60,21,054	Druckleitung Verd. li SZ12 AC350	line, press. compr. lft SZ12, AC350
10,60,21,055	D-Leitung SZ16 AC350	line, press. SZ16, AC350
10,60,21,058	Druckleitung NW20	line, press. NW20
10,60,21,062	D-Leitung re AC136	line, press. rgt, AC136
10,60,22,002	Fl.-Leitung, Verfl. K35/31/10-2/3	liquid line, cond., K35/31/10-2/3
10,60,22,003	Exp.-Ventil, Fl.-Leitung 2x5/8" AC7	valve, exp., liquid line 2X5/8"
10,60,22,006	Fl.-Leitung z. Sammler AC8	liquid line f. receiver, AC8
10,60,22,007	Fl.-Leitung z. Trockner AC8	liquid line f. drier, AC8
10,60,22,008	Fl.-Leitung z. Schauglas AC8	liquid line f. sight glass, AC8
10,60,22,009	ersetzt durch 10,60,22,010	use > 10,60,22,010
10,60,22,010	Fl.-Leitung, Exp.-Ventil AC8S	liquid line f. valve, exp., AC8
10,60,22,011	ersetzt durch 10,60,22,043	use > 10,60,22,043
10,60,22,014	Fl.-Leitung z. Exp.-Ventil AC6	liquid line f. valve, exp., AC6
10,60,22,022	Flüssigkeitsleitung NW 10	liquid line NW 10
10,60,22,023	Fl.-Leitung z. Sammler elastisch SZ10	liquid line f. receiver elastic SZ10
10,60,22,024	Fl.-Leitung z. Trockner elastisch SZ10	liquid line f. drier elastic SZ10
10,60,22,025	KM-Schlauch z. Verfl. SZ10	liquid line f. cond. SZ10
10,60,22,029	Fl.-Leitung z. Sammler AC7	liquid line f. receiver, AC7
10,60,22,030	Fl.-Leitung z. Trockner AC7	liquid line f. drier, AC7
10,60,22,031	Fl.-Leitung AC7	liquid line, AC7
10,60,22,032	Fl.-Leitung, Pressostat AC7	liquid line, pressostat, AC7
10,60,22,033	Fl.-Leitung z. Sammler elastisch SZ10	liquid line f. receiver elastic SZ10
10,60,22,034	Fl.-Leitung z. Trockner elastisch SZ10	liquid line f. drier elastic SZ10
10,60,22,035	Fl.-Leitung z. Verd. elastisch SZ10	liquid line f. evap elastic SZ10

Tabella1

10,60,22,039	Fl.-Leitung z. Sammler	liquid line f. receiver
10,60,22,040	Fl.-Leitung z. Trockner	liquid line f. drier
10,60,22,041	Fl.-Leitung z. Verd.	liquid line f. evap
10,60,22,042	Fl.-Leitung z. Sammler	liquid line f. receiver
10,60,22,043	Fl.-Leitung z. Trockner AC8	liquid line f. drier, AC8
10,60,22,046	Nippel 5/8" 5/8" OR=1 V310/350/355	adapter, bulkhead 5/8",5/8" OR=1 V310/350/355
10,60,22,047	Fl.-Leitung f. FB 5/8" DN8 SZ6	liquid line f. FB 5/8"
10,60,22,048	Fl.-Leitung z. Verd. elastisch SZ10	liquid line f. evap elastic SZ10
10,60,22,048	Fl.-Leitung z. Verd. elastisch SZ10	liquid line f. evap elastic SZ10
10,60,22,049	Fl.-Leitung Verfl. AC35/31/10-3	liquid line cond., AC35/31/10-3
10,60,22,050	Fl.-Leitung Verfl. AC35/31/10-3	liquid line cond., AC35/31/10-3
10,60,40,003	D-Leitung K125/100-2/125	line, press., K125/100-2/125
10,60,40,005	D-Leitung AC107-2	line, press., AC107-2
10,60,40,007	D-Leitung AC107-2	line, press., AC107-2
10,60,40,008	KM-Schlauch 2x3/4" L1m	hose, freon 2x3/4" L1m
10,60,40,013	D-Leitung AC107-2	line, press., AC107-2
10,60,40,015	D-Leitung AC107-2	line, press., AC107-2
10,60,40,016	BS D-Leitung AC107-2	line, press., assy AC107-2
10,60,40,019	BS D-Leitung AC107-2	line, press., assy AC107-2
10,60,40,021	D-Leitung AC107-2	line, press., AC107-2
10,60,40,025	Druckleitung AC310	line, press., AC310
10,60,40,031	D-Leitung AC136-24-2230	line, press., AC136-24-2230
10,60,40,032	D-Leitung	line, press.
10,60,40,040	D-Leitung SZ16 90°-0° L750	line, press. L=750
10,60,40,041	D-Leitung L1250	line, press. L=1250
10,60,40,042	D-Leitung 90° L650 SZ16	line, press. 90° L= 650 SZ16
10,60,40,043	D-Leitung SZ16 90° L=750	line, press. SZ16 M30x2-90° L=750
10,60,40,050	Saugleitung AC136.32-2060	line, suction AC136
10,60,40,051	Druckleitung AC136 Trolley SZ 20	line, discharge AC136
10,60,40,052	HD-Leitung AC136.32-Trolley Gelenkbus	line, discharge AC136, Trolley
10,60,41,001	D-Leitung Verfl. re K35/31/10-2/3	line, press. cond. rgt, K35/31/10-2/3
10,60,41,003	D-Leitung Verfl. re-li AC35/31/10-3	line, press. cond. rgt-lft, AC35/31/10-3
10,60,41,006	S-Leitung AC107-2	line, suction AC107-2
10,60,41,007	KM-Schlauch 2x7/8" L=1,0m	hose, freon 2x7/8" L=1,0m
10,60,41,008	D-Leitung Verfl. re-li AC31/35	line, press. cond. rgt-lft, AC31/35

Tabella1

10,60,41,014	Fl.-Leitung AC107-2	line, liquid AC107-2
10,60,41,015	Fl.-Leitung AC107-2	line, liquid AC107-2
10,60,41,017	BS Fl.-Leitung AC107-2	kit liquid line, AC107-2
10,60,41,023	S-Leitung AC136-24-2230	line SL AC136-24-2230
10,60,41,033	S-Leitung SZ20 L750	line SL SZ20 L=750
10,60,41,035	S-Leitung SZ20 L850	line SL SZ20 L=850
10,60,41,036	S-Leitung f. FB SZ10 0°-7/8" 45°-7/8"	line SL f. FB SZ10 0°-7/8" 45°-7/8"
10,60,41,037	S-Leitung f. FB SZ10	line SL f. FB SZ10
10,60,41,039	S-Leitung SZ20 90°	line SL SZ20 90°
10,60,41,041	S-Leitung SZ20	line SL SZ20
10,60,41,056	Saugleitung SZ20	line SL SZ20
10,60,42,001	Fl.-Leitung z. Verfl. kz. K35/31/10-2	line, liquid K35/31/10-2
10,60,42,002	Fl.-Leitung z. Verfl. lang K35/31/10-2	liquid line f. cond. long, K35/31/10-2
10,60,42,003	Fl.-Leitung, Verfl. 5/8"/5/8"	liquid line, cond. 5/8"/5/8"
10,60,42,004	Fl.-Leitung, Verfl. AC35/31/10-3	liquid line, cond., AC35/31/10-3
10,60,42,005	Fl.-Leitung, Verfl. AC35/31/10-3	liquid line, cond., AC35/31/10-3
10,60,42,015	Fl.-Leitung, Verfl. 5/8"/5/8"	liquid line, cond. 5/8"/5/8"
10,60,42,020	Fl.-Leitung AC107-2	liquid line, AC107-2
10,60,42,021	Fl.-Leitung AC107-2	liquid line, AC107-2
10,60,42,022	Fl.-Leitung 0°/45° K115	liquid line 0°/45°, K115
10,60,42,028	BS Saugleitung SL1 AC107-2	suction line assy, AC107-2
10,60,42,029	S-Leitung AC107-2	line suction AC107-2
10,60,42,031	BS S-Leitung SL1 AC107-2	line suction assy AC107-2
10,60,42,038	FL-Leitung zum Exp.-Ventil AC136-24-2230	liquid line AC136-24-2230
10,60,42,039	Fl.-Leitung Trockner-E-Ventil rechts	line, liquid rgt., dryer-TXV
10,60,42,040	FL-Leitung zum Exp.-Ventil AC136-24-2230	liquid line, TXV AC136-24
10,60,42,041	FL-Leitung, Tockner-TXV Links	liquid line, lft., TXV AC136-24
10,60,50,001	Rohrverbindung f. VL AC10/31/35-3	adapter, tupe f. HTR-supply, AC10/31/35-3
10,60,50,002	Rohrverbindung f. RL AC10/31/35-3	adapter, tupe f. return HTR, AC10/31/35-3
10,60,61,016	Anschlußstück f. Hzw. re	adapter f. HW rgt
10,60,61,017	Anschlußstück f. Hzw. li	adapter f. HW lft
10,60,61,036	Anschlußstück f. HZW AC132	adapter f. HW, AC132
10,60,61,038	Wasserleitung VL AC132	water line adv., AC132
10,60,61,043	Warmwasserleitung z. Wirbel	warmwater pipe f. v OR=1tex
10,60,61,044	Leitung WWA WWA2	cond.unit WWA WWA2

Tabella1

10,60,61,045	Verteiler Vorlauf-Vent. WWA2	warmwater pipe f. adv.
10,60,61,046	Warmwasserleitung zur Dachheizung	warmwater pipe to heating, rooftop
10,60,61,048	Warmwasserleitung, RL ACR-DA5	warmwater pipe, ret., ACR-DA5
10,60,61,049	Heizleitung Tank ACR-DA5	line, HTR tank, ACR-DA5
10,60,61,054	Anschlußstück Hzw. li AC355	adapter HW lft, AC355
10,60,61,058	Hzg-Adapter mt-re V355	adapter HTR mdl-rgt, V355
10,60,61,059	Bogen AC355	bend, AC355
10,60,61,060	W-Leitung AC315/355	water line, AC315/355
10,60,61,064	HZW-Anschluß AC110/111	adapter, heater conn. AC110/111
10,60,61,070	Leitung, Vorlauf	pipe, intake
10,60,61,072	S-D-Kombination re	comb. S-P rgt
10,60,61,075	Wasserleitung f. RL	water line f. ret.
10,60,61,079	Heizungsbogen 18x1 90° AC136	bend HTR 18x1 90°, AC136
10,60,61,081	Anschlußstück Hzw. li AC355	adapter HW lft, AC355
10,60,61,097	Anschlußstück ACR-DA5	adapter, ACR-DA5
10,60,71,002	Doppelmutter 3/4" 16-UNF AC8	nut, dbl. 3/4" 16-UNF, AC8
10,60,71,003	Doppelmutter 14-UNF 7/8"	nut, dbl. 14-UNF 7/8"
10,60,71,005	Doppelmutter m. Füllventil 18-UNF 5/8"	nut, dbl. w. valve, service 18-UNF 5/8"
10,60,71,006	Doppelmutter m. Füllventil 14-UNF 7/8"	nut, dbl. w. valve, service 14-UNF 7/8"
10,60,71,006	Doppelmutter m. Füllventil 14-UNF 7/8"	nut, dbl. w. valve, service 14-UNF 7/8"
10,60,75,001	ersetzt durch 10,60,75,001-01	use > 10,70,75,001-01
10,60,75,001	-(Kraftstoffleitung z. Filter	line, fuel f. filter L1200 DN06
10,60,75,002	ersetzt durch 10,60,75,002-01	use > 10,70,75,002-01
10,60,75,002	-(Kraftstoffleitung Tank	line, fuel tank L620 DN04
10,60,75,003	ersetzt durch 10,60,75,003-01	use > 10,70,75,003-01
10,60,75,003	-(Kraftstoffleitung z. Tank	line, fuel f. tank L620 DN06
10,60,75,004	ersetzt durch 10,60,75,004-01	use > 10,70,75,004-01
10,60,75,004	-(Kraftstoffleitung z. Tank	line, fuel f. tank L420 DN04
10,60,75,005	ersetzt durch 10,60,75,005-01	use > 10,70,75,005-01
10,60,75,005	-(Kraftstoffleitung v. Filter	line, fuel fr. filter L720 DN06
10,60,75,012	Heizölleitung z. Tank L720 DN04	line, fuel oil f. tank L720 DN04
10,60,75,013	Heizölleitung nach aussen L620 DN06	line, fuel oil, outside L620 DN06
10,60,75,014	ersetzt durch 10,60,75,014-01	use > 10,70,75,014-01
10,60,75,014	-(Heizölleitung z. Tank L1230 DN04	line, fuel oil f. tank L1200 DN04
10,60,95,009	KM-Leitung HD-ND, 18m Civis	hose, ref., HP-LP 18m Civis

Tabella1

10,60,95,012	Schlauchleitung L=4070	hose, ref., L=4070
10,60,95,013	Schlauchleitung L=3900	hose, ref., L=3900
10,60,95,018	KM-Flexschlauch HD	hose, ref., HP
10,60,95,019	KM-Flexschlauch ND	hose, ref., LP
10,60,95,020	KM-Flexschlauch HD	hose, ref., HP
10,60,95,021	KM-Flexschlauch ND	hose, ref., LP
10,60,95,051	Adapter, Druckseite AC133/135	adapter, pressure side AC133/135
10,60,95,064	Saugleitung L=650	line, suction L=650
10,60,95,065	Druckleitung L=700	line, discharge L=700
10,60,95,066	Saugleitung L=1075	line, suction L=1075
10,60,95,067	Druckleitung L=1690	line, discharge L=1690
10,60,95,068	KM-Flüssigkeitsleitung #06 L=1693	line, ref., #06 L=1693
10,60,95,098	Saugleitung links L=2900 AC184	line, ref., #06 L=2900 AC184
10,60,95,099	Saugleitung links L=4280 AC184	line, ref., #06 L=4280 AC184
10,60,95,100	Schlauchleitung ND, L=2780	hose, ref., LP, L=2780
10,60,95,101	Schlauchleitung HD, L=2820	hose, ref., HP, L=2820
10,60,95,102	Schlauchleitung ND, L=2820	hose, ref., LP, L=2820
10,60,95,103	Schlauchleitung HD, L=2860	hose, ref., HP, L=2860
10,60,95,104	Schlauchleitung ND, L=3100	hose, ref., LP, L=3100
10,60,95,105	Schlauchleitung HD, L=3050	hose, ref., HP, L=3050
10,60,95,106	Schlauchleitung HD, L=1250	hose, ref., HP, L=1250
10,60,95,107	Schlauchleitung ND, L=1230	hose, ref., LP L=1230
10,60,95,108	Schlauchleitung ND, L=430	hose, ref., LP L=430
10,60,95,109	Schlauchleitung HD, L=300	hose, ref., HP L=300
10,60,95,110	Schlauchleitung ND Kompr., oben	hose, ref., LP compr., top
10,60,95,111	Schlauchleitung ND Kompr.	hose, flexible LP, compr.
10,60,95,112	Schlauchleitung HD Kompr., oben	hose, ref., HP compr., top
10,60,95,113	KM-Flexschlauch HD, Kompr.	hose, flexible HP, compr.
10,60,95,114	Schlauchleitung HD 3/4" rechts	hose, ref., HP, 3/4" right
10,60,95,115	Schlauchleitung HD links	hose, flexible HP, left
10,60,95,116	Schlauchleitung ND 3/4" links	hose, ref., LP, 3/4" left
10,60,95,117	KM-Leitung H 2,5	hose, ref., H 2,5
10,60,95,118	KM-Leitung H 2,5	hose, ref., H 2,5
10,60,95,119	KM-Leitung H 2,0	hose, ref., H 2,0
10,60,95,120	KM-Leitung H 2,0	hose, ref., H 2,0

Tabella1

10,60,95,121	KM-Flexschlauch ND Kompr.	hose, flexible compr. LP
10,60,95,122	Schlauchleitung HD, compr.	hose, flexible compr. HP
10,60,95,123	KM-Flexschlauch HD, Kompr.	hose, flexible compr. LP
10,60,95,124	KM-Flexschlauch HD, Kompr.	hose, flexible compr. HP
10,60,95,125	Saugleitung #16, L=1530	line, suction #16, L=1530
10,60,95,126	Saugleitung #16, L=1290	line, suction #16, L=1290
10,60,95,127	Druckleitung #12, L=1295	line, discharge #12, L=1295
10,60,95,128	Druckleitung #12, L=1410	line discharge #12, L=1410
10,60,95,129	Flexibler HP-Schlauch SZ 12 rechts	hose, flexible HP SZ12 rgt.
10,60,95,130	Flexibler HP Schlauch SZ 12 rechts	hose, flexible HP SZ12 rgt.
10,60,95,131	Flexibler LP-Schlauch SZ 16 links	hose, flexible LP SZ16 left
10,60,95,132	Flexibler LP-Schlauch SZ 16 rechts	hose, flexible LP SZ16 rgt.
10,60,95,133	Schlauchleitung HD #12	hose, ref., HP, #12
10,60,95,134	Schlauchleitung ND #16	hose, ref., LP, #16
10,61,01,006	Abluftschacht K100-2	air duct K100-2
10,61,01,009	Luftkanal Unterdeck AC40-10	air duct, lower deck AC40-10
10,61,01,011	Abluftschacht	air duct
10,61,04,001	Luftverteiler TK7D	air diffuser, TK7D
10,61,04,008	Luftverteiler perl-WS AC8	air diffuser pearl-WH, AC8
10,61,04,010	Luftverteiler Standard AC7	air diffuser standard, AC7
10,61,04,014	Luftverteiler Standard AC6	air diffuser standard, AC6
10,61,04,015	Luftverteiler flach AC6/7	air diffuser flat, AC6/7
10,61,04,019	Luftverteiler AC8	air diffuser AC8
10,61,04,021	Luftverteiler AC7	air diffuser AC7
10,61,04,024	Luftverteiler MB-Unimog AC7	air diffuser, AC7
10,61,04,029	Luftverteiler AC8	air diffuser, AC8
10,61,04,304	Luftabzweig 70-70-50 T-Stück	air junction insulated 70-70-50
10,61,04,305	Luftverteiler ACR DA5	air diffuser insulated ACR DA5
10,61,06,004	Verlängerungsring	ring, extens., TK7AE
10,61,06,005	Luftleitring T3 AC8	duct, air T3, AC8
10,61,06,006	Luftleitring T4 AC8-S	duct, air T4, AC8-S
10,61,07,004	Abgasrohr D70	exhaust pipe D70
10,61,10,060	Adapterstück D98 L80 LBG DI 2/3	adapter nozzle D98 L80 LBG DI 2/3
10,61,10,061	Adapterstück D156 L100 LBG DI 2/3	adapter nozzle D156 L100 LBG DI 2/3
10,61,10,063	Ausblasschacht f. Verfl. VSWI1+2	blowing duct f. cond.

Tabella1

10,61,10,067	Mischluftkanal	mixed air duct
10,61,10,072	T-Krümmen 75/55/55	T-elbow 75/55/55
10,61,10,075	Anschlussblech Heizkanal	connection sheet duct HTR
10,61,10,076	Innenverbinder 187x85	inside connector 187x85
10,61,12,001	Klappenführung AC340	flap guide, AC340
10,61,95,001	Luftkanal Civis Fahrerplatz	air duct, Civis
10,63,01,008	Sammelflasche AC130	receiver, AC130
10,63,01,010	Sammelflasche 3,28l AC310/350 SA=LI	receiver 3,28l 1160A, AC310/350
10,63,01,011	Sammelflasche AC260/45-5	receiver, AC260/45-5
10,63,01,012	Sammelflasche 7,5L AC40-10	receiver 7,5L, AC40-10
10,63,01,013	Sammelflasche AC132 K350	receiver, AC132 K350
10,63,01,014	Sammelflasche 3,28l Ein	receiver 3,28l Ein
10,63,01,017	Sammelflasche	receiver
10,65,95,054	Flüssigkeitsleitung Magnetventil AC135	line, liquid, solenoid valve AC135
10,65,95,055	Flüssigkeitsleitung Kondensator AC135	line, liquid, cond. AC135
10,65,95,056	Flüssigkeitsleitung Verdampfer AC135	line, liquid evap. AC135
10,65,95,058	Flüssigkeitsleitung V135	line, liquid V135
10,65,95,061	Saugleitung rechts V135	line, suction, right V135
10,65,95,097	Saugleitung links V135	line, suction, links V135
10,65,95,100	Flüssigkeitsleitung Verdampfer AC135	line, liquid evap., AC135
10,67,05,006	Spannschiene f. Lichtmaschine 28VDC 55A	slide rail f. generator 28VDC 55A
10,73,02,006	Haltestab	fastening rod
10,73,02,011	Haltestab	fastening rod
10,73,02,014	Stab f. FRL-Gestänge AC111	rod, fresh air flap AC111
10,73,05,010	Halter f. Frontspoiler AC136-2230	support f. spoiler, front, AC136-2230
10,73,05,011	Halter, Heckspoiler AC136-2230	support f. spoiler, rear, AC136-2230
10,76,03,003	Motorträger AC403	support, E-Motor AC403
10,76,06,002	Kompressorträger AC403	bracket, compr., AC403
10,79,11,048	Verfl.-Abdeckung AC132	cover cond., AC132
10,79,11,049	Verdampferdeckel AC132	cover, evaporator AC132
10,79,11,052	Lüfterblech K40-5	plate f. blower, K40-5
10,79,11,056	Abgasdeckel	exhaust cover
10,79,11,070	Deckel, Kondensator K133	cover, condenser K133
10,79,11,074	Spoiler vorne AC133/135	spoiler front, cond.. AC133/135
10,79,11,078	Serviceabdeckung vrn	service cover frt

Tabella1

10,79,11,079	Gehäuseabgasdeckel	exhuaster housing cover
10,79,11,089	Deckel re	cap rgt
10,79,11,090	Deckel li	cap lft
10,79,11,091	Deckel, Konvektoren	cap, convector
10,79,11,092	Deckel re	cap rgt
10,79,11,093	Deckel li	cap lft
10,79,11,100	Deckel m. Podest un-re	cap w. podest bot-rgt
10,79,11,101	Deckel m. Podest unt-li	cap w. podest bot-lft
10,79,11,104	Blech f. Verd.	sheet f. compr.
10,79,11,113	Kondensatordeckel K135	cover, cond., K135
10,79,11,116	Verfl.-Abdeckung K136-24 2030	cover, cond., K136-24 2030
10,79,11,127	Abgasdeckel	exhaust cover
10,79,12,115	Deckel, Verdampfer AC340	cover, evap., AC340
10,79,12,127	Fühlerabdeckung V310/350	sensor cap, V310/350
10,79,12,133	Deckel, Verdampfer V350	cover, evap. housing, V350
10,79,12,140	Verfl.-Abdeckung AC260/261/270	cover, cond., AC260/261/270
10,79,12,150	Servicedeckel re AC270	service cover rgt, AC270
10,79,12,151	Servicedeckel li AC270	service cover lft, AC270
10,79,12,152	Servicedeckel re AC261	service cover rgt, AC261
10,79,12,173	Deckel, Verdampfer V738	cover, evap. V738
10,84,01,001	Verteilerstück 22-22-22FG M30x2	distributor 22-22-22FG M30x2
10,84,01,014	T-Anschluß	T-Piece
10,84,01,500	Verteilerstück m. Flansch 0 2x22 1x28	distributor w. flange sgt. 2x22 1x28
10,84,01,501	Verteilerstück 2XM30 1XM36	distributor 2XM30 1XM36
10,84,01,502	Verteilerstück f. Verdi. oval 2x22,1x28	distributor f. compr. oval 2x22,1x28
10,84,01,503	Verteilerstück m. Flansch 2x28 1x7/8"	distributor w. flange 2x28 1x7/8"
10,84,01,504	Verteilerstück 2x28 1x28 1xM36-2xM36	distributor flat 2x28 1x28 1xM36-2xM36
10,84,01,505	Verteilerstück f. Verdi. 2x28 1x28 GD45	distributor f. compr. 2x28 1x28
10,84,05,602	Verteilerstück SL 2xM30x1,5 7/8" M36x1,5	distributor SL 2xM30x1,5 7/8" M36x1,5
10,85,03,017	Tropfwanne AC18-3 Kurz	drain pan AC18-3 short
10,85,03,026	Tropfwanne, Verd. AC18-BL	drain pan, evap AC18-BL
10,85,03,043	Grundrahmen f. UML-Gitter	base frame f. return air grill euro-GY
10,85,03,044	Abdeckrahmen f. UML-Gitter	cover frame f. return air grill euro-GY
10,85,03,047	Lichtraster UML-Gitter WS +/-1	light-grille return air grill WH +/-1
10,85,03,049	Tropfwanne re T9 USA V186	drain pan rgt, V186

Tabella1

10,85,03,057	Tropfwanne re V187	drain pan rgt, V187
10,85,03,058	Tropfwanne li V187	drain pan lft V187
10,85,95,002	Tropfwanne Civis	drain pan Civis
10,85,95,003	Tropfwanne kurz CIVIS	drain pan short CIVIS
10,85,95,006	Tropfwanne V184 lang	drain pan V184 long
10,85,95,007	Tropfwanne V184 kurz	drain pan V184 short
10,86,01,003	Zuluftstutzen ACR	adapter, air intake ACR
10,86,01,011	Zuluftstutzen Mischkasten	adapter mixed air box
10,86,01,013	ersetzt durch 10,28,03,242	use > 10,28,03,242
10,86,01,016	ersetzt durch 10,28,03,236	use > 10,28,03,236
10,86,01,019	Einblashutze AC112	air duct, AC112
10,87,01,010	Verschlusswinkel AC7	lock angle, AC7
-10-00301-00	Relais 24VDC 20A	relay 24VDC 20A
-10-00317-02	Thermostat	switch, thermo
110.263	BG Kompressor, Träger A413 Sprinter	bracket assy Sprinter A413
-120.207	Kompressor	compressor
-12-00299-07	Druckschalter	switch, press
-12-00392-05	Steuerplatine GR60	control board
-120148	Kupplung 24VDC 2SPB228	clutch 24VDC 2SPB228
-120151	Kupplung O5G 24VDC 2x229 LA17.7.1	clutch O5G 24VDC 2x229
120306	Kompressor 12VDC	compressor 12VDC
130021/A12	Axialventilator 12VDC	fan, axial 12VDC
-130022	Axialventilator 12VDC	fan, axial 12VDC
-130023	Axialventilator, 24VDC D280	blower, axial D280 24VDC
-130023/S	Axialventilator, 24VDC, D280m Druckend	blower, axial blowing D280m 24VDC
130027	Axialventilator 12VDC	fan, axial 12VDC
131102	Kondensatorpaket	coil, condenser
-131276	Spoiler vrn 301N2	spoiler frt, 301N2
-131277	Spoiler hi 301N2	spoiler re, 301N2
131289	Gerätehaube	cover
-132183	Verfl.-Paket	condenser coil, 301N2
133058	BG Kondensator 24VDC	condenser assy, 24VDC
-14-00029-07	Rückschlagventil 05G	valve, check
14-00206-01	Absperrventil Druckseite	valve, shut off, disch. 05G
-140023	Gebläse, Radial 12VDC	blower, radial 12VDC

Tabella1

14-00326-05	Trockner ORFS	filter drier, ORFS
-140033	Gebläse o. Widerstand	blower, radial w/o resistor
-14-01042-04	Füllventil	valve, service
-14-01104-34	Ventil, 4A	valve, 4A
-14-01104-37	Exp.-Ventil	valve, exp., therm.
-14-01104-40	Exp.-Ventil	valve, exp., therm.
-141364/L	Verd.-Paket li 301N2	coil, evap., lft, 301N2
-141364/R	Verd.-Paket re 301N2	coil, evap., rgt, 301N2
-141370	Filtermatte 301N2	filter mat, 301N2
15,01,02,051	Flachstahl	flat steel
15,01,02,063	Halter	support
15,01,02,072	Flachstahl	flat steel
15,01,02,090	Haltewinkel	bracket bended pneu.
15,01,02,091	Halteblech	plate, support
15,01,02,094	Halteblech FK4	plate, support
15,01,02,095	Flachstahl f. Spannrolle	flat steel f. idler
15,01,02,111	Haltebügel	support
15,01,02,123	Trägerleiste hi KP1	string, carrier re
15,01,04,030	Befestigungsschiene	fastening bar
15,01,04,037	Winkel f. Verd. MB-Vario	angle f. compr.
15,01,04,040	Spannbügel 28VDC/80A	tension bracket 28VDC/80A
15,01,06,028	Spannschiene f. Lichtmaschine	tensioner channel, alternator
15,01,06,029	Sockel FKX40	socket
15,01,10,001	Verd-Auflage li DKS26	lining compr. lft
15,01,10,002	Verd-Auflage re DKS26	lining compr. rgt
15,01,10,010	Befestigungsschiene vrn AC7	fastening bar frt, AC7
15,01,10,011	Befestigungsschiene hi AC7	fastening bar re, AC7
15,01,10,013	Grundplatte f. Gehäuse	base plate f. housing
15,01,13,006	Blech DG550	sheet, DG550
15,01,13,019	Klebeband	adhesive tape
15,01,14,059	Unterlage D25 FKX40	base D25
15,01,14,060	Umluftblende V310/350	recirculation air shield, V310/350
15,01,14,068	Umluftblende V310/350	recirculation air shield, V310/350
15,01,14,139	E-Montageplatte AC186	plate, el., AC186
15,01,14,143	Blech 30x30x1,5 D5,5	sheet 30x30x1,5 D5,5

Tabella1

15,01,16,003	E-Montageplatte	plate, el.
15,01,16,043	Halteblech f. Düse AC8	plate, support f. nozzle, AC8
15,01,16,049	E-Montageplatte K355	plate, mounting K355
15,01,16,053	E-Montageplatte AC7	plate, el., AC7
15,01,95,100	Flanschanschluss f. Verdichter	fitting, w/flange for compr.
15,01,95,101	Flanschanschluß, Komp GM 3/4"	fitting, w/flange for compr. GM 3/4"
15,01,95,102	Flanschanschluß, Komp rechts	fitting, w/flange for compr. Right
15,03,01,010	Filtermatte hell, AC7	filter mat bright
15,03,01,011	Filtermatte hell AC8	filter mat bright, AC8
15,03,01,012	Filtermatte, hell AC18-B	filter mat evap bright, AC18-B
15,03,01,014	Filtermatte hell AC6	filter mat bright, AC6
15,03,01,016	Filterschaum Ausblas hell AC18	filter foam, exhaust bright, AC18
15,03,01,017	Filterschaum, Ausblas hell AC18	filter foam, exhaust bright, AC18
15,03,01,026	Filtermatte 30 PPI, hell V130/131	filter mat bright V130/131
15,03,01,027	Filtermatte f. UML 4x210x880 V16	filter mat f. return air 4x210x880, V16
15,03,01,032	Filterschaum 30PPI	filter foam 30PPI
15,03,01,035	Filterschaum 30PPI	filter foam 30PPI
15,03,01,519	Isoliermatte K35-2/3	insulation jacket, K35-2/3
15,03,01,520	Isoliermatte AC31-2/3	insulation jacket, AC31-2/3
15,03,01,539	Isoliermatte AC18-2	filter foam AC18-2
15,03,01,545	Isoliermatte AC7/TK7D	insulation jacket, AC7/TK7D
15,03,01,546	Isoliermatte li AC7/TK7D	insulation jacket lft, AC7/TK7D
15,03,01,547	Isoliermatte re AC7/TK7D	insulation jacket rgt, AC7/TK7D
15,03,01,548	Isoliermatte AC31-3	insulation jacket, AC31-3
15,03,01,610	Schall-Isoliermatte 3 AC8	sound absorbing mat 3, AC8
15,03,01,655	Isoliermatte 1420x5	insulation jacket 1420x5
15,03,01,658	Isoliermatte AC18	insulation jacket AC18
15,03,01,659	Isoliermatte 1580x3	insulation jacket 580x3
15,03,01,684	Isolierung f. Anlagenabd. AC6	insulation jacket, cover AC6
15,03,01,708	Isoliermatte HC30/SBC150 V310	insulation jacket, V310
15,03,01,718	Isoliermatte f. Deckel V183	insulation jacket f. cap, V138
15,03,01,723	Isoliermatte 10mm	insulation jacket 10mm
15,03,01,725	Isoliermatte HC30/SBC150 AC130/131	insulation jacket f. cap, AC130/131
15,03,01,732	Auflage f. Verfl. HC30 K310	sealing strip f. cond., K310
15,03,01,902	Schaumstoffprofil GA2535	foam rubber tape

Tabella1

15,03,01,904	Isoliermatte f. Deckel V132	insulation jacket evap., AC132
15,03,01,911	Alufolie 30µ dick 0,06 dick m.Kleber	softly type of metal soft 30µ 0,06
15,03,01,917	Isolierung Verdampfer vrn li AC315/355	insulation evaporator front lft, AC315/355
15,03,01,918	Isolierung Verdampfer vrn re AC315/355	insulation evaporator FRT rgt, AC315/355
15,03,01,919	Isolierung Verdampfer vrn li AC315/355	insulation evaporator FRT lft, AC315/355
15,03,01,920	Isolierung Verdampfer vrn re AC315/355	insulation evaporator FRT rgt, AC315/355
15,03,01,923	Isoliermatte Verdampferboden AC355	insulation jacket bottom evap BK, AC355
15,03,01,928	Isoliermatte V133	insulation evaporator V133
15,03,01,945	Isolierung Deckel HC30 AC353	insulation cap, AC353
15,03,01,975	Isolierung unten HC30 AC353	insulation bot., AC353
15,03,01,976	Isolierung Front/Heck li AC353	insulation front/rear lft, AC353
15,03,01,977	Isolierung Front/Heck re AC353	insulation front/rear rgt, AC353
15,03,01,978	Isolierung Seitenteil HC30 AC353	insulation part, side, AC353
15,03,01,983	Isolierung f. Front/Heck re AC353	insulation f. front/rear rgt, AC353
15,03,01,984	Isolierung f. Front/Heck li AC353	insulation f. front/rear lft, AC353
15,03,01,987	Isolierung f. Klappe RG35 AC313	insulation f. flap, AC313
15,03,01,993	Isolierung Luftkanal HC30 AC353	insulation air duct, AC353
15,03,02,005	Gummiklappe f. Gebläse, DR SW DG550	rubber flap f. blower, DR BK, DG550
15,03,02,016	Schalldämmmatte 1250x1250x10	mat, sound absorbing 1250x1250x10
15,03,02,028	Isoliermatte f.Abdeckblech T5 AC136	insulation jacket cover plate T5, AC136
15,03,10,002	Unterlagscheibe D50 9x10	washer D50 9x10
15,03,10,005	Gummipuffer	rubber washer
15,03,10,011	Blende f. FRL V310/350 AC310/350	screen f. fresh air, V310/350 AC310/350
15,03,30,003	Dichtung AC7	gasket, AC7
15,03,30,004	Dichtung GU AC8	gasket GY, AC8
15,03,95,010	Isoliermatte Verdampfer CIVIS 1	insulation mat, evap., CIVIS 1
15,03,95,011	Isoliermatte Verdampfer CIVIS 2	insulation mat, evap., CIVIS 2
15,03,95,012	Isoliermatte Verdampfer CIVIS 3	insulation mat, evap., CIVIS 3
15,03,95,013	Isoliermatte Verdampfer Civis 4	insulation mat, evap., Civis 4
15,03,95,014	Isoliermatte Verdampfer Civis 5	insulation mat, evap., Civis 5
15,03,95,015	Isoliermatte Verdampfer kurz Civis 1	insulation mat Civis 1, short
15,03,95,016	Isoliermatte Verdampfer kurz Civis 2	insulation mat Civis 2, short
15,03,95,017	Isoliermatte Verdampfer kurz Civis 3	insulation mat Civis 3, short
15,04,02,020	Stütze	support
15,04,02,031	Kompressorhalter	bracket, compr.

Tabella1

15,04,02,046	Strebe	brace
15,04,02,047	Halter f. Beruhigungsrolle AC23	support f. roller, pacification, AC23
15,04,02,058	Verbindungswinkel	assembly angle
15,04,02,061	Befestigung f. Beruhigungsrolle	angle bracket, idler roller
15,04,04,001	MTG-Winkel re AC7	angel MTG rgt, AC7
15,04,04,002	MTG-Winkel li AC7	angel MTG lft, AC7
15,04,04,024	Winkel f. Druckregler	angle f. pressure controller
15,04,04,029	MTG-Winkel li AC7	angel MTG lft, AC7
15,04,04,031	Winkel f. Spannschiene 28/80A	assembly angle f. slide rail 28/80A
15,04,10,005	Halteblech f. Haltestab	plate, support f. fastening rod
15,04,14,008	Luftleitblech gebogen AC7	spoiler curved, AC7
15,04,14,032	Winkel DG550	angle, DG550
15,04,14,045	Haltewinkel KM-Leitung AC8	bracket bended refririgant line, AC8
15,04,14,057	Winkel AC45/40-5	angle, AC45/40-5
15,04,14,082	Winkel f. Verfl. unt	angle f. cond. bot
15,04,14,083	Winkel f. Verfl. ob-unt	angle f. cond. tp-bot
15,04,14,084	Winkel f. Verfl. vrn-ob	angle f. cond. frt-tp
15,04,14,086	Winkel f. Verfl. ob-unt	angle f. cond. tp
15,04,14,087	Winkel f. Verfl. ob-unt	angle f. cond. tp
15,04,14,088	Winkel f. Verfl. unt	angle f. cond. bot
15,04,14,090	Verstärkungswinkel f. Winkel mittig	angle, reinf. angle centric
15,04,14,102	Auflageblech f. Haltestab	plate, base f. fastening rod
15,04,14,103	Winkel f. Verfl.	angle f. cond.
15,04,14,104	Winkel f. Verfl. ob-unt	angle f. cond. tp
15,04,14,165	Haltewinkel ob-unt AC6	bracket bended tp, AC6
15,04,14,171	Frischlufblech re V355-2krs	fresh air sheet rgt, V355-2krs
15,04,14,172	Frischlufblech li V355	fresh air sheet lft, V355
15,04,14,176	Winkel, Magnetventil	angle, solenoid valve
15,04,14,201	Heizungsabd. AC310	cover HTR, AC310
15,04,15,011	Abschottblech	plate, bulkhead
15,04,15,014	ersetzt durch 15,04,15,015	use > 15,04,15,015
15,04,16,024	Auflage, E-Ventil AC310	support, TXV AC310
15,04,16,032	Verd.-Gehäuse TK11	housing evap, TK11
15,04,16,044	Halter, Stellmotor AC340	bracket, flap E-Motor AC340
15,04,16,059	Halter f. Temp.-Regler	support f. thermostat control,

Tabella1

15,04,16,074	Haltewinkel f. Heizung re AC7	bracket bended rgt, AC7
15,04,16,075	Haltewinkel f. Heizung li AC7	bracket bended lft, AC7
15,04,16,084	Winkel f. Hzg. Abdeckung AC310	angle f. cover HTR, AC310
15,04,16,101	Blende f. Abdeckblech li AC136	screen f. cover plate lft, AC136
15,07,08,003	Deckel, Verdampfer FE 4200	cover, evaporator FE 4200
15,07,08,004	Abdeckblech, Verd.-Paket FE 4200	plate, cover coil FE 4200
15,07,10,001	Befestigungswinkel AC6	angle, mount AC6
15,07,12,001	Konsole f. Trocknerbefestigung	bracket f. driers mounting
15,07,12,002	Halter f. Trockner T1,5	support f. drier T1,5
15,07,14,008	Auflage f. Exp.-Ventil AC10/31/35	sealing strip f. valve, exp., AC10/31/35
15,07,14,023	Halter f. D-Schalter	support f. switch, press.
15,07,14,026	Haltewinkel AC40-10	bracket bended, AC40-10
15,07,14,041	Klappe AC40-10	flap, AC40-10
15,07,14,061	Halteblech TK7D2	plate, support, TK7D2
15,07,14,092	Haltewinkel un-re AC6	bracket bended bot-rgt, AC6
15,07,14,093	Haltewinkel unt-li AC6	bracket bended bot-lft, AC6
15,07,14,104	Halteblech f. SI AC7	plate, support f. fuse, AC7
15,07,14,105	Haltewinkel DL	bracket bended PL
15,07,14,106	Haltewinkel Fl.-Leitung	bracket bended liquid line
15,07,14,109	Grundmontageblech	base mountsheets
15,07,14,134	MTG-Blech T2	plate MTG T2
15,07,15,008	E-Montageplatte AC310/350	plate, el., AC310/350
15,07,16,024	Stütze li AC40/45	support lft, AC40/45
15,07,16,025	Stütze re AC40/45	support rgt, AC40/45
15,07,16,027	Abdeckung f. Tropfwanne	cover f. drain pan
15,07,16,062	Abdeckung f. Tropfwanne V355	cover f. drain pan, V355
15,07,16,069	Halter, Heizpaket	bracket, heater coil
15,07,16,096	Rückluftgitter V193	grille, return air V193
15,07,16,108	Rückluftblech AC313	insert, return air, AC313
15,10,02,001	Spannschiene Lima-K11-3B	slide rail
15,10,02,005	Spannschiene Lima-K11-3B	slide rail
15,10,13,006	Abdeckhaube f. Elektronik SW AC18	cover f. electronic BK, AC18
15,10,16,018	Verfl.-Blech AC250	plate, support f. cond., AC250
15,10,16,025	Lüfterblech AC40-10	plate f. blower, AC40-10
15,10,95,006	Befestigungswinkel f. Gebläse	bracket, blower

Tabella1

15,10,95,025	Gehäuse f. ZS-Gebläse	housing, blower
15,10,95,033	Servicedeckel	cover, service
15,10,95,099	Servicedeckel	cover, service
15,10,95,118	Befestigungpfote	bracket
15,10,95,125	Deckel GHP Civis US	cover GHP Civis US
15,13,06,002	Verschlussunterteil vrn AC340	base lock frt, AC340
15,13,13,006	Halteblech, FRL-E-Motor AC110/111/112	plate support, flap E-Motor AC110/111/112
15,13,14,037	Halter f. Thermokontakt	bracket, thermo cantact
15,13,16,034	Gebläseblech, Unterdeck re AC40-10	blower plate, lower deck rgt, AC40-10
15,13,16,093	Seitenblech re AC261/270	plate, side rgt, AC261/270
15,15,02,001	Sockel f. Ventil AC7	socket f. valve, shutoff manuel, AC7
15,15,02,002	Sockel f. Ventil AC8	socket f. valve, shutoff manuel, AC8
15,16,14,003	Frischlufffilterauflage AC270	fresh air filter mat, AC270
15,16,16,025	Deckblech frontseitig AC40/45*	plate, top side front, AC40/45
15,16,16,034	Zwischenblech AC261/270	middle sheet metal, AC261/270
15,19,16,021	Gebläseblech f. Oberdeck re AC40-10	plate f. blower f. upper deck rgt, AC40-10
15,19,16,044	MTG-Blech li AC250	plate MTG lft, AC250
15,19,16,058	Haube, Kompr.Antrieb AC403-Split	cover compressor drive AC403-Split
15,25,02,003	Befestigungswinkel	angle bracket
15,30,95,012	Grundplatte kurz Civis	base plate short CIVIS
15,30,95,013	Grundplatte Verdampfer Civis	base plate, evap Civis
15,30,95,014	Winkel Civis	bracket, CIVIS
15,30,95,015	Gebläsebefestigung groß Civis	bracket, blower large Civis
15,30,95,016	Gebläseblech kurz CIVIS	plate, housing short CIVIS
15,30,95,017	Gebläseblech CIVIS	plate, housing CIVIS
15,30,95,031	Befestigungswinkel f. Gebläse	bracket, blower
15,30,95,035	Halteplatte, seitlich, für Gebläse	support, blower side
15,30,95,036	Halteplatte, mitte, für Gebläse	support, blower middle
15,30,95,037	Haltewinkel für Filter	bracket, filter
15,30,95,038	Winkel rechts	angle, right
15,30,95,039	Winkel links	angle, left
15,30,95,040	Rahmen für Luftfilter	frame, air filter
15,30,95,041	Abschlussblech rechts	end plate, right
15,30,95,042	Abschlussblech links	end plate, left
15,30,95,043	Gebläsemontageblech	plate, blower mount

Tabella1

15,30,95,044	Bodenblech	base plate
15,30,95,055	Trägerplatte, Verdampfer	support plate, evap.
15,30,95,057	Halter V184 Kurz	support V184 short
15,30,95,064	Haltewinkel für Thermostat AC184	bracket, thermostat AC184
15,30,95,065	Elektromontageplatte AC184	plate, mount El. ,AC184
15,30,95,101	Gebläsbefestigung klein	support, blower small
15,30,95,103	Filterführung links V184	filter, insert left V184
15,30,95,104	Filterführung rechts V184	filter, insert right V184
15,30,95,123	Haltewinkel für Schalter	angle, mount, switch
15,30,95,125	Tropfwanne, links V184	drain pan, left V184
15,30,95,126	Tropfwanne, rechts V184	drain pan, right V184
15,30,95,127	Halter f. Verdampfer V184	bracket, evap., V184
15,30,95,128	Halter f. Gebläse V184	bracket, blower support V184
15,30,95,129	Befestigung, Gebläse mitte V184	support mount, blower middle V184
15,50,95,001	Grundplatte für 2 Kompr.	base plate, for 2 compr.
15,50,95,010	Hauptträger, Poly-V	bracket support, Poly-V
15,50,95,011	Spannrolle D=12mm	pulley, tensioner D=12mm
15,50,95,012	Gegenplatte f. Hauptträger	support for bracket main
15,50,95,013	Winkel Lange Innen f. Träger	angle, inner bracket
15,50,95,014	Winkel Lange Außen f. Träger	angle, outer bracket
15,50,95,015	Winkel Kurze f. Träger	angle, short bracket
15,50,95,016	Befestigungstück f. Träger	mount piece, bracket
15,50,95,017	Halter, Roller	support, roller
15,50,95,031	Distanzplatte für TM16	spacer, plate TM16
15,70,05,004	Lichtraster f. UML-Gitter WS AC315	light-grille f. return air grill WH 1334x152
15,70,05,006	Lichtraster WS AC355	light-grille f. return air grill AC355
15,70,05,008	Lichtraster WS 645x140 AC355	light-grille WH 645x140, AC355-Trolley
15,72,07,001	Frontgitter f. Verfl. AC7/TK7	front grid f. cond., AC7/TK7
15,72,07,004	Frontgitter 16x1,2 AC8	front grid 16x1,2, AC8
15,72,07,006	Frontgitter TK7D	front grid, TK7D
153378	Magnetventil, Heizung	valve assy, water heater
16,01,05,001	Stahlrohr	pipe, steel
16,11,02,002	Distanzstück K355	spacer, K355
16,39,02,001	Klemmstück f. Spannvorrichtung	clamp f. tension device
16,39,02,016	Klemmstück f. Spannvorrichtung	clamp f. tension device

Tabella1

16,39,02,017	Klemmstück für Spannvorrichtung AC403E	clamp f. tension device AC403E
16,47,01,010	Unterlegkeil AC132	wedge, AC132
16,48,06,002	Lagerbock	bearing block
16,48,06,004	Lagerbock Klappenmechanismus AC313/353	bearing block mechanisms, flaps
17,10,95,001	Distanzstück, hinten	spacer, rear
17,10,95,002	Distanzstück, vorne	spacer, front
17,12,01,026	Keilriemenscheibe 1SPA127	pulley, V-belt 1SPA127
17,12,05,014	Aufnahmescheibe	mounting, disk
17,12,07,020	Distanzbuchse	distanz sleeve
17,12,07,027	Distanzbuchse	distanz sleeve
17,12,07,037	Distanzbuchse	distanz sleeve
17,12,07,045	Distanzbuchse	distanz sleeve
17,12,07,049	Scheibe 26,9/20,3x4	disc 26,9/20,3x4
17,12,07,060	Haltebuchse	housing, support
17,12,07,064	Distanzbuchse	distanz sleeve
17,12,07,065	Distanzbuchse	distanz sleeve
17,12,07,086	Distanzbuchse	distanz sleeve
17,12,07,090	Distanzstück Lüfter	spacer ventilation
17,12,07,099	Distanzscheibe	space disc
17,12,16,010	Rotor	rotor
17,12,18,007	Riemenscheibe 9PK150 DKS32	pully 9PK150
17,12,19,001	Riemenscheibe m. Lager 9PK150	pully w. bearing 9PK150
17,12,20,002	Keilriemen u. Kupplungsscheibe	V-belt a. clutch disk
17,12,20,006	K-Riemenscheibe 2SPB 250	pulley, V-belt 2SPB250
17,12,20,007	K-Riemenscheibe 2SPA100	pulley, V-belt 2SPA100
17,12,20,008	Keilriemenscheibe 2SPB230	pulley, V-belt 2SPB230
17,12,20,009	K-Riemenscheibe 2xSPB Da220	pulley, V-belt 2SPB220
17,12,20,011	K-Riemenscheibe 2SPB240	pulley, V-belt 2SPB240
17,12,20,014	Keilriemenscheibe 2SPA240	pulley, V-belt 2SPA240
17,12,20,055	Keilriemenscheibe 2SPB168	pulley, V-belt 2SPB168
17,12,20,057	Keilriemenscheibe 2SPB187	pulley, V-belt 2SPB187
17,12,20,059	Keilriemenscheibe 3SPB208	pulley, V-belt 3SPB208
17,12,20,060	K-Riemenscheibe 2SPB208	pulley, V-belt 2SPB208
17,12,20,061	Keilriemenscheibe	pulley, V-belt
17,12,20,064	Keilriemenscheibe	pulley, V-belt

Tabella1

17,12,20,077	Keilriemenscheibe	pulley, V-belt
17,12,20,095	Keilriemenscheibe D88 80A	pulley, V-belt D88 80A
17,12,25,012	Keilriemenscheibe Lima	pulley, V-belt
17,12,25,013	K-Riemenscheibe DA220	pulley, V-belt DA220
17,12,25,025	Keilriemenscheibe 3SPA	pulley, V-belt 3SPA240
17,12,25,031	K-Riemenscheibe 3SPB240	pulley, V-belt 3SPB240
17,12,25,033	K-Riemenscheibe D192 3XPA	pulley, V-belt D192 3XPA
17,12,25,034	K-Riemenscheibe 2SPB168 1SPA220	pulley, V-belt 2SPB168 1SPA220
17,12,25,041	Keilriemenscheibe 2SPB220 1SPA	pulley, V-belt 2SPB220 1SPA
17,12,25,046	K-Riemenscheibe 2SPB220 LA16.3	pulley, V-belt 2SPB220
17,12,30,005	K-Riemenscheibe 2SPB250 2SPA280	pulley, V-belt 2SPB250 2SPA280
17,12,30,011	Riemenscheibe SPB	pulley SPB
17,12,30,012	Keilriemenscheibe	pulley, V-belt
17,12,30,032	Riemenscheibe 2SPB 2SPA230	pulley 2SPB 2SPA230
17,12,95,002	Keilriemenscheibe D=45 AC2400	pulley D=45mm, AC2400
17,16,01,011	Distanzbuchse	distanz sleeve
17,16,05,001	Mitnehmerbolzen 6-Kt	driving pin hexagon
17,17,01,002	Laufrolle	roller
17,17,01,009	Isolierscheibe innen	isolation disc inside
17,17,01,010	Isolierscheibe aussen	isolation disc outside
17,17,01,012	Wellenlager AC 313/353	bearing AC313/353
17,18,01,009	Doppelmutter 14-UNF 7/8"	nut, dbl. 14-UNF 7/8"
17,18,01,012	Doppelmutter 5/8" 18-UNF	nut, dbl. 5/8" 18-UNF
17,18,01,013	Doppelmutter 3/4" 16-UNF	nut, dbl. 3/4" 16-UNF
17,18,01,014	Doppelmutter 7/16" 20-UNF	nut, dbl. 7/16" 20-UNF
17,18,01,019	Lötadapter R 1/8"	adapter, sold. R 1/8"
17,18,01,021	Gewindeadapter M10x1,5	threadadapter M10x1,5
17,18,01,029	Löthülse PG35	brazing sleeve PG35
17,18,02,001	Augenschraube B M12x180	bolt, eye B M12x180
17,18,02,004	Augenschraube LB M10x100	bolt, eye LB M10x100
-171016	Schauglas 5/8" SAE 7/8"	sight glass 5/8" SAE 7/8"
-17-10201-00	BS Dichtungen	kit gaskets
-17-10210-00	Dichtung f. Bodenplatte	gasket f. plate, base
-17-10212-00	Dichtung	gasket
-17-10214-00	BG Blende	assy screen

Tabella1

-17-10217-00	BS Druckventil	kit valve, disch.
-17-10218-00	Schauglas	sight glass
-17-10227-00	Ventile	valves
-17-10302-00	Auffangring	ring, collecting
-17-10308-00	Blindkappe	capscrew
-17-10407-00	Sieb	strainer
-17-10410-00	Prallscheibe Packung 10 Stück	disk, impact Packung 10 Stück
-17-10411-00	Ölpumpe	oil pump
-17-10413-00	Lager Standard	bearing standard
-17-10508-00	Pleuelstange u. Lager	conn. rod a. bearing
-17-10511-10	Lager f. Kolbenstange	bearing f. piston rod
-17-10512-00	Unterlegscheibe	washer
-17-10513-00	Unterlegscheibe	washer
-17-10523-04	Ringsatz	set ring
-17-10601-00	Ventil	valve
-17-10806-10	Deckel f. Füllventil	cap f. valve, service
-17-10811-05	Dichtung f. Füllventil P12	gasket f. valve, service P12
-17-10812-00	Verschlusskappe f. Füllventil	cap, seal f. valve, service
-17-10814-00	Dichtung f. Absperrventil P12	gasket f. valve, shutoff P12
-17-10819-00	Kurbelwelle	key, crankshaft
-17-10821-00	Kurbelwelle	crankshaft
-17-10850-00	Leistungsregler	capacity regulation
171424	Ausgleichsleitung	line, compensation
-171424	Düse SZ06 TEF/2	oriifice SZ06 TEF/2
-171488	Filtertrockner	dryer
171489	Filtertrockner	Filter dryer
-171489	Filtertrockner	dryer
171561/ET	ersetzt durch -171561/ET	use -171561/ET
-171561/ET	Expansionsventil	valve, expansion
-171626	O-Ring #12	O-ring #12
-171630	Dichtung 30x2	gasket 30x2
-171648	Exp.-Ventil	valve, exp. therm.
-172068	Schalldämpfer	silencer
-17-21055-00	Reparaturset	repair kit
-17-21056-00	Steckersatz	connector set

Tabella1

172181/0	Sammler-Trockner	receiver dryer
172352	Nippel 45° SZ20 ORFS	Nipple 45° SZ 20 ORFS
172353	Nippel 90° SZ16 ORFS	Nipple 90° SZ16 ORFS
-17-31062-00	Absperrventil, Saugseite	valve, suction
-17-31265-00	Magnetkern TM31 24VDC	coil, clutch TM31 24VDC
-17-40002-01	Füllventil	valve, service
-17-40005-05	Dichtung f. Füllventil P10	gasket f. valve, service P10
-17-40037-05	Schraube 3/8-16 x 1" P12	screw 3/8-16 x1" P12
-17-40055-00	Kolbenring P06	piston ring
-17-40056-02	BG Pleuelstange Standard	assy conn. rod standard
-17-40075-05	Dichtung f. Ölpumpendeckel P12	gasket f. oil pump cover P12
-17-40086-00	Ventildruckseite P06	pressure side, valve
-17-40324-00	Kurbelwelle P05	crankshaft
-17-40403-00	BS Ventilplatte O5G	kit valve plate, O5G
-17-40407-20	ersetzt durch 17-40417-00	use > 17-40417-00
-17-40410-00	Kurbelwelle 05G	crankshaft
-17-40414-00	Ventilplatte 05G	valve plate, 05G
-17-40417-00	BG Ventile	valve assy
-17-44002-00	Flansch f. Wellenende 05G	flange f. shaft end, 05G
-17-44004-06	Dichtung P05	gasket
-17-44007-06	Dichtung f. V-Platte P06	gasket f. valve plate P06
-17-44008-00	SI-Scheibe	washer, thrust
-17-44015-00	Lager an Wellenende	bearing on shaft end
-17-44019-01	BS Buchse f. Kupplung	kit connector f. clutch
-17-44041-01	Halter Lagerbuchse	support
-17-44042-00	Abdichtung, Schmutz	seal, dust
-17-44043-01	BG Dichtungsgehäuse montiert	assy gasket housing mounted
-17-44045-01	Kolben u. Bolzen	piston a. bolt
-17-44045-03	Kolben	piston
-17-44049-00	Ventilplattensatz	valve plate kit
-17-44058-00	BS Ventilplatte	kit valve plate
-17-44099-00	ersetzt durch 17-44107-00	use 17-44107-00
-17-44104-00	Ventilplatte 05K	valve plate, 05K
-17-44106-00	BS Ventilplatte O5G	kit valve plate, O5G
-17-44107-00	BS Ventilplatte	kit valve plate

Tabella1

-17-44108-00	BS Ventilplatte 05G	kit valve plate, 05G
-17-44109-00	BS Ventilplatte 05G	kit valve plate, 05G
-17-44111-00	S-Ventil P06	valve SS
-17-44118-00	Dichtung f. Abschlußplatte 05G P06	gasket f. cover plate, 05G P06
-17-44119-00	Dichtungen 05G-P06	gaskets f. gasket
-17-44121-01	BG Kolben	assy piston
-17-44123-00	Zyl-Kopfdichtung 6Stk	gasket, cylinder head 6Stk
-17-44126-00	Dichtungskopf	seal head
-17-44130-00	BG Dichtung	assy gasket
-17-44137-00	BS Ölpumpe	kit oil pump
-17-44140-00	BG Wellenabdichtung Kolbendichtung 05G	assy shaft seal, 05G
-17-44145-00	BG Wellenabdichtung 05G	assy, shaft seal, 05G
-17-44150-00	BS Wellenabdichtung 05G	assy shaft seal, 05G
-17-44705-00	BG Kolbendichtung 05K	assy shaft seal, 05K
-17-44727-00	Kolben 05K	piston, 05K
-17-55009-01	SI-Scheibe P05	washer, thrust
-17-55013-00	Steckersatz	plug kit
-17-55018-01	D-Ventil f. LR	pressure valve f. CR
-17-55020-20	BS Dichtungen	kit gaskets
-17-55023-00	BG Pleuelstange	assy conn. rod
-17-55025-00	Kolbenring	piston ring
-17-56027-00	Ring	ring
-180.082	Schalttafel 301N2	operating panel, 301N2
-180.082/3	Schalttafel AC630	operating panel, AC630
-180.092	Bedienteil o. Tastatur	operating device non keyboard, 301N2
-180.092/1	Tastatur f. Bedienteil	keyboard f. operating device, 301N2
180030	Bedienteil	operating panel
-180077	Bedienteil kühlen	operating device refrigeration, 301N2
-180077/C	Bedienteil kühlen/heizen	operating device refrigerating/heating, 301N2
-180078	Schalttafel	operating panel
-180092/3	Bedienteil	operating device
-181105	Pressostat, ND	pressostat, LP
-181302	Pressostat f. Verfl.-Gebläse	pressostat f. blower cond.
-182053	Temp.-Fühler	sensor, temp., 301N2
-182146	Temp.-Fühler	sensor, temp., 301N2

Tabella1

182174/24	BG Steuerung Frischluftklappe	controller assy, air flap
182174/I	Umwandler Spannungspolarität	transformer, flap motor
182174/M	E-Motor 12/24 VDC	motor, flap 12/24VDC
182175	Elektro-Schalttafel für 12/ 24 VDC	operating board 12/24VDC
-18-60002-21	Kompressor, 1,99 KW/1600rpm	compressor, 1,99kw/1600rpm
20,01,21,001	Distanzring Trolleybus H80 D391	shim trolleybus H80 D391
20,04,01,001	Präzisionsstahlrohr 22x1,5x 35lg	tube, steel precised 22x1,5x 35lg
20,04,01,002	Präzisionsstahlrohr 28x1,5x 35lg	tube, steel precised 28x1,5x 35lg
20,04,05,003	Cu-Rohr weich 6x1 F20 Ring	copper hose soft F20 Kühl-QU
20,04,05,006	Cu-Rohr weich 10x1 F21 Ring	copper hose soft F20 Kühl-QU
20,04,05,007	Cu-Rohr weich 12x1 F22	copper hose soft F20 Kühl-QU
20,04,05,008	Kupferrohr weich F20 Kühl-QU 15x1	copper hose soft F20 Kühl-QU
20,04,05,010	Cu-Rohr weich 18x1 F24	copper hose soft F20
20,04,05,024	Cu-Rohr hart 28x2	copper hose hard 28x2
20,04,05,204	Cu-Rohr hart 15x1	copper hose hard 15x1
20,04,05,205	Cu-Rohr hart 15x1,5	copper hose hard 15x1,5
20,04,05,209	Cu-Rohr hart 22x1	copper hose hard 22x1
20,04,05,210	Cu-Rohr hart 22x1,5	copper hose hard 22x1,5
20,04,05,211	Cu-Rohr hart 28x1,5	copper hose hard 28x1,5
20,04,05,212	Cu-Rohr hart 35x1,5	copper hose hard 35x1,5
20,04,05,408	Cu-Rohr weich F20 22x1	copper hose soft F20 22x1
20,04,05,410	Cu-Rohr weich F2028 28x1,5	copper hose soft F2028 28x1,5
20,07,02,003	KM-Schlauch DN12 L220	hose, freon DN12 L220
20,07,05,010	Schlauch L2500 D180	hose L2500 D180
20,07,05,024	Luftschlauch D102 L3500	hose D102 L3500
20,07,05,025	Luftschlauch D102 L6500	hose D102 L6500
20,07,05,026	Luftschlauch D102 L6000	hose D102 L6000
20,07,05,027	Luftschlauch D102 L550	hose D102 L550
20,07,05,032	Quadroflex 187x85	hose 187x85
20,07,06,003	Zuluftschlauch isoliert D100 L2,2m	hose, supply insulated D100 L2,2m
20,07,06,004	Zuluftschlauch isoliert D100 L0,5m	hose, supply insulated D100 L0,5m
20,07,06,006	Zuluftschlauch isoliert D100 L1,0m	hose, supply insulated D100 L1,0M,
20,07,06,009	Zuluftschlauch isoliert D100 L3,2m	hose, supply insulated D100 L3,2m
20,07,06,011	Zuluftschlauch isoliert D100 L0,8m	hose, supply insulated D100 L0,8m
20,07,06,013	Zuluftschlauch isoliert D100 L4,5m	hose, supply insulated D100 L4,5m

Tabella1

20,07,06,021	Zuluftschlauch vrn D70 L0,75m	hose, supply frt D70 L0,75m
20,07,06,022	Zuluftschlauch re D70 L2,3m	hose, supply rgt D70 L2,3m
20,07,06,023	Zuluftschlauch li D70 L 1,0m	hose, supply lft D70 L 1,0m
20,07,06,024	Zuluftschlauch li D70 L 1,6m	hose, supply lft D70 L 1,6m
20,07,06,026	Umluftschlauch D125 L0,4m	return air hose D125 L0,4m
20,07,06,031	Zuluftschlauch isoliert D70 L0,6m	hose, supply insulated D70 L0,6m
20,07,06,033	Zuluftschlauch D50 L1,6m	hose, supply D50 L1,6m
20,07,06,038	Luftflexschlauch D=100mm	hose air, insulated D=100mm
20,07,06,040	Luftschlauch isoliert 4m	hose insulated 4m
20,07,07,001	KM-Flexschlauch DN 25 L=760	hose, freon SL DN25 L760, ACR-DA5
20,07,07,002	KM-Flexschlauch DN20 L=800	hose, freon PL DN20 L800, ACR-DA5
20,07,07,003	KM-Schlauch SL DN 25 L1350	hose, freon SL DN 25 L1350
20,07,07,004	KM-Schlauch DL DN 20 L1300	hose, freon PL DN 20 L1300
20,07,07,005	KM-Flexschlauch DN 25 L=900	hose, freon SL DN25 L900, ACR-DA5
20,07,07,006	KM-Flexschlauch DN 20 L=880	hose, freon PL DN20 L880, ACR-DA5
20,07,07,007	KM-Schlauch SL DN 25 L2680	hose, freon SL DN 25 L2680, ACR-DA5
20,07,07,008	KM-Flexschlauch DN20 L=2580	hose, freon PL DN20 L2580, ACR-DA5
20,07,07,009	KM-Schlauch SL DN 25 L 2570	hose, freon SL DN 25 L 2570
20,07,07,010	KM-Schlauch DL DN20 L2220	hose, freon PL DN20 L2220
20,07,07,011	KM-Flexschlauch DN25 L=2710	hose, freon SL DN 25 L 2710
20,07,07,017	KM-Schlauch SL DN25 M36*2 L430	hose, freon SL DN25 M36*2 L430
20,07,07,018	KM-Schlauch DL grd. DN20 M30x2 L500	hose, freon PL sgt. DN20 M30x2 L500
20,07,07,020	KM-Schlauch DL DN20 M30x2 AC261/270	hose, freon PL DN20 M30x2, AC261/270
20,07,07,021	KM-Schlauch DL DN20 L990 45°-90°M30x2	hose, freon PL DN20 L990 45°-90°M30x2
20,07,07,022	KM-Schlauch SL DN25 L890 45°-90°M36x2	hose, freon SL DN25 L890 45°-90°M36x2
20,07,07,023	KM-Schlauch SL DN25 L1110 90°-45°M36x2	hose, freon SL DN25 L1110 90°-45°M36x2
20,07,07,024	KM-Flexschlauch, Saug, Kompr.	hose, freon SL sgt. M36x2 DN 25 L430
20,07,07,025	KM-Flexschlauch Druck, Kompr.	hose, freon PL sgt. M30x2 DN 20 L500
20,07,07,035	KM-Flexschlauch M36x2, DN25, L700, Saug.	hose, freon PL sgt. M36x2 DN 25 L700
20,07,07,036	KM-Schlauch DL DN20 45°FL.-0°FL.	hose, freon PL M30x2 DN 25 L990
20,07,08,001	W-Schlauch DN32 L650	hose, water DN32 L650
20,07,08,002	W-Schlauch DN20 L900 ACR-DA5	hose, water DN20 L900, ACR-DA5
20,07,08,006	W-Schlauch DN16 L=1070	hose, water DN16 L=1070
20,07,08,008	W-Schlauch DN16 L1070	hose, water DN16 L1070
20,07,08,009	W-Schlauch DN12 L800 ACR-DA5	hose, water DN12 L800, ACR-DA5

Tabella1

20,07,08,011	W-Schlauch DN16 L3680 ACR-DA5	hose, water DN16 L3680, ACR-DA5
20,07,08,012	W-Schlauch DN16 L2900 ACR-DA5	hose, water DN16 L2900, ACR-DA5
20,07,08,013	W-Schlauch DN12 L550 ACR-DA5	hose, water DN12 L550, ACR-DA5
20,07,08,014	W-Schlauch DN32 L1000 ACR-DA5	hose, water DN32 L1000, ACR-DA5
20,07,08,015	W-Schlauch DN20 L770 ACR-DA5	hose, water DN20 L770, ACR-DA5
20,07,08,016	W-Schlauch DN10 L 870 ACR-DA5	hose, water DN10 L 870, ACR-DA5
20,07,08,017	Luftausgleichsleitung Dach DN06 L670	air compensation line roof DN06 L670
20,07,08,018	W-Schlauch RL 0 DN32 M45*1.5 L300	hose, water ret. sgt. DN32 M45*1.5 L300
20,07,08,019	W-Schlauch FB DN20 M30x1,5 L300	hose, water FB DN20 M30x1,5 L300
20,07,08,020	W-Schlauch Bypass DN20 M30x1,5 L300	hose, water by-pass DN20 M30x1,5 L300
20,07,08,021	Wasseflexschlauch Frontbox	hose, flexible water front box
20,07,08,023	Wasseflexschlauch Frontbox DN20 L=1700	hose, flexible water DN20 L=1700
20,07,08,024	W-Schlauch f. Hzg. VL DN20 L870 ACR-DA6	hose, water f. HTR adv. DN20 L870, ACR-DA6
20,07,08,025	Wasseflexschlauch Frontbox DN20 L=1000	hose, flexible water DN20 L=1000
20,07,08,026	Wasseflexschlauch Frontbox DN20 L=530	hose, flexible water DN20 L=530
20,07,08,027	Wasseflexschlauch Frontbox DN20 L=580	hose, flexible water DN20 L=580
20,07,08,029	Wasseflexschlauch Frontbox DN20 L=680	hose, flexible water DN20 L=680
20,07,09,002	Kraftstoffleitung ab Dach DN06 L750	line, fuel from roof DN06 L750
20,07,09,003	Kraftstoffleitung zu Dach DN08 L550	line, fuel, roof DN08 L550
20,07,09,004	Kraftstoffleitung Dach DN06 L580	line, fuel from roof DN08 L550
20,07,09,010	HZ-Ölschlauch ZL 0 DN6 M16*1.5 L300	hose, oil SPL sgt. DN6 M16*1.5 L300
20,07,09,011	HZ-Ölschlauch RL 0 DN6 M16*1.5 L300	hose, oil ret. sgt. DN6 M16*1.5 L300
20,08,09,001	Filterträger AC18-3	filter carrier, AC18-3
20,08,09,004	Filterträger AC31	filter carrier, AC31
20,08,09,010	Filterträger 16x16 D1,2 V180	filter carrier 16x16 D1,2, V180
20,08,09,012	Filterträger D1 AC18-B	filter carrier D1, AC18-B
20,08,09,016	Tropfenabscheider	demister
20,08,09,020	Tropfenabscheider WM=16 D1,2 V310	demister WM=16 D1,2, V310
20,08,09,021	Tropfenabscheider WM=16 D1,2 V350	demister WM=16 D1,2, V350
20,08,09,022	Filterträger AC6	filter carrier, AC6
20,08,09,023	Gitter f. Verfl.-Gebläse 16x16x1.2 AC6	grille f. blower cond. 16x16x1.2, AC6
20,08,09,031	Filterträger AC130/131	filter carrier, AC130/131
20,08,09,050	Frischlufffilterträger AC261/270	supportt, filter mat AC261/270
20,08,09,050	(Frischlufffilterträger AC270	support, filter mat AC270
20,08,09,051	Rückluftgitter 392x284	grille, return air 392x284

Tabella1

-201-100	Unterbrecher 20A	circuit breaker 20A
-201-106	ersetzt durch AC201-106	use > AC201-106
-201-305	Schalter f. Gebläsedrehzahlregler	switch f. blower speed controlling device
-201-500	ersetzt durch AC201-500	use > AC201-500
-202-300	Knopf f. Gebläse SW-gummiert	button f. blower BK, rubber
-202-303	Drehknopf	turn button
20-30315028-	Gebläsemotor	motor, blower
-203066 RO	Filter f. Trockner	filter f. drier
-203608 RO	Schauglas	sight glass
-203900RO	Trockner 2x 7/8"-14UNF	dryer
20-501-413-01	Einspritzdüse	nozzle, injection
21,02,95,000	ersetzt durch 21,07,02,022	use > 21,07,02,022
21,03,51,001	Dichtungsprofil SW 21x10,4 KB1,5-3,5	profil, joint BK 21x10,4 KB1,5-3,5
21,03,51,003	Dichtungsprofil SW 14,5x21 KB1-3,5	profil, joint BK 14,5x21 KB1-3,5
21,03,51,010	Klemmprofil universal	profil, clamp
21,03,51,011	Kantenschutz 14x10,5	edge protection 14x10,5
21,03,51,012	Kantenschutz flex.	edge protection flex.
21,03,51,021	Dichtprofil 60-70 3103 AC40-5	profile joint 60-70 , AC40-5
21,03,51,025	Dichtprofil, universal	profil, joint universal BK 32x14 1,0-2,5
21,03,51,026	Moosgummirundschnur D=10 schwarz	thread, D=10 black
21,03,51,033	Dichtungsprofil SW 15,6x8,5 KB 0,8-2,5	profil, joint BK 15,6x8,5 KB0,8-2,5
21,03,51,038	Dichtungsprofil SW 13,6x21 KB1-2,5 AC355	profil, joint BK 13,6x21 KB1,0-2,5 AC355
21,03,51,039	Dichtungsprofil BK KB2-4 17,5x28 AC353	profil, joint BK 17,5x28 KB2-4, AC353
21,03,95,010	ersetzt durch 21,03,51,012	use > 21,03,51,012
21,03,95,022	Endwinkel	angle, end
21,04,01,001	Abstandsrolle L35 DA10 DI5,2	spacer L35 DA10 DI5,2
21,04,01,002	Abstandsrolle L12 DA10 DI5,2	spacer L12 DA10 DI5,2
21,04,01,007	Abstandsrolle L10 DA10 DI5,2	spacer L10 DA10 DI5,2
21,07,01,025	KM-Schlauch GR SZ04 3/16"	hose, freon GN SZ04 3/16"
21,07,01,026	KM-Schlauch GR SZ06 5/16"	hose, freon GN SZ06 5/16"
21,07,01,027	KM-Schlauch GR SZ08 13/32"	hose, freon GN SZ08 13/32"
21,07,01,028	KM-Schlauch GR SZ10 1/2"	hose, freon GN SZ10 1/2"
21,07,01,029	KM-Schlauch GR SZ12 5/8"	hose, freon GN SZ12 5/8"
21,07,01,030	KM-Schlauch GR SZ16	hose, freon GN SZ16
21,07,01,031	KM-Schlauch GR SZ20 1 1/8"	hose, freon GN SZ20 1 1/8"

Tabella1

21,07,01,039	KM-Schlauch SZ04 4,8x13	hose, freon SZ04 4,8x13
21,07,01,042	KM-Schlauch SZ10 12,7x23,4	hose, freon SZ10 12,7x23,4
21,07,01,043	KM-Schlauch SZ12 16,0x27,3	hose, freon SZ12 16,0x27,3
21,07,01,044	KM-Schlauch SZ16 22,0x32,2	hose, freon SZ16 22,0x32,2
21,07,01,045	KM-Schlauch SZ20 28,0x38,0	hose, freon SZ20 28,0x38,0
21,07,01,046	KM-Schlauch SZ06 8,0x17,2	hose, freon SZ06 8,0x17,2
21,07,01,047	KM-Schlauch SZ08	hose, freon SZ08
21,07,01,050	ersetzt durch 21,07,01,054	use > 21,07,01,054
21,07,01,051	KM-Schlauch Frigostar SZ10	hose, refrigerant Frigostar SZ10
21,07,01,053	KM-Schlauch Frigostar SZ06	hose, refrigerant Frigostar SZ06
21,07,01,054	KM-Schlauch SZ12	hose, freon SZ12-5/8" NW16
21,07,01,055	KM-Schlauch SZ08	hose, freon SZ8
21,07,02,005	Schlauch 12/21	hose 12/21
21,07,02,007	Schlauch, PVC 16/26	hose, PVC 16/26
21,07,02,019	Schlauch, Membrane D=22	hose, menbrane D=22
21,07,02,021	Kondenswasserschlauch D12	hose, drainwater D12
21,07,02,022	Kondenswasserschlauch D 18	hose, drainwater D18
21,07,02,023	Schlauch 12x1	hose 12x1
21,07,02,028	Schlauch -20/+60 5x1,5	hose -20/+60 5x1,5
21,07,02,029	Schlauch 9x1,5	hose 9x1,5
21,07,02,033	Flexibelschlauch NW=70mm	hose, flexible NW=70mm
21,07,02,037	W-Schlauch 38x50	hose, water 38x50
21,07,02,039	Luftschlauch NW100	hose, air NW100
21,07,02,042	Luftschlauch NW100	hose NW100
21,07,02,043	Luftschlauch NW120	hose NW120
21,07,02,052	Ablaufschlauch D18 L600 ACR	drain hose D18 L600, ACR-DA5
21,07,02,056	Blindstopfen li rd. D25	cap, blind lft rd. D25
21,07,02,057	Blindstopfen rd. D20	cap, blind rd. D20
21,07,02,059	W-Schlauch WWA D18 L1250	hose, water D18 L1250, ACR-DA5
21,07,02,060	W-Schlauch transp. DI22	hose, water transp. DI22
21,07,02,066	Luftschlauch D76 L570	hose D76 L570
21,07,02,067	Luftschlauch D76 L1100	hose D76 L570
21,07,02,069	Luftschlauch D55 L1000	hose D55 L1000
21,07,02,070	Luftschlauch D55 L2400	hose D55 L2400
21,07,02,071	Luftschlauch D76 L370	hose D76 L370

Tabella1

21,07,02,073	Luftschlauch 255x125 L4000	hose 255x125 L4000
21,07,02,074	Luftschlauch 255x125 L4000	hose 255x125 L4000
21,07,02,075	Luftschlauch	hose, air
21,07,03,001	Pneum.-Rohr weich SW T6 50m	tube, pneu soft BK T6 50m
21,07,06,002	Kühlerschlauch SB 05	hose f. cooler D22x3,5 5
21,07,06,003	Schlauch f. Kühler D15x3,5 SB05	hose f. cooler D15x3,5
21,07,06,004	Kühlerschaluch SB 05	hose f. cooler D18x3 5
21,07,06,010	ersetzt durch 21,07,06,022	use > 21,07,06,022
21,07,06,018	Schlauch m. Einlage NW19 19x4,25	hose w. insert NW19 19x4,25
21,07,06,021	Schlauch D=18x4,5x1650	hose D=18x4,5x1650
21,07,06,022	Schlauch D=28x4,5	hose D=28x4,5
21,07,06,027	Schlauch D=35 S=4,5	hose 300 D35x4,5
21,07,06,502	Schlauch f. Kühler D28x4,5	hose f. cooler D28x4,5
21,07,06,504	Schlauch 300 D38x4,5	hose 300 D38x4,5
21,07,06,505	Schlauch 300 D35x4,5	hose 300 D35x4,5
21,07,06,508	Schlauch 200 D22x4,5	hose 200 D22x4,5
21,07,06,509	Schlauch D22 90° 100x70 S=4,5	hose D22 90° 100x70 S=4,5
21,07,06,510	Schlauch 135x55 S=4,5 D22 90°	hose 135x55 S=4,5 D22 90°
21,07,06,511	Schlauch D22 S=4,5 L1500	hose D22 S=4,5 L1500
21,07,06,512	Schlauch D38 90° 200x110 S=4,5	hose D38 90° 200x110 S=4,5
21,07,06,513	Schlauch D38 90° 160x160 S=4,5	hose D38 90° 160x160 S=4,5
21,07,06,514	Schlauch D38 90° 130x90 S=4,5	hose D38 90° 130x90 S=4,5
21,07,06,518	Formschlauch D38 90° S=4,5	hose, preformed D38 90° S=4,5
21,07,07,001	Isolierschlauch GU 6x0,6 Grau	insulation pipe GY 6x0,6
21,07,07,003	Isolierschlauch GU 8x0,7 Grau	insulation pipe GY 8x0,7
21,07,07,005	Isolierschlauch GU 10x0,7	insulation pipe GY 10x0,7
21,07,07,027	Schrumpfschlauch 25,4/12,7	insulating heat shrink plastic tubing 25,4/12,7
21,07,07,028	Schrumpfschlauch 19,0/9,6	insulating heat shrink plastic tubing 19,0/9,6
21,07,07,029	Schrumpfschlauch 12,7/6,4	insulating heat shrink plastic tubing 12,7/6,4
21,07,07,032	Schrumpfschlauch m. Kleber	insulating heat shrink plastic tubing w. glue
21,07,07,034	Schrumpfschlauch 4,8/2,4	insulating heat shrink plastic tubing 4,8/2,4
21,07,07,035	Schrumpfschlauch 9,6/4,8	insulating heat shrink plastic tubing 9,6/4,8
21,07,07,037	Schrumpfschlauch	insulating heat shrink plastic tubing
21,07,07,040	Schrumpfschlauch	insulating heat shrink plastic tubing
21,07,07,044	Wärmeschrumpfschlauch	insulating heat shrink plastic tubing

Tabella1

21,07,07,050	Isolierrohr gerillt PG11	insulation pipe grvd. BK PG11
21,07,07,052	ersetzt durch 21,07,07,067	use > 21,07,07,067
21,07,07,055	Isolierrohr gerillt PG36	insulation pipe grvd. BK PG36
21,07,07,065	Isolierrohr, Kunststoff	insulation, plastic
21,07,07,067	Isolierrohr halogenfrei PG16	insulation pipe halogen free PG16
21,07,07,068	Isolierrohr halogenfrei PG21	insulation pipe halogen free PG21
21,07,07,218	Gummikappe für 2-Pol.-Stecker	cap, rubber, 2 term. connector
21,07,08,001	Isolierschlauch, therm. W9 D11	insulation pipe, therm. W9 D11
21,07,08,003	Isolierschlauch, therm. W9 D12	insulation pipe, therm. W9 D12
21,07,08,006	Isolierschlauch, therm. F15 W9 D16	insulation pipe, therm. W9 D16
21,07,08,009	Isolierschlauch, therm. W9 D16	insulation pipe, therm. W9 D16
21,07,08,013	Isolierschlauch, therm. F22 W9 D22,5	insulation pipe, therm. W9 D22,5
21,07,08,014	Isolierschlauch W10 D22 150°C	insulation pipe, therm. W10 D22 b. 150°C
21,07,08,019	Isolierschlauch, therm. F28 DI29 W9	insulation pipe, therm. DI29 W9
21,07,08,025	Isolierschlauch, therm. F35 W9 D36,5	insulation pipe, therm. W9 D36,5
21,07,08,033	Isolierschlauch, therm. F42 W9 D43	insulation pipe, therm. W9 D43
21,07,08,045	Isolierschlauch, therm. F54 W9 D55	insulation pipe, therm. W9 D55
21,07,08,061	Schläuche W9 D71 IT/Accootherm	hoses W9 D71
21,07,95,001	Schutzrohr UV-beständig	pipe, UV protection
21,07,95,003	Schutzrohr UV-beständig	pipe, UV-protected
21,07,95,004	ersetzt durch 21,07,06,021	use > 21,07,06,021
21,07,95,006	Isolierschlauch mit Spirale D=50	hose, isolation w/spiral D=50
21,07,95,040	ersetzt durch 21,07,01,053	use > 21,07,01,053
21,07,95,042	ersetzt durch 21,07,01,055	use > 21,07,01,055
21,07,95,043	ersetzt durch 21,07,01,051	use > 21,07,01,051
21,07,95,044	ersetzt durch 21,07,01,054	use > 21,07,01,054
21,08,03,001	Filtermatte dunkel 15PPI AC31-2	filter mat dark 15PPI, AC31-2
21,08,03,002	Filtermatte dunkel 15PPI AC31-3	filter mat dark 15PPI, AC31-3
21,08,03,006	Filtermatte dunkel 15PPI AC10-3	filter mat dark 15PPI, AC10-3
21,08,03,007	Filtermatte dunkel 15PPI AC35-3	filter mat dark 15PPI, AC35-3
21,08,03,009	Filtermatte dunkel 15PPI V180	filter mat dark 15PPI, V180
21,08,03,010	Filtermatte dunkel 15PPI AC25-5	filter mat dark 15PPI, AC25-5
21,08,03,011	Filtermatte dunkel 15PPI V310	filter mat dark 15PPI, V310
21,08,03,012	Filtermatte dunkel 15PPI V350	filter mat dark 15PPI, V350
21,08,03,015	Filtermatte dunkel 15PPI AC340	filter mat dark 15PPI, AC340

Tabella1

21,08,03,017	Filtermatte dunkel 15PPI AC136	filter mat dark 15PPI, AC136
21,08,03,018	Filtermatte dunkel 15PPI V183-3	filter mat dark 15PPI V183-3
21,08,03,019	Filtermatte dunkel 15PPI AC132	filter mat dark 15PPI, AC132
21,08,03,020	Filtermatte dunkel 15PPI AC353	filter mat dark 15PPI, AC353
21,08,03,021	Filtermatte dunkel 15PPI AC133	filter mat dark 15PPI, AC133
21,08,03,022	Filtermatte dunkel 15PPI AC134	filter mat dark 15PPI, AC134
21,08,03,023	Filtermatte dunkel 15PPI AC313	filter mat dark 15PPI, AC313
21,08,03,025	Filtermatte dunkel 15PPI AC111	filter mat dark 15PPI AC111
21,08,03,026	Filtermatte dunkel 15PPI AC112	filter mat dark 15PPI, AC112
21,08,03,027	Filtermatte dunkel 15PPI dunkel	filter mat dark 15PPI, dark
21,08,03,029	Filtermatte dunkel 15PPI V738	filter mat dark 15PPI, dark V738
21,08,05,001	Filtermatte P15/150 1730x290x15	filter mat P15/150 1730x290x15
21,08,05,002	Filtermatte kz. P15/150S AC18 FB04	filter mat sht. P15/150S, AC18 FB04
21,08,05,005	Filtermatte P15/150 AC10	filter mat P15/150, AC10
21,08,05,006	Filtermatte lang P15/150 AC18	filter mat long P15/150, AC18
21,08,05,007	Filtermatte P15/150 AC31	filter mat P15/150, AC31
21,08,05,010	Filtermatte P15/150S AC25	filter mat P15/150S, AC25
21,08,05,013	Filtermatte P15/150S	filter mat f. return air grill P15/150S, AC31
21,08,05,014	Filtermatte f. UML-Gitter P15/150S AC35	filter mat f. return air grill P15/150S, AC35
21,08,05,016	Filtermatte P15/150 AC31-3	filter mat P15/150, AC31-3
21,08,05,019	Filtermatte P15/150 AC18	filter mat P15/150, AC18
21,08,05,020	Filtermatte P15/150S V107	filter mat P15/350S, V107
21,08,05,023	Filtermatte 925x225 P15/150S AC132	filter mat f. return air grill P15/350S, AC132
21,08,05,026	Filtermatte P15/150S V355	filter mat P15/350S, V355
21,08,05,027	Filtermatte P15/150S AC315	filter mat P15/350S, AC315
21,08,05,028	Filtermatte P15/150S AC355	filter mat P15/150S, AC355
21,08,05,029	Filtermatte P15/150S 2x40m	filter mat P15/350S 2x40m
21,08,05,030	Filtermatte P15/150S EU2 ACR-RSH	filter mat P15/350S EU2 ACR-RSH
21,08,05,031	Filtermatte P15/150S EU2 ACR-RSH	filter mat P15/350S EU2 ACR-RSH
21,08,06,007	Filtermatte P15/350S AC40-3	filter mat P15/350S, AC40-3
21,08,06,008	Filtermatte ob-unt P15/350S AC40-5, AC45	filter mat tp P15/350S AC40-5, AC45
21,08,06,009	Filtermatte unt P15/350S AC40-5, AC45	filter mat bot P15/350S AC40-5, AC45
21,08,06,012	Filtermatte P15/350S 570x250x15 AC7	filter mat P15/350S 570x250x15 AC7
21,08,06,014	Filtermatte hell P15/350S V310	filter mat bright P15/350S, V310
21,08,06,015	Filtermatte hell P15/350S V350	filter mat bright P15/350S, V350

Tabella1

21,08,06,016	Filtermatte P15/350S FB340	filter mat P15/350S, FB340
21,08,06,017	Filtermatte P15/350 AC340	filter mat P15/350, AC340
21,08,06,018	Filtermatte P15/350S V16	filter mat P15/350S, V16
21,08,06,019	Filtermatte, Rückluftgitter 312x814	filter mat f. return air grill P15/150S
21,08,06,025	Filtermatte P15/150S AC260	filter mat P15/150S, AC260
21,08,06,026	Filtermatte, Außenluft P15/350S 210x830	filter mat f. filter, P15/350S 210x830
21,08,06,027	Filtermatte, Umluft P15/350S	filter mat f. return air filter P15/350S
21,08,06,030	Filtermatte P15/350S EU3 ACR-RSH	filter mat P15/350S EU3 ACR-RSH
21,08,06,032	Filtermatte P15/350S 550x600 AC6-F	filter mat P15/350S 550x600 AC6-F
21,08,06,033	Filtermatte P15/350S 410x240	filter mat P15/350S 410x240
21,08,06,035	Filtermatte P15/150S 530x375 VHLH	filter mat P15/150S 530x375 VHLH
21,08,06,036	Filtermatte P15/350S EU3 300x450 LBG-FS2	filter mat P15/350S EU3 300x450 LBG-FS2
21,08,06,037	Filtermatte f. Rückluft ACRDA8	filter mat, return air ACRDA8
21,08,07,002	Filterschaum hell AC10-3	filter foam bright AC10-3
21,08,07,003	Filterschaum hell 30PPI	filter foam bright 30PPI
21,08,07,004	Filterschaum hell 30PPI	filter foam bright 30PPI
21,08,07,005	Filterschaum hell 30PPI AC35-2	filter foam bright 30PPI, AC35-2
21,08,07,007	Filtermatte hell 30PPI AC310	filter mat bright 30PPI, AC310
21,08,07,008	Filtermatte hell 30PPI	filter mat bright 30PPI
21,08,07,009	Filtermatte hell 30PPI	filter mat bright 30PPI
21,08,11,001	Partikelfilter AC270/261	filter, particle AC261/270
21,08,21,001	Plisseefilter, Kond.-Lüfter	filter, plissee cond.. Fan
21,08,23,001	Plisseefilter, Außenluft	filter, plissee outside air
21,08,23,002	ersetzt durch 21,08,06,037	use> 21,08,06,037
21,08,23,003	Plisseefilter, Umluft ACR DA6	filter, plissee ACR DA6
21,08,95,001	Filter Luft 262x169	filter, air 262x169
21,08,95,002	Filter Luft 156x90	filter, air 156x90
21,08,95,003	Luftfilter 495x255	filter, air 495x255
21,08,95,004	Filter Luft 169x102	filter, air 169x102
21,08,95,005	Filter Luft, RLX ASPI	Filter, RLX ASPI
21,08,95,008	Luftfilter 524x224	Filter, air 524x224
21,08,95,009	Spritzwasserfilter Civis lang	water seperator Civis long
21,08,95,010	Spritzwasserfilter Civis kurz	water seperator Civis short
21,08,95,026	Filter Verdampfer Civis Lang	filter, evap. long Civis
21,08,95,027	Filter Verdampfer Civis kurz	filter, evap. short Civis

Tabella1

21,08,95,040	Filter, 20/20	filter, 20/20
21,08,95,041	Kondensatorgitter CIVIS 18m	gille, kond. CIVIS 18m
21,08,95,044	Filtermatte, Frischluftzufuhr	Filtermat, air intake
21,08,95,045	Filter f. Frischluftzufuhr V184	filter, fresh air V184
21,08,95,100	Desinfektionsmittel für Luftfilter	filter cleaner
21,08,95,150	Filter mit Rahmen 450x135x10	Filtermat w/frame 450x135x10
21,09,01,003	Isoliermatte hell T9	mat, insulation light T9
21,09,04,001	Isolierung T10	insulation, T10
21,09,05,001	Abdichtmatte, li-re ACR-DA5	insulation seal dull lft-rgt, ACR-DA5
21,09,05,002	Abdichtmatte, li-re ACR-DA5	insulation seal dull lft-rgt, ACR-DA5
21,10,01,001	Dichtband GU 15x30	sealing tape GY 15x30
21,10,01,002	Dichtband 5x20	sealing tape 5x20
21,10,01,010	Dichtband GU 10x30 SK	sealing tape GY 10x30 SK
21,10,01,011	Dichtband GU 30x50	sealing tape GY 30x50
21,10,01,015	Dichtband GU 6x12 300x300x200	sealing tape GY 6x12 300x300x200
21,10,01,018	Dichtband 30x30x2000 AB150	sealing tape 30x30x2000
21,10,02,001	Teerband 3x50 L=9,2m	insulation tape 3x50 L=9,2m
21,10,02,002	Isolierband 50x3	insulation tape 50x3
21,10,02,006	Dichtband 3x30 230x40	Insulation tape 3x30 230x40
21,10,02,008	Isolierung B2000 D25	insulation B2000 D25
21,10,02,011	Dichtband mit Vlies	tape, insulation
21,10,03,002	Dichtrahmen Zuluft AC132	gasket frame supply air, AC132
21,10,03,005	Dichtrahmen Umluft AC 133/135	gasket frame return air, AC133
21,10,03,009	Dichtrahmen Zuluft AC132	gasket frame supply air, AC132
21,10,04,001	Spirale f. KM-Schlauch aussen SZ16	spiral f. hose, freon OSD SZ16
21,10,04,002	Spirale f. KM-Schlauch aussen SZ20	spiral f. hose, freon OSD SZ20
21,10,05,001	Isolierband Glaswolle	insulation tape fiberglass
21,10,95,002	ersetzt durch 21,10,01,010	use > 21,10,01,010
22,01,03,300	Rippenheizung 2,1KW 220V TK31G	heater, ribs 2,1KW 220V, TK31G
22,01,08,011	Heizpaket 280V/2KW	heater coil 280V/2KW
22,01,16,001	Heizmatte 120W 24VDC L1,6m	mat, heat, wpf. diesel resistant 120W 24VDC
22,03,04,001	Wasserheizgerät 24VDC 30 KW	water heater 24VDC 30 KW
22,03,04,004	Wasserheizgerät 24VDC 30KW	water heater 24VDC 30KW
22,03,10,001	Ersatzbrenner	replacement burner
22,03,10,002	Brennkammer Webasto	combustion chamber

Tabella1

22,03,10,004	Brennstofffilter	filter, fuel
22,03,10,010	Lüfterrad u. Rotor	fan blade a. rotor
22,03,10,011	Brennstoffpumpe	fuel pump
22,03,10,012	Kleinteile f. Brennstoffpumpe	small parts f. pump, fuel
22,03,10,013	Antrieb f. Brennermotor 24VDC	drive f. burner motor 24VDC
22,03,10,014	Flammwächter	flame monitor
22,03,10,015	Temperaturbegrenzer	temperature limit switch
22,03,10,016	Temp.-Fühler	sensor, temp.
22,03,10,017	Hochdruckdüse	nozzle, HP
22,03,10,018	Steuergerät 24VDC 15K	controller 24VDC 15K
22,03,10,019	Zündelektrode	ignition elektrode
22,03,10,020	Zündfunkengeber	ignition spark
22,03,10,023	Magnetspule 24VDC 10W	coil, magn. 24VDC 10W
22,03,10,024	Filtereinsatz mit Gummidichtung	filter cartridge w. sealing rubber
22,03,10,025	BS Dichtung	kit gasket
22,03,10,026	BS Anbau f. Umwälzpumpe	kit mounting f. circulating pump
22,03,10,027	Sichtscheibe f. Brennkammer	disc, sight
22,03,10,101	Brenner	burner
22,03,10,103	Gebläserad	blower wheel
22,03,10,105	Fühler f. Temperatur	sensor, temperature
22,03,10,106	Fühler f. Überhitzung	sensor, over heat
22,03,10,107	Pumpe 24VDC	pump 24VDC
22,03,10,110	E-Motor 24VDC	motor, El. 24VDC
22,03,10,111	Kupplung	clutch
22,03,10,113	Zündelektrode	ignition elektrode
22,03,10,115	Brennstoffdüse	fuel nozzle
22,03,10,119	Steuergerät 24VDC	controller 24VDC
22,03,10,125	Diagnosegerät	diagnostic device
22,03,10,126	Einstellehre f. Elektroden	guage, adjusting, f. electrode
22,03,10,128	Adapterkabel f. Diagnosegerät	adapter cable f. diagnostic device
22,03,10,131	Filtereinsatz	filter insert
22,03,10,136	Steuergerät	control unit, Hydronic 24
22,03,10,138	Brennstoffdüse	nozzle, fuel Hydronic 24
22,04,01,006	Gebläse, DR 24VDC	blower, DR 24VDC
22,04,01,010	Wärmetauscher 24VDC	heat changer 24VDC

Tabella1

22,04,01,018	Bedienknopf 24VDC	switch botton 24VDC
22,05,01,008	Wasserventil aussen-aussen 1/2-G3/4	valve, water outside-outside 1/2-G3/4
22,05,05,001	Entlüftungsventil 1/8"	kit valve, bleeder clutch 1/8
22,05,05,002	T-Stück m. Ventileinsatz	T-conn. w. valve core T6 7/16"-7/16"UNF
22,05,05,003	T-Anschluß m. Ventileinsatz	T-conn. w. valve core
22,05,10,102	Kraftstoffmagnetventil 12VDC	valve, magn. fuel 12VDC
22,05,10,111	Ventil 12VDC DN10, AC7/TK7	valve, SOL 12VDC DN10, AC7/TK7
22,05,10,305	2/2 Wegeventil, 24VDC	valve, SOL 2/2ways 24VDC
22,05,10,307	Magnetventil DN10 R1/2 24VDC	valve, SOL, AC7/TK7
22,05,10,313	ersetzt durch 22,05,10,502	use > 22,05,10,502
22,05,10,316	ersetzt durch 22,05,10,503	use > 22,05,10,503
22,05,10,318	ersetzt durch 22,05,10,500	use > 22,05,10,500
22,05,10,319	2/2 Wegeventil G1 1/4	valve, water 2/2 way G11/4" NO
22,05,10,320	2/2 Wegeventil G1 1/4	valve, water 2/2 way G11/4" NC
22,05,10,321	2/2 Wegeventil G1" D28	valve, water 2/2 way G1" D28
22,05,10,500	2/2 Wegeventil 27VDC G1/4"	valve, SOL 27VDC G 1/4"
22,05,10,501	2/2 Wegeventil 27VDC G1/2"	valve, SOL 27VDC G 1/2"
22,05,10,502	2/2 Wegeventil 27VDC G3/4"	valve, SOL 27VDC G 3/4"
22,05,12,001	Magnetventil 5/8" D10	valve, SOL 5/8" D10
22,05,12,002	Magnetventil 7/8" D15	valve, SOL 7/8" D15
22,05,12,004	Magnetventil 5/8" ODF	valve, SOL 5/8" ODF
22,05,12,006	2/2-Wegeventil mit 1,5m Kabel	valve, SOL 2/2ways 3/4"-16UNF 24VDC
22,05,12,007	2/2-Wegeventil 24VDC	valve, SOL 2/2ways 7/8"-14UNF 24VDC
22,05,12,008	ersetzt durch 22,05,12,023	use > 22,05,12,023
22,05,12,014	2/2 Wegeventil 24VDC	valve, SOL 2/2way 24VDC
22,05,12,016	2/2 Wegeventil 12VDC	valve, SOL 2/2way 12VDC
22,05,12,017	2/2 Wegeventil 12VDC	valve, SOL 2/2way 12VDC
22,05,12,018	2/2Wegeventil 12VDC	valve, SOL 2/2way 12VDC
22,05,12,019	2/2 Wegeventil 12VDC	valve, SOL 2/2way 12VDC
22,05,12,023	2/2 Wegeventil 24VDC	valve, SOL 2/2way 24VDC
22,05,12,024	2/2 Wegeventil M25x1	valve, SOL 2/2way M25x1
22,05,12,025	Magnetspule m. Stecker 10W	coil, magn. w. plug 10W
22,05,12,026	Ventilgehäuse f. ES-Ventil M12x1	valve housing f. valve SCR M12x1
22,05,12,027	Verschlußkappe f. ES-Ventil M25x1	cap, seal f. valve SCR M25x1
22,05,12,030	Magnetventil D12	valve, SOL D12

Tabella1

22,05,13,002	Magnetspule 24VDC	coil, magn. 24VDC
22,05,13,003	Magnetspule 220V 50Hz TK7A/D	coil, magn. 220V 50Hz, TK7A/D
22,05,13,006	Magnetspule 24VDC 18W	coil, magn. 24VDC 18W
22,05,13,007	Magnetspule o. Stecker 12VDC	coil, magn. non plug 12VDC
22,05,13,008	Magnetspule o. Stecker 24VDC	coil, magn. non plug 24VDC
22,05,13,009	Magnetspule o. Stecker 220V 50Hz	coil, magn. non plug 220V 50Hz
22,05,13,011	Magnetspule 24VDC 18W 0-8bar	coil, magn. 24VDC 18W 0-8bar
22,05,13,012	Magnetspule 27VDC	coil, magn. 27VDC
22,05,13,013	Magnetspule 27 VDC	coil, magn. 24VDC
22,05,13,100	Magnetstecker PG11	magnet plug PG11
22,05,13,101	ES-Ventil VBZ000	valve SCR VBZ000
22,05,13,102	Gerätestecker mit PG9	plug, SOL PG9
22,05,13,103	Würfelstecker m. Freilaufdiode	plug cube w. free pass diode
22,05,13,105	Grundkörper Magnetventil	valve body
22,05,14,001	Regelventil f. E-Motor 2/2Wege	valve, contr. f. E-Motor 2/2ways
22,05,14,003	Pilotventil 3/2 Wege	valve, pilot 3/2ways
22,05,14,004	Regelventil f. E-Motor 3/2Wege	valve, contr. f. E-Motor 3/2ways
22,05,15,009	Handabsperrventil HDLK22	valve, shutoff manual
22,05,15,100	Durchgang-Absperrventil	valve, shutoff in-out 2x7/8" 2x7/16"
22,05,15,110	Handabsperrventil 5/8" HDK10	valve, shutoff manual 5/8"
22,05,15,111	Handabsperrventil HDK12	valve, shutoff manual
22,05,15,112	Handabsperrventil HDK16 7/8" Bördelansch	valve, shutoff manual
22,05,15,114	Handabsperrventil BML10	valve, shutoff manual BML10
22,05,15,300	Eckabsperrventil 7/8" OR=1	valve, shutoff 7/8" OR=1-7/8"SAE 7/16"
22,05,15,301	Eckabsperrventil 7/8" OR=1-7/8" OR=1	valve, shutoff 7/8" OR=1-7/8" OR=1
22,05,15,302	Ventil 3/4" OR=1-3/4"SAE SA7/16"	valve, shutoff 3/4" OR=1-3/4"SAE 7/16"
22,05,15,303	Ventil 3/4" OR=1-3/4" OR=1	valve, shutoff 3/4" OR=1-3/4" OR=1
22,05,15,305	Eckabsperrventil 7/8"	valve, shutoff horizontal 7/8"14 7/16"
22,05,15,306	Eckabsperrventil 1-1/16"	valve, shutoff horizontal 1'1/16" 7/16"
22,05,15,308	Eckabsperrventil 2x7/8" 2x7/16"	valve, shutoff 2x7/8", 2x7/16"
22,05,15,349	Kappe f. EA-Ventil Denaline	plastic cap f. valve, shutoff
22,05,15,350	Eckabsperrventil 7/8"	valve, shutoff f. receiver 7/8"-14, AC35/31-2
22,05,15,351	Eckabsperrventil 3/4"	valve, shutoff f. tube 3/4"-16 D12
22,05,15,352	Eckabsperrventil 5/8"-18UNF D10	valve, shutoff 5/8"-18UNF D10
22,05,15,360	Eckabsperrventil 1"-14 OR=1 7/8"	valve, shutoff 1"-14 OR=1 UNS 7/8"

Tabella1

22,05,15,365	Eckabsperrventil M30x2	valve, shutoff M30x2
22,05,16,004	Kugelabsperrventil m. Lötanschluss	valve, ball w. soldered connection
22,05,16,007	Kugelabsperrventil D18	valve, ball D18
22,05,16,008	Kugelabsperrventil D22	valve, ball D22
22,05,16,009	Kugelabsperrventil D28	valve, ball D28
22,05,16,014	Kugelhahn 1/4" 87-1'1/4"	ball valve 1/4" 87-1'1/4"-SO
22,05,20,006	Rückschlagventil BAS3/4"	valve, check BAS3/4"
22,05,20,009	Rückschlagventil BAS7/8"	valve, check BAS7/8"
22,05,20,012	Rückschlagventil 1'1/16 BAS1/16"	valve, check 1'1/16 BAS1/16"
22,05,20,061	Rückschlagventil RDL22	valve, check damped sgt. RDL 22
22,05,20,062	Rückschlagventil gedämpft grd. RDL 28	valve, check damped sgt. RDL 28
22,05,20,063	Rückschlagventil m. Dämpfung RDL 35	valve, check w. damping RDL 35
22,05,20,065	Rückschlagventil grd. NW28	valve, check NW 28
22,05,20,202	Rückschlagventil f. Wasser 1/2"	valve, check f. water 1/2"
22,05,25,004	Pneum. E-Magnetventil 1/8"	valve pneu.-electr. 1/8"
22,05,95,000	Pneumatik zylinder	cylinder, pneumatic
22,05,95,001	Pneumatic Cylinder 63.80	cylinder, pneumatic 63.80
22,05,95,003	Pneumatikzylinder	cylinder, pneumatic
22,05,95,015	Auspuff, G1/8	exhaust, G1/8
22,05,95,021	Reparaturkit	kit, repair
22,05,95,030	Luftmengenregler	regulator, air
22,05,95,031	Luftmengenregler M5	adjuster, air volume M5
22,05,95,032	Magnetventil 3/NO	valve, solenoid 3/2NO
22,05,95,033	Stecker für Magnetventil	plug, solenoid valve
22,05,95,034	Unterteil	base, part
22,05,95,035	Trennwand	divider
22,05,95,036	Verbindung, gerade	fitting, stgt.
22,05,95,037	Verbindung M5, gerade	fitting, stgt. M5
22,05,95,038	Luftmengenregler	adjuster, air volume
22,05,95,050	Regler speziell 1/4"	adjuster special 1/4"
22,05,95,100	Magnetventil EVR10	valve, SOL EVR10
22,05,95,101	Magnetspule Typ1 24V	coil, soenoid Type1 24V
22,05,95,102	Magnetspule Typ2 24V	coil, soenoid Type2 24V
22,10,01,007	ersetzt durch 22,10,01,009	use > 22,10,01,009
22,10,01,009	Luftabscheider RSH	air separator

Tabella1

22,15,02,008	Runddüse tuff grau AC7	nozzle tuff-GY, AC7
22,15,02,009	Luftdüse verstellbar rd.	air jet adjustable rd.
22,15,02,010	Düsensatz m. Klappen 135x280 AC7	nozzle set w. flaps 135x280, AC7
22,15,02,011	Spindeldüse 35x162	spindle, nozzle 35x162
22,15,02,012	Langdüsen m. Klappen SW 169x62	long jets w. flaps BK 169x62
22,15,02,013	Runddüse m. Klappen D86,5	nozzle w. flaps D86,5
22,15,02,014	Runddüse f. Schlauch D70	nozzle f. hose D70
22,15,02,030	Luftauslassschlitz SW P169	air outlet BK
22,15,03,002	Lüftungsschieber m. Drehgriff AC340	ventilation shutter w. turning handle, AC340
22,15,95,003	Luftauslassschlitz	air distributor
22,15,95,004	Befestigungsscheibe	washer, fastening
22,18,01,010	Filterrahmen ob-unt P15/350S AC40-5	frame, filter tp, AC40-5
22,18,01,011	Filterrahmen unt P15/350S AC40-5	frame, filter bot, AC40-5
22,18,01,016	Filter	filter
22,18,01,017	Metallfilterzelle	metal filter cell
22,18,01,024	Umrichter 24VDC/220V 200VA	transformer 24VDC/220V 200VA
22,18,01,046	Umluftfilterträger	frame, filter
22,18,01,047	Filterrahmen AC261/270	frame, filter, AC261/270
22,18,01,049	Metallfilter 740x230x20 V187	filter, metal 740x230x20
22,18,01,051	Filterrahmen TBV	frame, filter
22,20,01,009	Spannrolle Kupplung 2SPB150	idler clutch 2SPB150
22,20,05,001	Gummilager	shock mount
22,20,15,006	Halter, Zusatz-Lima	bracket, alternat OR=1
22,21,01,001	Spannrolle f. Kupplung 1-rillig SPA	idler f. clutch 1-groove SPA
22,21,01,003	Spannrolle	idler
22,21,02,001	Spannrolle Kompl. SPA	idler f. clutch 2-groove SPA96
22,21,02,005	Spannrolle Kompl. 2-Rillig	idler f. clutch 2-groove 2SPB120
22,21,02,006	Spannrolle Kompl. 2-Rillig	idler f. clutch 2-groove 2SPB150
22,21,02,007	Spannrolle 2SPB	idler 2SPB
22,21,05,001	Rückenlaufrolle kompl. TK51	pulley, idler
22,21,05,006	Rückenlaufrolle	pulley, idler
22,21,05,010	Rückenlaufrolle DA60	returning roll, DA60
22,21,95,010	Spannrolle für TG41	idler, TG41
22,21,95,011	Spannrolle TG45	idler, TG45
22,21,95,016	Roller, Poly V 12mm Agora	idler, Poly V 12mm, Agora

Tabella1

22,21,95,017	Spannrolle M12, Agora	idler, M12 Agora
22,21,95,019	Spannrolle D=16mm	idler D=16mm
22,21,95,020	Spannrolle 2x17	idler, 2x17
22,21,95,021	Spannrolle für GX317	idler, GX317
22,21,95,026	Spannrolle, Agora Poly V	idler, Poly V Agora
22,21,95,100	Spannrolle	idler
22,23,34,036	ersetzt durch 22,25,34,036	use > 22,25,34,036
22,23,34,037	Überwurfmutter 5/8"-18UNF SW22	nut, flar 5/8"-18UNF SW22
22,23,34,038	Überwurfmutter 3/4"-16UNF SW22	nut, flar 3/4"-16UNF SW22
22,23,34,039	Überwurfmutter 1'1/16" 14UNS SW36	nut, flar 1'1/16" 14UNS SW36
22,24,01,001	Pneum.-Zylinder	cylinder, pneum.
22,24,01,002	Pneum.-Zylinder	cylinder, pneum.
22,24,01,004	Pneum.-Zylinder	cylinder, pneum.
22,24,01,005	Pneum.-Zylinder	cylinder, pneum.
22,24,01,007	Pneum.-Zylinder doppel-wirkend	cylinder, pneum. 2-way
22,24,01,016	Pneum.-Zylinder DA50 +120°	cylinder, pneu. DA50 +120°
22,24,01,019	Pneum.-Zylinder DA63	cylinder, pneu. DA63
22,24,01,020	Reparaturset f. Zylinder	repair kit f. cylinder
22,24,01,750	Fitting, pneum. grd. 1511-6/4-M5	fitting, pneu. sgt. 1511-6/4-M5
22,24,01,751	Fitting, pneum. kz. 90° M5-6/4	fitting, pneu. sht. 90° M5-6/4
22,24,01,753	Lagerbock f. Pneum.-Zylinder kompl.	bearing block f. cylinder, pneum. cpl.
22,24,01,761	Aufschraubverschraubung 6/4-1/8"	union coupling pneu. 6/4-1/8"
22,24,01,763	Schalldämpfer innen G1/8"	muffler inside G1/8"
22,24,01,764	Drosselrückschlagventil M5/6x1	valve, check throttle M5/6x1
22,24,01,765	Schalldämpfer	muffler
22,24,01,768	Aufhängebefestigung	suspended fixing
22,24,01,769	Gegenlager	counter, bearing
22,24,01,771	ES-Verschraubung grd.	coupling SCR sgt.
22,24,01,772	Reduzierstück 1/4" - 1/8" A/I	reducer
22,24,01,773	Kugelabsperrhahn klein 1/4"	ball valve small 1/4"
22,24,01,774	T-Anschluß	T-conn.
22,24,01,775	ES-Stutzen m. Schaft grd.	socket SCR w. shank sgt.
22,24,01,777	Schlauchleitung	hose pipe
22,24,01,778	Winkelstück	elbow 90°
22,24,01,779	Reduzierstück RI 3/8"-EDX 1/8"	reducer RI 3/8"-EDX 1/8"

Tabella1

22,24,01,780	Schalldämpfer 3/8	muffler 3/8
22,24,01,786	Schlauchleitung MB 0404	hose pipe
22,24,01,787	D-Ventil m. Ringanschluss	valve, disch. w. conn., ring
22,24,01,790	NS Schlauchleitung MB 0404	hose pipe MB 0404
22,24,01,791	Federteller	spring plate
22,24,01,792	Druckfeder	compression spring
22,24,01,793	Federteller	spring plate
22,24,01,794	Mutter f. Pneum.-Zylinder	nut f. cylinder, pneu.
22,24,01,795	T-Anschluß f. Rohr pneum. 6x1	T-conn. f. tube pneu. 6x1
22,24,01,796	Filterdruckregler G 1/8"	pressure controller f. filter
22,24,01,797	Schlauchleitung MB0404	hose pipe
22,24,01,798	Nippel grd. XGE 6 LR-3/8"	nipple sgt. XGE 6 LR-3/8"
22,24,01,801	Schlauchleitung	hose pipe
22,24,01,803	Schlauchleitung f. Pneum.-Zylinder	hose pipe
22,24,01,804	Schwenkbefestigung	mounting, swivel
22,24,01,805	Kupplungsstecker G 1/8"	adapter pin f. clutch 1/8"
22,24,01,806	Winkel G 1/8"	angle G 1/8"
22,24,01,807	Druckfeder f. Pneum.-Zylinder D50	compression spring f. cylinder, pneu. D50
22,24,01,822	Klemme, Pneum. T-Stück	clamp, T-piece, pneum.
22,24,01,826	Rundzylinder, Federrückstellung	cylinder, round
22,24,01,834	Schwenkbefestigung	mounting, swivel
22,24,95,023	T-Stück 1 1/16"	T-Piece 1 1/16"
22,24,95,050	T-Stück 5/8"-18/ 3/4"-16/ 7/8"	T-Piece 5/8"-18/ 3/4"-16/ 7/8"
22,25,01,001	Schlauchtülle 1/2"	conn. hose 1/2"
22,25,01,002	Kontermutter SW 1/2"	nut, lock BK 1/2"
22,25,01,012	Schlauchverbinder grd. 3/4"- 1/2"	hose joint sgt.-reduced 3/4"-1/2"
22,25,01,014	Schlauchtülle 3/4"	conn. hose 3/4"
22,25,01,020	Schlauchverbinder grd. 1/2	hose joint sgt. 1/2
22,25,01,021	Schlauchverbinder Winkel 90 GD 1/2"	hose joint angle 90 GD 1/2"
22,25,01,022	Schlauchverbinder T-Anschluß 1/2"	hose joint T-conn. 1/2"
22,25,01,033	Schlauchverbinder grd. 3/4"	hose joint sgt. 3/4"
22,25,01,034	Schlauchverbinder Winkel	hose joint angle
22,25,01,035	Schlauchverbinder T 3/4"	hose joint T 3/4"
22,25,01,044	Schlauchverbinder grd. D8	hose joint sgt. D8
22,25,01,050	Schlauchverbinder D6	hose joint D6

Tabella1

22,25,01,080	Schlauchverbinder grd. reduziert	hose joint sgt. reduced
22,25,03,100	Einschraubstütze 2x M14x1,5	adapter, screw 2xM14x1,5
22,25,05,001	BS Ablaufgarnitur grd.	kit drain non plug and chain sgt.
22,25,05,003	Wasserablauf f. Schlauch 90° DI19	water drain f. hose 90° DI19
22,25,05,006	Kondenswasserablauf Cu18, 90°	water drain Cu18, 90°
22,25,07,002	Gewindestutzen m. Schlauchanschluss	adapter, screw on w/hose connection
22,25,07,006	Gewindestutzen 6-Kt G1/2"	adapter, screw on hex flat seal G1/2"
22,25,07,007	Gewindestutzen flachdichtend	adapter, screw on flat sealing
22,25,26,005	Blindadapter M36x2	blind adapter M36x2
22,25,28,001	Verschlussmutter M26x1,5	blind, nut M26x1,5
22,25,28,003	Verschlussmutter M30x2	blind, nut M30x2
22,25,28,005	Verschlussmutter M36x2	blind, nut M36x2
22,25,30,018	Nippel z. löten grd. D18	nipple f. braze sgt. D18
22,25,30,022	Nippel z. löten grd. D22 90x30	nipple f. braze sgt. D22 90x30
22,25,30,023	Nippel m. Flansch grd. SZ20	nipple w. flange sgt. SZ20
22,25,30,024	Nippel m. Flansch grd. SZ16	nipple w. flange sgt. SZ16
22,25,30,026	Nippel z. löten grd. D28	nipple f. braze sgt. D28
22,25,30,082	Lötnippel 90° D22 SZ16	nipple f. braze 90° D22
22,25,30,087	Nippel z. löten 90° D28	nipple f. braze 90° D28
22,25,30,102	Fassung f. Schlauchnippel SZ04	socket f. hose stem SZ04
22,25,30,103	Fassung f. Schlauchnippel SZ06	socket f. hose stem SZ06
22,25,30,104	Fassung f. Schlauchnippel SZ08	socket f. hose stem SZ08
22,25,30,105	Fassung f. Schlauchnippel SZ10	socket f. hose stem SZ10
22,25,30,106	Fassung f. Schlauchnippel SZ12	socket f. hose stem SZ12
22,25,30,107	Fassung f. Schlauchnippel SZ16	socket f. hose stem SZ16
22,25,30,108	Fassung f. Schlauchnippel SZ20	socket f. hose stem SZ20
22,25,30,109	Fassung f. Schlauchnippel SZ24	socket f. hose stem SZ24
22,25,31,001	Nippel grd. M30x2 SZ16 OR=1	nipple sgt. M30x2 SZ16, OR=1
22,25,31,002	Nippel gerade M36x2 OR=1	nipple sgt. M36x2 SZ20, OR=1
22,25,31,003	Nippel grd. M26x1,5 OR=1	nipple sgt. M26x1,5, OR=1
22,25,31,004	Nippel grd. M30x2,0 SZ12 OR=1	nipple sgt. M30x2,0 SZ12, OR=1
22,25,31,005	Nippel gerade M36 X2,0 OR=1	nipple sgt. M36x2 SZ16, OR=1
22,25,31,009	Nippel gerade M26x1,5 OR=1	nipple sgt. M26x1,5 OR=1
22,25,31,051	Nippel 45° M30x2 SZ16 OR=1	nipple 45° M30x2 SZ16, OR=1
22,25,31,052	Nippel 45° M36x2 SZ20 OR=1	nipple 45° M36x2 SZ20, OR=1

Tabella1

22,25,31,053	Nippel 45° M26x1,5 SZ12 OR=1	nipple 45° M26x1,5 SZ12, OR=1
22,25,31,054	Nippel 45°,M30x2,0 SZ12 OR=1	nipple 45° M30x2,0 SZ12, OR=1
22,25,31,055	Nippel 45° M36 X2,0 SZ16 OR=1	nipple 45° SZ16, OR=1
22,25,31,101	Nippel 90° M30x2 SZ16 OR=1	nipple 90° M30x2 SZ16, OR=1
22,25,31,102	Nippel 90° M36x2 SZ20 OR=1	nipple 90° M36x2 SZ20, OR=1
22,25,31,103	Nippel 90° M26x1,5 OR=1 SZ12	nipple 90° M26x1,5 SZ12, OR=1
22,25,31,104	Nippel M30x2 SZ12 OR=1	nipple 90° M30x2,0 SZ12 OR=1
22,25,31,105	Nippel 90° M36x2 SZ16 OR=1	nipple 90° M36x2 SZ16, OR=1
22,25,31,106	Nippel 90° M26x1,5 SZ08 OR=1	nipple 90° M26x1,5 SZ8, OR=1
22,25,31,107	Nippel 90° M30x2 SZ20 OR=1	nipple 90° M30x2 SZ20, OR=1
22,25,32,014	Dichtkopf f. Rohr D10 5/8"	seal conical f. tube D10 5/8"
22,25,32,015	Dichtkopf f. Rohr D18 1'1/16"	seal conical f. tube D18 1'1/16"
22,25,32,022	Nippel grd.	nipple sgt.
22,25,32,023	Dichtkopf f. Rohr D12 3/4"	seal conical f. tube D12 3/4"
22,25,32,024	Dichtkopf f. Rohr D12 7/8"	seal conical f. tube D12 7/8"
22,25,32,026	ersetzt durch 22,25,31,003	use > 22,25,31,003
22,25,32,027	ersetzt durch 22,25,31,005	use > 22,25,31,005
22,25,32,028	ersetzt durch 22,25,31,004	use > 22,25,31,004
22,25,32,032	ersetzt durch 22,25,31,001	use > 22,25,31,001
22,25,32,033	Dichtkegel M36x2	conical nipple M36x2
22,25,32,034	Überwurfmutter M36x2	nut, flar M36x2
22,25,32,035	Draht 3,1x105	wire 3,1x105
22,25,32,036	Dichtkopf 7/8"	seal cap f. tube D15 7/8"
22,25,32,038	ersetzt durch 22,25,31,002	use > 22,25,31,002
22,25,32,039	Dichtkegel M30x2	conical nipple M30x2
22,25,32,040	Überwurfmutter M30x2	nut, flar M30x2
22,25,32,041	Draht M30x2	wire M30x2
22,25,32,044	Nippel m. Flansch SZ20 45°	nipple w. flange SZ20 45°
22,25,32,047	Nippel m. Flansch SZ16 45°	nipple w. flange SZ16 45°
22,25,32,069	ersetzt durch 22,25,31,053	use > 22,25,31,053
22,25,32,072	ersetzt durch 22,25,31,054	use > 22,25,31,054
22,25,32,074	ersetzt durch 22,25,31,051	use > 22,25,31,051
22,25,32,076	Nippel 45° SZ20	nipple 45° SZ20
22,25,32,080	ersetzt durch 22,25,31,052	use > 22,25,31,052
22,25,32,084	Nippel m. Flansch SZ20 90°	nipple w. flange SZ20 90°

Tabella1

22,25,32,085	Nippel m. Flansch SZ16 90°	nipple w. flange SZ16 90°
22,25,32,114	ersetzt durch 22,25,31,103	use > 22,25,31,103
22,25,32,125	ersetzt durch 22,25,31,104	use > 22,25,31,104
22,25,32,127	ersetzt durch 22,25,31,102	use > 22,25,31,102
22,25,32,138	Überwurmmutter M30 OR=1	nut, flare M30 OR=1
22,25,32,139	Überwurmmutter M36 OR=1	nut, flare M36 OR=1
22,25,32,141	Dichtkegel M30 OR=1	nipple, conical M30 OR=1
22,25,32,142	Dichtkegel M36 OR=1	nipple, conical M36 OR=1
22,25,32,201	Verschlusssteil M22L	cap, lock part M22
22,25,33,032	Nippel grd. 24° M30x2 SZ16 aussengewinde	nipple sgt. 24° M30x2 SZ16
22,25,33,037	Nippel grd. 24° M36x2 SZ20 aussengewinde	nipple sgt. 24° M36x2 SZ20
22,25,34,002	Nippel grd. 7/16" SAE SZ 4	nipple sgt.
22,25,34,008	Nippel grd. 5/8"SAE SZ 6	nipple sgt.
22,25,34,011	Nippel 9/16" 90° SZ06	nipple 9/16"-18UNF 90° SZ06
22,25,34,012	Nippel grd. 3/4" SZ12	nipple sgt. 3/4" SZ12
22,25,34,016	Nippel grd. 3/4" SZ08	nipple sgt. 3/4" SZ08
22,25,34,017	Nippel grd. 7/8" SZ08	nipple sgt. 7/8" SZ08
22,25,34,023	Nippel grd. 1-1/16" SZ12	nipple stg. 1-1/16" SZ12
22,25,34,026	Nippel grd. 7/8" SZ 10	nipple sgt. 7/8" SZ10
22,25,34,027	Nippel grd. 3/4" SZ10	nipple sgt. 3/4" SZ10
22,25,34,028	Nippel grd. 7/8" SZ12	nipple sgt. 7/8" SZ12
22,25,34,034	Nippel grd. 7/8" SZ16	nipple sgt. 7/8" SZ16
22,25,34,035	Nippel grd. 1-1/16" SZ16	nipple grd. 1-1/16" SZ16
22,25,34,036	Überwurmmutter 7/8"	nut, flar 7/8"
22,25,34,057	Nippel 5/8"-45°-SZ 6	nipple 45° 95x20
22,25,34,061	Nippel 45° 3/4" SZ8	nipple 45° #08
22,25,34,064	Nippel 45° 3/4"SAE SZ12	nipple 45° 3/4" SAE SZ12
22,25,34,067	Nippel 45° 7/8" SZ10	nipple 45° #10
22,25,34,073	Nippel 45° 1'1/16" SZ12	nipple 45° 1'1/16" SZ12
22,25,34,075	Nippel 45° 7/8" SZ12	nipple 45° #12
22,25,34,081	Nippel 45° 7/8" SZ16	nipple 45° #16
22,25,34,082	Nippel 45° 1-1/16" SZ16	nipple 45° #16
22,25,34,085	Nippel 45° 7/8" SZ12-5/8"	nipple 45° 7/8" SZ12-5/8"
22,25,34,096	Nippel 90° 7/16"SAE SZ 4	nipple 90°
22,25,34,098	Nippel 90° FÜR TXV	nipple 90° for TXV

Tabella1

22,25,34,100	Nippel 90° FÜR TXV	nipple 90° for TXV
22,25,34,102	Nippel 90° 5/8" SZ06	nipple 90° SZ06
22,25,34,108	Nippel 90° 3/4" SZ08	nipple 90° SZ08
22,25,34,113	Nippel 90° 3/4" SZ10	nipple 90° 3/4" SZ10
22,25,34,114	Nippel 90° 7/8" SZ 10	nipple 90°
22,25,34,116	Nippel 90° 3/4"SZ12	nipple 90° 3/4"-16-UNF SZ10
22,25,34,120	Nippel 1'1/16" SZ12	nipple 1'1/16" SZ12
22,25,34,122	Nippel 90° 7/8" SZ 12	nipple 90°
22,25,34,126	Nippel 90° 7/8" SZ 16	nipple 90°
22,25,34,128	Nippel 90° 1-1/16" SZ 16	nipple 90°
22,25,34,129	Nippel 90° M30x2 SZ20	nipple 90° M30x2 SZ20
22,25,34,138	Nippel 90° 5/8" SZ6	nipple 90° 5/8" SZ06
22,25,34,140	Nippel 90° 3/4" SZ08	nipple 90° 3/4" SZ08
22,25,34,141	Nippel 90°,7/8" SZ12	nipple 90°,7/8" SZ12
22,25,34,142	Nippel 90° 7/8" SZ12	nipple 90° 7/8" SZ12
22,25,34,157	Nippel grd. 3/4" SZ08	nipple sgt. 3/4" SZ08
22,25,34,160	Klemme Armature SZ12	clamp SZ12
22,25,34,161	Klemme Armature SZ10	clamp SZ10
22,25,34,162	Klemme Armature SZ08	clamp SZ08
22,25,34,163	Klemme Armature SZ06	clamp SZ06
22,25,34,171	Werkzeugkoffer Frigostar	tool box Frigostar
22,25,35,002	Nippel 0° 7/16" SZ04	nipple sgt. 7/16" SZ04
22,25,35,014	Nippel grd. 3/4" SZ08	nipple sgt. 3/4" SZ08
22,25,35,020	Nippel grd. 7/8" SZ10	nipple sgt. 7/8" SZ10
22,25,35,026	Nippel grd. 1"-1/16" SZ12	nipple sgt. 1"-1/16" SZ12
22,25,36,001	Nippel grd. 5/8" SZ06 OR=1	nipple sgt. 5/8" OR=1 SZ06
22,25,36,002	Nippel grd. 3/4" OR=1 SZ08	nipple grd. 3/4" OR=1=1 SZ08
22,25,36,004	Nippel grd. 7/8" OR=1 SZ10	nipple sgt. 7/8" OR=1=1 SZ10
22,25,36,005	Nippel grd. 7/8" OR=1=1 SZ12	nipple sgt. 7/8" OR=1=1 SZ12
22,25,36,006	Nippel grd. 1 1/16" OR=1 SZ12	Nippel sgt. 1 1/16" OR=1=1 SZ12
22,25,36,007	Nippel m. innengewinde 0°-3/4" SZ8	nipple w. female thread 0°-3/4" SZ8, OR=1=1
22,25,36,008	Nippel grd. 7/8" SZ12	nipple w. female thread sgt. 0°-7/8" SZ12, OR=1
22,25,36,009	Nippel m. innengewinde 0 0°-7/8" SZ10	nipple w. female thread sgt. 0°-7/8" SZ10, OR=1
22,25,36,010	Nippel m. innengewinde 0 5/8"-SZ6	nipple w. female thread sgt. 5/8"-SZ6, OR=1
22,25,36,011	Nippel grd. 3/4" SZ12	Nippel sgt.. 3/4" SZ12

Tabella1

22,25,36,012	Nippel grd. 7/8" SZ16	Nippel sgt.. 7/8" SZ16
22,25,36,014	Nippel grd. 1 1/16" SZ16	Nippel sgt.. 1 1/16" SZ16
22,25,36,016	Nippel grd. 7/8" SZ12 mit ND-Füllventil	Nippel stg.-7/8" SZ12, w/ LP-Valve
22,25,36,017	Nippelgrd.-3/4"-SZ08 mit HD-Füllventil	Nippel stg. 3/4" SZ08, w/ HP-Valve
22,25,36,020	Nippel grd. 3/4" mit HP Füllventil OR=1=1	Nippel stg. 3/4" w/ HP-Valve OR=1=1
22,25,36,023	Nippel 0° 7/8" OR=1 mit LP Füllventil	Nippel stg. 7/8" w/ HP-Valve OR=1
22,25,36,050	Nippel 45° 5/8" OR=1	Nipple 45° 5/8" OR=1
22,25,36,051	Nippel 45° 3/4" OR=1	Nipple 45° 3/4" OR=1=1
22,25,36,053	Nippel 45° 7/8" OR=1	Nipple 45° 7/8" OR=1
22,25,36,054	Nippel 45° 7/8" OR=1	Nipple 45° 7/8" OR=1
22,25,36,055	Nippel 45° 1 1/16" OR=1	Nipple 45° 1 1/16" OR=1
22,25,36,056	Nippel 45° 5/8" SZ6 OR=1	nipple 45° 5/8" SZ06, OR=1
22,25,36,057	Nippel 45° 3/4"- SZ08	Nippel 45° 3/4", SZ08
22,25,36,058	Nippel 45° 7/8" SZ10	Nippel 45° 7/8", SZ10
22,25,36,059	Nippel 45° 7/8" SZ12	nipple 45° 7/8", SZ12
22,25,36,060	Nippel 45° 3/4" SZ12	nipple 45° 3/4", SZ12
22,25,36,061	Nippel 45° 7/8" SZ16	nipple 45° 7/8", SZ16
22,25,36,062	Nippel 45° 1-1/16" SZ12	nipple 45°, 1-1/16"
22,25,36,063	Nippel 45° 1-1/16" SZ16	nipple 45° 1-1/16", SZ16
22,25,36,100	Nippel 90° 5/8" OR=1 SZ06	nipple 90°, 5/8" OR=1 SZ06
22,25,36,101	Nippel 90° 3/4" OR=1 SZ08	nipple 90°, 3/4" OR=1 SZ08
22,25,36,102	Nippel 90° 3/4" OR=1 SZ10	nipple 90°, 3/4" OR=1 SZ10
22,25,36,103	Nippel 90° 7/8" OR=1 SZ10	nipple 90°, 3/4" OR=1 SZ10
22,25,36,104	Nippel 90° 7/8" OR=1 SZ12	nipple 90°, 3/4" OR=1 SZ12
22,25,36,105	Nippel 90° 1 1/16" OR=1 SZ12	nipple 90°, 1 1/16" OR=1 SZ12
22,25,36,106	Nippel 90° 3/4" SZ12	nipple 90°, 3/4" SZ12
22,25,36,107	Nippel 90° 7/8" SZ16	nipple 90°, 3/4" SZ16
22,25,36,108	Nippel m. Innengewinde 90° 5/8" SZ6	nipple w. female thread 90° 5/8" SZ6, OR=1=1
22,25,36,109	Nippel m. innengewinde 90° D28,3/4"-SZ8	nipple w. female thread 90° D28,3/4" SZ08, OR=1
22,25,36,110	Nippel 90°,7/8",SZ10	nipple 90°,7/8",SZ10
22,25,36,111	Nippel 90° 7/8" SZ12	nipple 90° 7/8" SZ12
22,25,36,112	ersetzt durch 22,25,36,128	use > 22,25,36,128
22,25,36,113	ersetzt durch 22,25,36,127	use > 22,25,36,127
22,25,36,114	Nippel 90° 7/8" OR=1-SZ10	fitting w. nipple, sold. 90° 7/8" OR=1 SZ10 7/16"
22,25,36,116	Nippel 90°,1'1/16" SZ12	nipple 90°,1'1/16" SZ12

Tabella1

22,25,36,117	Nippel 90° 1'1/16"-14UNF SZ16	nipple 90° 1'1/16"-14UNF SZ16
22,25,36,120	Nippel 90°-3/4"-SZ 8,mit HD-Füllventil	Nippel 90° 3/4" SZ08 w/ HP-Valve
22,25,36,121	Nippel 90°-7/8"-SZ16,mit ND-Füllventil	Nippel 90° 7/8" SZ16 w/ LP-Valve
22,25,36,124	Nippel 90° 3/4" OR=1 mit HP Füllventil	Nippel 90° 3/4" OR=1 w/ HP-Valve
22,25,36,126	Nippel 90° 7/8" OR=1 mit LP Füllventil	Nippel 90° 7/8" OR=1 w/ LP-Valve
22,25,36,127	Nippel 90° 3/4" m. 7/16"UNF Schrader	nipple 90° 3/4" w/ 7/16"UNF schrader valve
22,25,36,128	Nippel 90° 7/8" m. 7/16"UNF Schrader	nipple 90° 7/8" w/ 7/16"UNF schrader valve
22,25,36,134	Nippel 90° 3/4" SZ08 +7/16" Schrader	nipple 90° 3/4" SZ08 w/ 7/16"UNF schrader valve
22,25,37,001	Nippel 0° 5/8" SZ06 OR=1	nipple 0° 5/8" SZ06, OR=1
22,25,37,002	Nippel 0° - 3/4"- SZ08 OR=1	nipple 0° 3/4" SZ08, OR=1
22,25,37,003	Nippel 0° 7/8" SZ 10 OR=1	nipple 0° 7/8" SZ10, OR=1
22,25,37,020	Nippel 45° - 5/8"- SZ 6	nipple 45° 5/8" SZ06, OR=1
22,25,37,021	Nippel 45° - 3/4"- SZ 8	nipple 45° 3/4" SZ08, OR=1
22,25,37,022	Nippel 45° 7/8"- SZ10 OR=1	nipple 45° 7/8" SZ10, OR=1
22,25,37,040	Nippel 90° - 5/8"- SZ 6	nipple 90° 5/8" SZ06, OR=1=1
22,25,37,041	Nippel 90° - 3/4"- SZ 8	nipple 90° 3/4" SZ08, OR=1=1
22,25,37,042	Nippel m. Aussengewinde 90°-7/8"-SZ10	nipple 90° 7/8" SZ10, OR=1=1
22,25,40,005	Fassung, for Pressarmatur SZ16	support for press nipple SZ16
22,25,40,031	ersetzt durch 22,25,46,001	use > 22,25,46,001
22,25,40,130	ersetzt durch 22,25,46,097	use > 22,25,46,097
22,25,44,019	Pressarmatur kompl. grd. 7/8" SZ10	fitting, crimped cpl. sgt. 7/8" SZ10
22,25,44,025	BS Pressarmatur, grd., 11/16 SZ12	fitting, crimped cpl. sgt. 1'1/16" SZ12
22,25,44,066	BS Pressarmatur 45°, Nippel 7/8" SZ10	fitting, crimped cpl. 45°,Nippel 7/8" SZ10
22,25,44,072	BS Pressarmatur 45°, 11/16" SZ12	fitting, crimped cpl. 1'1/16" 45° SZ12
22,25,44,113	Pressarmatur kompl. 7/8" 90° SZ10	fitting, crimped cpl. 7/8" 90° SZ10
22,25,44,119	Pressarmatur kompl. 11/16" 90° SZ12	fitting, crimped cpl. 1'1/16" 90° SZ12
22,25,46,001	Nippel grd. M30x2 SZ16	nipple sgt. M30x2 SZ16, OR=1
22,25,46,002	Nippel grd. M36x2 SZ20	nipple sgt. M36x2 SZ20, OR=1
22,25,46,096	Nippel 90°,M30x2 SZ16	nipple 90°,M30x2 SZ16, OR=1
22,25,46,097	Nippel M36x2 SZ20	nipple 90°,M36x2 SZ20
22,25,48,010	Lötadapter M26x1,5	adapter, sold. M26x1,5
22,25,48,011	Lötadapter M26x1,5	adapter, sold. M26x1,5
22,25,48,013	Lötadapter M30x2	adapter, sold. M30x2
22,25,48,014	ersetzt durch 22,25,48,013	use > 22,25,48,013
22,25,48,015	Lötadapter M30x2	adapter, sold. M30x2

Tabella1

22,25,48,019	Lötadapter M30x2	adapter, sold. M30x2
22,25,48,024	ersetzt durch 22,25,48,025	use > 22,25,48,025
22,25,48,025	Lötadapter M36x2	adapter, sold. M36x2
22,25,48,026	Lötadapter M36x2	adapter, sold. M36x2
22,25,48,031	Lötadapter M36x2	adapter, sold. M36x2
22,25,48,046	Lötnippel D28 1.5/8"-12	nipple, sold. D28 1.5/8"-12
22,25,48,047	Lötadapter D28	nipple, sold. D28
22,25,48,048	Lötadapter D22	nipple, sold. D22
22,25,48,051	Winkellötadapter 1'1/4-12 Rotalock	elbow 90° adaptor 1'1/4-12
22,25,49,003	Bördellötadapter kompl. 5/8"	blowpipe,adapter, flangend cpl. 5/8"
22,25,53,001	Pressarmatur Flanschnippel SZ 16; 0°	nipple, press flange 0° SZ16
22,25,53,002	Pressarmatur Flanschnippel SZ 20; 0°	nipple, press flange 0° SZ20
22,25,53,031	Pressarmatur Flanschnippel SZ 16; 45°	nipple, press flange 45° SZ16
22,25,53,032	Pressarmatur Flanschnippel SZ 20; 45°	nipple, press flange 45° SZ20
22,25,53,057	Pressarmatur Flanschnippel SZ16, 90°	nipple, press flange 90° SZ16
22,25,53,058	Pressarmatur Flanschnippel SZ 20; 90°	nipple, press flange 90° SZ20
22,25,60,001	Rotalock Eckanschluß 3/4"	conn., bend w. access valve core 3/4"
22,25,60,002	Rotalock Eckanschluß 7/8"	conn., bend w. access valve core 7/8"
22,25,60,005	Anschlußstück f. Winkelstück 90°	adapter f. elbow 90°
22,25,95,004	Schottwandadapter 3/4"-16UNF	adapter, bulkhead 3/4"
22,25,95,005	Schottwandadapter 7/8"	adapter, bulkhead 7/8"
22,25,95,006	Schottwandadapter 2x 1-1/16 90°	adapter, bulkhead 2x 1-1/16" 90°
22,25,95,007	Schottwandadapter 2x 1"1/16 gerade	adapter, bulkhead 2x 1-1/16" stg.
22,25,95,008	Schottwandadapter 2x 7/8" gerade	adapter, bulkhead 2x 7/8" stg.
22,25,95,010	Halter f.Leitungen Exp.Vent. V184/Civis	support, liquid line TXV V184/Civis
22,25,95,035	ersetzt durch 22,25,36,013	use > 22,25,36,013
22,25,95,101	Schlauchverbinder SZ06	fittng, hose SZ06
22,25,95,102	Schlauchverbinder SZ08	fittng, hose SZ08
22,25,95,105	Schlauchverbinder SZ10	fittng, hose SZ10
22,25,95,110	Schlauchverbinder SZ12	fittng, hose SZ12
22,25,95,115	Schlauchverbinder #16	fittng, hose #16
22,25,95,116	T-Anschluss SZ 2x10 1x6	T-Anschluss SZ 2x10 1x7
22,25,95,123	Verbindungsstück mit Klammer SZ 12	nipple, connec. w /clamp SZ12
22,25,95,124	Verbindungsstück mit Klammer SZ 10	nipple, connec. w /clamp SZ10
22,25,95,125	Verbindungsstück ohne Klammer #08	fitting w/o clamp #08, w/service valve

Tabella1

22,25,95,126	Verbindungsstück ohne Klammer #08	fitting w/o clamp #08
22,25,95,127	Verbindungsstück ohne Klammer #10	fitting w/o clamp #10
22,25,95,128	Verbindungsstück ohne Klammer #12	fitting w/o clamp #12
22,25,95,129	ersetzt durch 22,25,36,001 & 2,25,34,163	use > 22,25,36,001 & 22,25,34,163
22,25,95,130	ersetzt durch 22,25,36,002 & 22,25,34,162	use > 22,25,36,002 & 22,25,34,162
22,25,95,131	ersetzt durch 22,25,36,004 & 22,25,34,161	use > 22,25,36,004 & 22,25,34,161
22,25,95,132	ersetzt durch 22,25,36,006 & 22,25,34,160	use > 22,25,36,006 & 22,25,34,160
22,25,95,141	ersetzt durch 22,25,36,053 & 22,25,34,161	use > 22,25,36,053 & 22,25,34,161
22,25,95,142	ersetzt durch 22,25,36,055 & 22,25,36,162	use > 22,25,36,055 & 22,25,34,162
22,25,95,150	ersetzt durch 22,25,36,102 & 22,25,34,162	use > 22,25,36,102 & 22,25,34,162
22,25,95,151	ersetzt durch 22,25,36,103 & 22,25,34,160	use > 22,25,36,103 & 22,25,34,160
22,25,95,152	ersetzt durch 22,25,36,105 & 22,25,34,160	use > 22,25,36,105 & 22,25,34,160
22,25,95,161	ersetzt durch 22,25,36,054 & 22,25,34,160	use > 22,25,36,054 & 22,25,34,160
22,25,95,163	ersetzt durch 22,25,36,106	use > 22,25,36,106
22,25,95,166	KM-Schlauch 2x5,9	hose, flexible 2x5,9
22,25,95,168	Nippel Aussengew. 1/4" SAE 90°	nipple, male 1/4" SAE 90°
22,25,95,190	T-Anschluss, 10-6-6, AC184	T-Piece 10-6-6, AC184
22,25,95,191	T-Anschluss SZ 6-6-10	T-Piece SZ 6-6-10
22,25,95,192	T-Anschluss SZ 12-10-10 AC184	T-Piece SZ 12-10-10
22,25,95,194	T-Anschluss, 10-12-10	T-Piece, 10-12-10
22,25,95,197	T-Anschluss SZ 2x12 1x3/4"	T-Piece SZ 2x12 1x3/4"
22,25,95,201	Nippel für TEV SZ 6 mit Klammer	Nipple SZ06, w/clamp for TXV
22,25,95,202	Nippel für TXV #10 mit Klammer	Nipple SZ10, w/clamp for TXV
22,25,95,203	Nippel für TEV SZ 12 m. Klammer	Nipple SZ12, w/clamp for TXV
22,25,95,204	Sondernippel ORP 7/8"	nipple, special ORP 7/8"
22,25,95,205	Sondernippel ORP 1-1/16"	nipple, special ORP 1-1/16"
22,25,95,210	Nippel 90° 5/8" 2A SZ 6 m. Klammer	Nippel 90° 5/8" 2A SZ06 w/clamp
22,25,95,211	Nippel 90° 7/8" 2A SZ10 m. Klammer	Nippel 90° 7/8" 2A SZ10 w/clamp
22,25,95,217	Nippel 1"-14, #10 m. Klammer	nipple 1"-14, #10 w/clamp
22,25,95,221	Verteilstück SZ 2x12-1x10	fitting SZ 2x12-10x10
22,25,95,237	ersetzt durch 22,25,34,160	use > 22,25,34,160
22,25,95,238	ersetzt durch 24,04,03,011	use > 24,04,03,011
22,25,95,239	ersetzt durch 24,04,03,012	use > 24,04,03,012
22,25,95,403	Nippel 5/8 "	nipple 5/8"
22,25,95,501	ersetzt durch 22,25,36,014	use 22,25,36,014

Tabella1

22,25,95,530	Nippel 90° 1"-14, #12, m. Klammer	nipple 90° 1"-14, #12, w/clamp
22,25,95,531	Nippel 90° 1", #10 m. Klammer	nipple 90° 1", #10 w/clamp
22,25,95,532	Nippel 1", #12 m. Klammer	nipple 1", #12 w/clamp
22,26,02,001	Entlüftungsventil R 1/8"	valve, bleeder R 1/8"
22,26,03,016	Fitting m. Konusdichtung kompl. D15	fitting w. cone gasket cpl. D15
22,26,03,017	BS Fitting konisch 5'1/2	fitting w. cone gasket cpl. 5'1/2
22,26,03,018	Fitting m. Konusdichtung kompl. D22	fitting w. cone gasket cpl. D22
22,26,03,019	BS Fitting konisch 22'3/4	fitting w. cone gasket cpl. 22'3/4
22,26,03,021	BS Fitting konisch 28'1	fitting w. cone gasket cpl. 28'1
22,26,03,033	Gewindestutzen 1/2-G3/4	adapter, screw on 1/2-G3/4
22,26,03,034	Fitting m. Konusdichtung kompl.	fitting w. cone gasket cpl.
22,26,03,071	Lötstutzen M30x1,5 D22	fitting,sold M30x1,5 D22
22,26,03,072	Lötstutzen M38x1,5 D28	fitting,sold M38x1,5 D28
22,26,03,073	Lötstutzen M45x1,5 D35	fitting,sold M45x1,5 D35
22,26,04,001	Anschlußmuffe M26x1,5	sleeve, coupling M26x1,5
22,26,04,002	ersetzt durch 22,26,04,004	use > 22,26,04,004
22,26,04,003	ersetzt durch 22,26,04,004	use > 22,26,04,004
22,26,04,004	Verschlußstecker M26x1,5	lock plug M26x1,5
22,27,01,001	Schraubstopfen M36x2	cap, screw M36x2
22,27,01,002	Schraubstopfen M30x2	cap, screw M30x2
22,27,01,003	Schraubstopfen 7/8"	cap, screw 7/8"
22,27,01,004	Schraubstopfen 3/4"	cap, screw 3/4"
22,30,01,003	Dichtflansch f. DL D85x35	sealing flange f. PL D85x35
22,40,01,001	Keilriemenscheibe DW90/1 SPZ	pulley, V-belt DW90/1 SPZ
22,40,01,002	Keilriemenscheibe DW224/1 SPZ	pulley, V-belt DW224/1
22,40,01,020	Spannbuchse m. Nut D24 Taperlock	bushing, taper lock D24
22,40,01,021	Spannbuchse m. Nut D19 Taperlock	bushing, taper lock D19
22,40,03,001	Lagerbuchse	bushing, bearing
22,50,01,006	Halter, Kunststoff vierkant	bracket, mounting, plastic
22,50,05,012	V.Bügel f. Stellmot	V-Bracket, for flap motor
-22-50030-00	Magnetspule 24VDC	coil, magn. 24VDC
22-60268-01	Magnetspule 24VDC	coil, magn. 24VDC
22-60268-01	Magnetspule 24VDC	coil, magn. 24VDC
24,01,01,021-(	Kompressor, 233ccm	compressor, 233ccm
24,01,01,038-(	Kompressor, 466ccm LR=1	compressor, 466ccm 1xCR

Tabella1

24,01,01,038-(Kompressor, 466ccm LR=0	compressor, 466ccm w/o CR
24,01,01,046 ersetzt durch 24,01,01,046-01	use > 24,01,01,046-01
24,01,01,046-(Kompressor, 467ccm LR=0	compressor, 467ccm, w/o CR
24,01,01,046-(Kompressor, 467ccm LR=1	compressor, 467ccm 1xCR
24,01,01,048 Kompressor, 467ccm GG LR=0	compressor, 467ccm, w/o CR Cast
24,01,01,058-(Kompressor, 660ccm LR=0	compressor, 660ccm w/o CR
24,01,01,058-1Kompressor, 775ccm LR=1	compressor, 775ccm 1xCR
24,01,01,060-(ersetzt durch 24,01,01,060-04	use > 24,01,01,060-04
24,01,01,060-(ersetzt durch 24,01,01,060-03	use > 24,01,01,060-03
24,01,01,060-(ersetzt durch 24,01,01,060-03	use > 24,01,01,060-03
24,01,01,060-(ersetzt durch 24,01,01,060-04	use > 24,01,01,060-04
24,01,01,060-(Kompressor, 390ccm LR=0	compressor, 390ccm, w/o CR
24,01,01,060-(Kompressor, 390ccm LR=1	compressor, 390ccm, 1xCR
24,01,01,060-(ersetzt durch 24,01,01,060-07	use > 24,01,01,060-07
24,01,01,060-(ersetzt durch 24,01,01,060-08	use > 24,01,01,060-08
24,01,01,060-(Kompressor, 470ccm LR=0	compressor, 470ccm, PV=UL, SV=UL w/o CR
24,01,01,060-(Kompressor, 470ccm LR=1	compressor, 470ccm 1xCR
24,01,01,060-(ersetzt durch 24,01,01,060-11	use > 24,01,01,060-11
24,01,01,060-1ersetzt durch 24,01,01,060-12	use > 24,01,01,060-12
24,01,01,060-1Kompressor, 560ccm LR=0	compressor, 560ccm, w/o CR
24,01,01,060-1Kompressor, 560ccm LR=1	compressor, 560ccm, 1xCR
24,01,01,060-1ersetzt durch 24,01,01,060-15	use > 24,01,01,060-15
24,01,01,060-1ersetzt durch 24,01,01,060-16	use > 24,01,01,060-16
24,01,01,060-1Kompressor, 655ccm LR=0	compressor, 655ccm, w/o CR
24,01,01,060-1Kompressor, 655ccm LR=1	compressor, 655ccm, PV=UL, SV=UL, 1xCR
24,01,01,060-1Kompressor, 655ccm LR=1	compressor, 655ccm, 1xCR
24,01,01,060-2Kompressor, 655ccm LR=1	compressor, 655ccm 1xCR
24,01,01,060-2Kompressor, 655ccm LR=0	compressor, 655ccm w/o CR
24,01,01,060-2ersetzt durch 24,01,01,060-11	use > 24,01,01,060-11
24,01,01,060-2ersetzt durch 24,01,01,060-29	use > 24,01,01,060-29
24,01,01,060-2ersetzt durch 24,01,01,060-30	use > 24,01,01,060-30
24,01,01,060-2Kompressor, 655ccm LR=0	compressor, 655ccm, PV=UL, SV=32RL w/o CR
24,01,01,060-2Kompressor, 560ccm LR=0	compressor, 560ccm, PV=UL, SV=RL w/o CR
24,01,01,060-2Kompressor, 470ccm LR=0	compressor, 470ccm, PV=UL, SV=RL w/o CR
24,01,01,060-3Kompressor, 390ccm LR=0	compressor, 390ccm, PV=UL, SV=RL w/o CR

Tabella1

24,01,01,060-3Kompressor, 470ccm LR=0	compressor, 470ccm, PV=34UL, SV=34UL
24,01,01,060-3Kompressor, 470ccm LR=0	compressor, 470ccm, PV=UF, SV=RL w/o CR
24,01,01,060-3Kompressor, 470cc LR=0	compressor, 470ccm, PV=UR, SV=UR w/o CR
24,01,01,060-3Kompressor, 560ccm LR=0	compressor, 560ccm, PV=UR, SV=UR w/o CR
24,01,01,060-4Kompressor, 470ccm ohne Ventile LR=0	compressor, 470ccm w/o CR V=0
24,01,01,060-4Kompressor, 560ccm ohne Ventile LR=0	compressor, 560ccm w/o CR V=0
24,01,01,060-4Kompressor, 655ccm ohne Ventile LR=0	compressor, 655ccm w/o CR V=0
24,01,01,060-4Kompressor, 470cm ohne Ventile LR=1	compressor, 470ccm 1xCR V=0
24,01,01,060-4Kompressor, 560ccm ohne Ventile LR=1	compressor, 560ccm 1xCR V=0
24,01,01,060-5Kompressor, 655ccm ohne Ventile LR=1	compressor, 655ccm 1xCR V=0
24,01,01,060-5Kompressor, 560ccm LR=0	compressor, 560ccm w/o CR
24,01,01,062-0Kompressor, 390ccm LR=0	compressor, 390ccm w/o CR
24,01,01,062-0Kompressor, 390ccm LR=1	compressor, 390ccm 1xCR
24,01,01,062-0Kompressor, 390ccm LR=1	compressor, 390ccm 1xCR
24,01,01,063-0Kompressor, 470ccm LR=0	compressor, 470ccm w/o CR
24,01,01,065-0Kompressor, DS20 SS2x25 670ccm LR=0	compressor, 670ccm w/o CR
24,01,01,065-0Kompressor, DS20 SS25 670ccm LR=0	compressor, 670ccm w/o CR
24,01,01,065-0Kompressor, 670ccm LR=1	compressor, 670ccm, 1xCR
24,01,01,065-1Kompressor, 670ccm LR=2	compressor, 670ccm, 2xCR
24,01,01,068-0Kompressor, 550ccm LR=1	compressor, 550ccm, LR=1
24,01,01,069-0ersetzt durch 24,01,01,065-04	use > 24,01,01,065-04
24,01,01,069-0Kompressor, 670ccm LR=1	compressor, 670ccm, 1xCR
24,01,01,069-0ersetzt durch 24,01,01,065-08	use > 24,01,01,065-08
24,01,01,071-0ersetzt durch 24,01,01,071-05	use > 24,01,01,071-05
24,01,01,071-0Kompressor, DS20 SS25 FK5-846 LR=1	compressor, 846ccm, 1xCR
24,01,01,072-0ersetzt durch 24,01,01,060-02	use > 24,01,01,060-02
24,01,01,072-0ersetzt durch 24,01,01,060-03	use > 24,01,01,060-03
24,01,01,072-0ersetzt durch 24,01,01,060-01	use > 24,01,01,060-01
24,01,01,072-0ersetzt durch 24,01,01,060-04	use > 24,01,01,060-04
24,01,01,072-0ersetzt durch 24,01,01,060-06	use > 24,01,01,060-06
24,01,01,072-0ersetzt durch 24,01,01,060-05	use > 24,01,01,060-05
24,01,01,072-0ersetzt durch 24,01,01,060-08	use > 24,01,01,060-08
24,01,01,072-0ersetzt durch 24,01,01,060-07	use > 24,01,01,060-07
24,01,01,072-0ersetzt durch 24,01,01,060-11	use > 24,01,01,060-11
24,01,01,072-1ersetzt durch 24,01,01,060-12	use > 24,01,01,060-12

Tabella1

24,01,01,072-1ersetzt durch 24,01,01,060-11	use > 24,01,01,060-11
24,01,01,072-1ersetzt durch 24,01,01,060-14	use > 24,01,01,060-14
24,01,01,072-1ersetzt durch 24,01,01,060-15	use > 24,01,01,060-15
24,01,01,072-1ersetzt durch 24,01,01,060-16	use > 24,01,01,060-16
24,01,01,072-1ersetzt durch 24,01,01,060-18	use > 24,01,01,060-18
24,01,01,072-1ersetzt durch 24,01,01,060-19	use > 24,01,01,060-19
24,01,01,072-2ersetzt durch 24,01,01,060-23	use > 24,01,01,060-23
24,01,01,072-2ersetzt durch 24,01,01,060-24	use > 24,01,01,060-24
24,01,01,072-2ersetzt durch 24,01,01,060-27	use > 24,01,01,060-27
24,01,01,072-2ersetzt durch 24,01,01,060-31	use > 24,01,01,060-31
24,01,01,073-(Kompressor, 846ccm LR=1	compressor, 846ccm, 1xCR
24,01,01,075-(Kompressor, 846ccm LR=1	compressor, 846ccm 1xCR
24,01,01,105 ersetzt durch 24,01,01,130	use > 24,01,01130
24,01,01,113 Umbausatz f. Zyl-Kopf Rotalock	kit for convert f. cylinder head axial
24,01,01,114 Schraube f. Umbausatz	bolt, conversion kit
24,01,01,129 Kompressor, SD7H15 12VDC 8PK axial	compressor, SD7H15 12DC 8PK axial
24,01,01,130 Kompressor, SD7H15 24VDC axial	compressor, SD7H15 24VDC axial
24,01,01,140 Kompressor, UP200 12VDC radial	compressor, UP200 12VDC radial
24,01,01,205 Kompressor, 4TFCY 475ccm	compressor, 4TFCY 475ccm w/o CR
24,01,01,205-(Kompressor, 4TFCY 475ccm	compressor, 4TFCY 475ccm w/o CR
24,01,01,235 Kompressor, SD5H14 12VDC axial	compressor, SD5H14 12VDC axial
24,01,01,236 Kompressor, SD5H14 12VDC radial	compressor, SD5H14 12VDC radial
24,01,01,237 Kompressor, SD5H14 7PK 12VDC axial	compressor, SD5H14 7PK 12VDC axial
24,01,01,238 Kompressor, SD5H14 7PK 12VDC radial	compressor, SD5H14 7PK 12VDC radial
24,01,01,239 Kompressor, SD5H14 24VDC axial	compressor, SD5H14 24VDC axial
24,01,01,240 Kompressor, SD5H14 24VDC radial	compressor, SD5H14 24VDC radial
24,01,01,241 Kompressor, SD5H14 10PK 24VDC axial	compressor, SD5H14 10PK 24VDC axial
24,01,01,242 Kompressor, SD5H14 10PK 24VDC radial	compressor, SD5H14 10PK 24VDC radial
24,01,01,245 Kompressor, SD5H09 5PK 12VDC radial	compressor, SD5H09 5PK 12VDC radial
24,01,01,246 Kompressor, SD5H09 12VDC radial	compressor, SD5H09 12VDC radial
24,01,01,247 Kompressor, SD5H09 24VDC radial	compressor, SD5H09 24VDC radial
24,01,01,250 Kompressor, SD7H15 12VDC axial	compressor, SD7H15 12VDC axial
24,01,01,251 Kompressor, SD7H15 24VDC radial	compressor, SD7H15 24VDC radial
24,01,01,252 Kompressor, SD7H15 12VDC radial	compressor, SD7H15 12VDC radial
24,01,01,270 Kompressor, 05KB 400ccm	compressor, 05KB 400ccm

Tabella1

24,01,01,280	Kompressor, O5G 37cfm LR=2	compressor, 05G 37cfm 2xCR
24,01,01,300	Kompressor, O5G 41cfm LR=2	compressor, 05G 41cfm 2xCR
24,01,03,013	Kompressor, GM 24VDC	compressor, GM 24VDC
24,01,03,020	Kompressor, DKS32 24VDC radial	compressor, DKS32 24VDC radial
24,01,03,021	Kompressor, DKS32 24VDC axial	compressor, DKS32 24VDC axial
24,01,03,023	Kompressor, 8PK 24VDC	compressor, 8PK 24VDC
24,01,03,024	Kompressor, 2SPB 24VDC	compressor, 2SPB 24VDC
24,01,03,025	Kompressor, 2SPB 12VDC	compressor, 2SPB 12VDC
24,01,03,027	Kompressor, 2SPA 24VDC	compressor, 2SPA 24VDC
24,01,05,069	Kompressor, 2GL-2.2Y	compressor, 2GL-2.2Y
24,01,06,001	Kompressor, TRS105E 12DVC	compressor, TRS105E 12VDC
24,01,10,027	Kompressor, 230/400V 50Hz 3Ph	compressor, 230/400V 50Hz. 3Ph
24,01,10,028	Kompressor, m. Anlassrelais 230V/50hz/1Ph	compressor, w/start relay 230v/50hz/1Ph.
24,01,10,031	Kompressor, 230V 50Hz 1Ph	compressor, 230V 50Hz. 1Ph
24,01,10,033	Kompressor, 400V 50Hz 3Ph	compressor, 400V 50Hz 3Ph
24,01,10,036	Kompressor, 230V 50Hz 1Ph	compressor, 230V 50Hz 1Ph
24,01,10,037	Kompressor, HGX4-650 400V 50Hz 3Ph	compressor, HGX4-650 400V 50Hz 3Ph
24,01,10,041	Kompressor, 480V 60Hz 3Ph	compressor, 480V 60Hz 3Ph
24,01,10,045	Kompressor, 400V 50Hz 3Ph	compressor, 400V 50Hz 3Ph
24,01,10,047	Kompressor, 400V 50Hz 3Ph R134a	compressor, 400V 50Hz 3Ph R134a
24,01,10,049	Kompressor, 400V 50Hz 3Ph HGX4/385	compressor, HGX4-385 400V 50Hz 3Ph
24,01,10,053	Kompressor, Kapsel AirV, 220V	compressor, kapsel AirV, 220V
24,01,15,013	Kompressor, 230/400V 50Hz 3Ph	Kompressor, 230/400V 50Hz 3Ph
24,01,15,015	Kompressor, 400/230V 50Hz 3Ph	compressor, 400/230V 50Hz 3Ph
24,01,15,017	Kompressor, vollherm. 400V 24VDC 50Hz	compressor, herm. 400V 50Hz 24VDC
24,01,15,018	Kompressor, vollherm. 400V/50Hz/3Ph 24VDC	compressor, vollherm. 400V/50Hz/3Ph 24VDC
24,01,15,020	Spule 230V 50/60Hz	coil 230V 50/60Hz
24,01,70,001	Magnetkern 24VDC SD5H09	coil, clutch 24VDC SD5H09
24,01,73,023	Wellendichtring TM31	shaft seal TM31
24,01,74,003	Dichtung, Bodenplatte	gasket, bottom plate
24,01,74,005	Dichtung, Ventilplatte unten	gasket, valve plate, lower
24,01,74,061	O-Ring FK4 für Ventilkörper LR	O-ring, FK4, CR
24,01,74,062	BS Gleitringdichtung	kit floating ring seal
24,01,74,063	BS Dichtungen	kit gasket
24,01,74,064	Lötadapter grd.	adapter, soldering stg.

Tabella1

24,01,74,065	Lötadapter grd.	adapter, soldering stg.
24,01,74,068	Dichtring f. Lötadapter	gasket, soldering adapter
24,01,74,071	Dichtung, Ventilflansch	gasket, valve flange
24,01,74,072	Schutzstopfen	cap, blind
24,01,74,078	BG Flanschventil NW20	shut off valve assy, NW20
24,01,74,079	BS Flanschabsperrventil	shut off valve assy
24,01,74,100	ersetzt durch 24,01,74,104	use > 24,01,74,104
24,01,74,101	BS Ventilplatte	valve plate assy
24,01,74,102	BS Flanschabsperrventil	shut off valve assy
24,01,74,103	Dichtung f. Flanschventil	gasket, shut off valve
24,01,74,332	Dichtung, Lagerflansch	gasket, bearing flange
24,01,74,351	Einschraubnippel NPT	nipple, srew NPT
24,01,74,387	Leistungsregler 24VDC	capacity regulation 24VDC
24,01,74,388	Leistungsregler 24VDC	capacity regulation 24VDC
24,01,74,390	Magnetspule m. Stecker	coil, magn. w. plug
24,01,74,391	Ventil o. Spule LR84	valve non coil
24,01,74,392	Ventil o. Spule LR87	valve non coil
24,01,74,393	Anschlussstecker f. LR	connector socket f. CR
24,01,74,394	Rändelmutter f. LR	nut, milled f. CR
24,01,74,502	Dichtung, Bodenplatte	gasket, plate, base
24,01,74,504	Dichtung, Ventilplatte	gasket, valve plate
24,01,74,505	Dichtung, V-Platte	gasket, valve plate
24,01,74,506	Zyl-Deckel	cylinder cover
24,01,74,519	Ölabstreifring f. Kolben D70	tabring f. piston D70
24,01,74,520	Minutenring f. Kolben D70	compression ring, piston D70
24,01,74,524	SI-Ring FK5	ring, circlip
24,01,74,526	Lagerflansch hi	bearing flange re
24,01,74,543	Dichtung, Lagerflansch	gasket, bearing flange
24,01,74,544	Lagerflansch vorne	bearing flange frt
24,01,74,546	Ring	ring
24,01,74,554	Zylinder Rollenlager	cylinder bearing, roll
24,01,74,555	Ring f. Hauptlager	ring f. main bearing
24,01,74,557	Dichtung, Deckel SS	gasket, cap SS
24,01,74,560	Hutmutter 7/16"UNF	cap, service valve 7/16"UNF
24,01,74,564	Dichtung, Lötstützen	gasket, soldering adapter

Tabella1

24,01,74,566	Zylinderschraube M10x35	bolt, cylindric M10x35
24,01,74,567	Hutmutter M22x1,5	cap, service valve M22x1,5
24,01,74,569	BS Ventilplatte 846ccm	kit valve plate 846ccm
24,01,74,572	BS Kolben D70	kit piston D70
24,01,74,573	BS Kolben-Pleuel	kit piston a. con-rod
24,01,74,574	BS Kurbelsatz	crankshaft assy
24,01,74,578	BS Dichtungen	kit gaskets FK5
24,01,74,579	BS Pleuelstange	kit conn. rod
24,01,74,588	Deckel, Saugseite	cap, suction
24,01,74,589	Dichtung f. LR ob-unt	gasket f. CR tp
24,01,74,651	Bodenplatte 385-650ccm	plate, base 385-650ccm
24,01,74,652	Dichtung, Bodenplatte	gasket, plate, base
24,01,74,653	Dichtung, V-Platte unt	gasket, valve plate bot
24,01,74,654	Dichtung, V-Platte unt	gasket, valve plate bot
24,01,74,655	Dichtung, V-Platte unt	gasket, valve plate bot
24,01,74,656	Zylinderdeckel	cylinder cover
24,01,74,658	Kolbenbolzen	pin, piston
24,01,74,659	Zylinderdeckel f. LR	cylinder cover f. CR
24,01,74,660	Ölabstreifring Kolben 60	tabring, piston
24,01,74,661	Ölabstreifring Kolben	tabring piston
24,01,74,662	Minutenring f. Kolben	compression ring, piston
24,01,74,663	Minutenring f. Kolben 65	compression ring, piston
24,01,74,664	BS Ventilplatte 555-650ccm	kit valve plate
24,01,74,665	Schraube 6-Kt M10x85	bolt hexagon M10x85
24,01,74,666	Dichtung, V-Platte unt	gasket, valve plate bot
24,01,74,668	Ölsieb	oil filter
24,01,74,669	Einsatz, Schauglas	insert, sight glass
24,01,74,670	Lagerflansch vrn	bearing flange frt
24,01,74,671	BS Ventilplatte	kit valve plate
24,01,74,672	BS Gleitringdichtung	kit floating ring seal
24,01,74,673	BS Ölpumpe	kit oil pump
24,01,74,674	BS Kolben DM60	kit piston DM60
24,01,74,675	BS Kolben D65	kit piston D65
24,01,74,677	ersetzt durch 24,01,74,725	use > 24,01,754,725
24,01,74,678	BS Kolben Pleuelstange	kit piston conn. rod

Tabella1

24,01,74,679	BS Kurbelwelle	kit crankshaft
24,01,74,680	BS Flanschabsperrventil NW20	kit valve, shutoff flange NW20
24,01,74,681	BS Dichtung	kit gasket
24,01,74,682	BS Pleuelstange	kit conn. rod
24,01,74,683	BS Auffangring	kit ring, collecting
24,01,74,690	BS Leistungsregler, 385-655ccm	kit capacity regulation, 385-655ccm
24,01,74,691	Ventilkörper	valve body
24,01,74,692	O-Ring D=48,0x2,5	O-ring D=48,0x2,5
24,01,74,693	Scheibe DM30x16x2,0	disc DM30x16x2,0
24,01,74,694	BS Austauschadapterset	kit replace, adapter, set
24,01,74,695	Dichtung, V-Platte unt	gasket, valve plate bot
24,01,74,696	Dichtung, V-Platte unt	gasket, valve plate bot
24,01,74,698	Schraube 6-Kt M10x70	bolt hexagon M10x70
24,01,74,699	BS Ventilplatte	kit valve plate
24,01,74,701	BS Kompressor,gehäuse	compressor,
24,01,74,703	BS Kompressor,gehäuse	compressor,
24,01,74,704	BS Leistungsregler kompl., 385-655ccm	kit capacity regulation compl., 385-655ccm
24,01,74,705	BS Dichtung	kit gasket
24,01,74,706	Blindflansch	blind flange
24,01,74,707	Senkschraube, M10X25	screw, counter sunk head M10x25
24,01,74,719	BS Kolben	piston assy
24,01,74,722	BS Kolben D65	kit piston D65
24,01,74,725	BS Kolben Pleuelstange	kit piston conn. rod
24,01,74,729	Kompressorgehäuse 470ccm	housing, compressor, 470ccm
24,01,74,731	Kompressorgehäuse 560ccm	housing, compressor, 560ccm
24,01,74,735	O-Ring 465ccm	O-Ring, 465ccm
24,01,74,814	Zylinderdeckel	cover, cylinder
24,01,74,828	Dichtung f. Deckel	gasket, cylinder head
24,01,74,837	Dichtung Lagerflansch vrn	gasket, bearing flansch front
24,01,74,846	O-Ring 12Bx2,0	O-Ring 12Bx2,0
24,01,74,860	BS Ventilplatte	valve plate assy
24,01,74,863	BS Kolben Pleuelstange	piston connecting rod assy
24,01,74,952	Prallscheibe D14	disc, muffler D=14
24,01,75,006	Dichtung, Bodenplatte	gasket, plate, base
24,01,75,008	Dichtung, V-Platte unt	gasket, valve plate bot

Tabella1

24,01,75,010	Dichtung, V-Platte ob-unt	gasket, valve plate tp
24,01,75,011	Steckerstift 5x14	plug pin 5x14
24,01,75,012	BS Zyl-Deckel m. Dichtung FK4	kit cylinder cover w. gasket
24,01,75,013	Scharaube 6K M10X75	bolt hexagon M10x75
24,01,75,015	Schraube 6-Kt M10x110	bolt hexagon M10x110
24,01,75,017	Zwischenflansch oval H30	flange, middle oval H30
24,01,75,017-(	Zwischenflansch oval H30	flange, middle oval H=30
24,01,75,017-(	Zwischenflansch oval H34	flange, middle oval H=34
24,01,75,017-(	Zwischenflansch oval H15	flange, middle H=15
24,01,75,018	Verschlußschraube	cap screw FK3
24,01,75,019	Schraube 6Kt M10x80	screw, hex M10x80
24,01,75,023	Kolbenbolzen D15	piston pin D15
24,01,75,024	SI-Ring 15x1 FK3/4	ring, circlip 15x1
24,01,75,025	Ölabstreifring 55x50x2,5	tabring 55x50x2,5
24,01,75,026	Minutenring, Kolben 55x50x2,5	compression ring f. piston 55x50x2,5
24,01,75,027	Sieb mit Flansch Saug.	strainer w. flange SS
24,01,75,029	Kugellager, schräg	bearing, ball, angular
24,01,75,030	Spannhülse 4x10	adapter, sleeve 4x10
24,01,75,031	Dichtung, Lagerflansch	gasket, bearing flange re
24,01,75,032	Lagerflansch hi FK4	bearing flange re
24,01,75,038	Dichtung, Abschlußdeckel	gasket, cover plate
24,01,75,039	Abschlußdeckel	cover plate
24,01,75,041	Sieb m. Magnet	strainer w. magnet
24,01,75,042	Cu-Scheibe 28X22X2	disc 28x22x2
24,01,75,044	O-Ring 34x59x2,62	O-ring 34 59x2,62
24,01,75,046	Dichtung 40x31x1,5	gasket 40x31x1,5
24,01,75,049	Kurbelwelle 49 Hub	crankshaft 49 Hub
24,01,75,050	Dichtung, Lagerflansch vrn	gasket, bearing flange frt
24,01,75,051	Lagerflansch vrn FK4	bearing flange frt
24,01,75,053	Lagerbuchse	journal box
24,01,75,058	Dichtung Gleitringdeckel	gasket shaft seal cover
24,01,75,061	Scheibenfeder 5X9	woodruff key 5x9
24,01,75,063	Federring A12	spring lock A12
24,01,75,064	Schraube 6-Kt M12x40	bolt hexagon M12x40
24,01,75,067	Verschlußschraube M22x1,5	cap screw M22x1,5

Tabella1

24,01,75,069	SI-Ring 35x1,5	ring, circlip 35x1,5
24,01,75,070	Dichtung SS	gasket SS
24,01,75,073	Scheibenfeder 3 X3,7	woodruff key 3x3,7
24,01,75,074	SI-Ring J72x2,5	ring, circlip J72x2,5
24,01,75,076	Steckerstift 5x14	plug pin 5x14
24,01,75,077	Blindflansch	flange, blind
24,01,75,083	Dichtung Lötstutzen NW32	gasket, fitting,sold NW32
24,01,75,084	Flansch f. Verbinder DI36 2xD1	flange f. connector DI36 2xD1
24,01,75,085	Flansch f. Lötstutzen oval	flange f. fitting,sold oval
24,01,75,086	Lötstutzen D28	fitting, sold D28
24,01,75,087	Lötstutzen D35,2	fitting, sold D35,2
24,01,75,089	Schraube 6-Kt M10x35	bolt hexagon M10x35
24,01,75,090	BS Ventilplatte	kit valve plate
24,01,75,091	BS Ölpumpe	kit oil pump
24,01,75,092	BS Kolben-Pleuelstange	kit piston - conn. rod
24,01,75,093	Dichtungssatz	kit gasket
24,01,75,094	Flanschabsperrventil, Druckseite	valve, shutoff f. flange ds.
24,01,75,095	Ventil f. Flansch	valve, shutoff ss
24,01,75,096	BS Kolben	kit piston
24,01,75,099	BS Schauglas	kit sight glass
24,01,75,101	Dichtung, Ventilflansch	gasket, valve flange
24,01,75,105	BS Wellendichtung	kit seal, shaft FK4/5/13
24,01,75,106	BS D-Ausgleich	kit press.compensation
24,01,75,109	Flanschabsperrventil	valve, shutoff f. flange
24,01,75,112	Verdichtungsring	ring, compression
24,01,75,114	Zylinderdeckel axial mit Dichtung	cover, cylinder w/gasket axial
24,01,75,120	Dichtring 27,8x24,2x2	gasket ring 27,8x24,2x2
24,01,75,121	Dichtring 20X16X1,5	gasket, seal 20x16x1,5
24,01,75,122	BS Gleitringdichtung	kit floating ring seal
24,01,75,125	BS Pleuelstange	kit conn. rod
24,01,75,126	BS Lager vrn	kit bearing frt
24,01,75,128	Gehäuse, Guss 467ccm	housing, compressor, 467ccm
24,01,75,130	BS Lager Pumpenseite	kit bearing pump side
24,01,75,131	Lötstutzen NW20 D22	fitting,sold NW20 D22
24,01,75,133	Dichtung f. V-Deckel ob-unt	gasket f. cover valve tp

Tabella1

24,01,75,136	Bodenplatte	plate, base
24,01,75,143	Schraube M10X100	bolt, M10x100
24,01,75,144	Bodenplatte 467ccm	plate, base 467ccm
24,01,75,145	Pleuelschraube M5x40	bolt, conn. rod M5x40
24,01,75,146	Zylinder Rollenlager	cylinder bearing, roll
24,01,75,149	Lagerflansch vrn	bearing flange frt
24,01,75,152	Deckscheibe	cover disk
24,01,75,153	Sicherheitsventil	valve, safety
24,01,75,154	BS Kolben Pleuelstange	kit piston conn. rod
24,01,75,155	BS Kurbelwelle 467ccm	assy crankshaft 467ccm
24,01,75,156	BS Pleuelstange	assy connecting rod
24,01,75,158	Dichtung f. Lötstutzen NW25	gasket, fitting,sold NW25
24,01,75,162	Ovalflansch m. Bohrung DS D22	oval flange w. drill hole / drilling hole DIS D22
24,01,75,163	Ovalflansch m. Bohrung SS D28	oval flange w. drill hole / drilling hole SS D28
24,01,75,165	Dichtung-Ventilplatte oben	gasket, valve plate upper
24,01,75,178	BS Dichtungen	gasket, kit
24,01,75,179	BS-Ventilplatte 465/555ccm	valve plate assy 465/555ccm
24,01,75,180	BS-Ventilplatte 660/775ccm	valve plate assy 660/775ccm
24,01,75,200	S-Anschluß UX116	conn. SL
24,01,75,201	D-Anschluß UX116	conn. disch.
24,01,75,205	Flansch f. Lötstutzen oval M10 D35	flange f. fitting,sold oval M10 D35
24,01,75,206	Lötstutzen, innenzentriert NW25	fitting,sold SC NW 25
24,01,75,207	Lötstutzen außenzentr. NW25	fitting,sold OC NW25
24,01,75,208	Lötstutzen innenzentr. NW 20	fitting,sold SC NW 20
24,01,75,209	Lötstutzen außenzentr. NW 20	fitting,sold OC NW 20
24,01,75,219	ersetzt durch 24,01,74,672	use > 24,01,74,672
24,01,75,220	O-Ring 73,7x3,53	O-ring 73,7x3,53
24,01,75,250	Leistungsregler LR1.6 05G	capacity regulation
24,01,75,251	Steuerung LSE0060	control w. valve and pulse trigger
24,01,75,252	Zentrierhülse, Verdichter	sleeve, compressor,
24,01,75,405	ersetzt durch 17-10814-00	use > 17-10814-00
24,01,75,410	ersetzt durch 17-10811-05	use > 17-10811-05
24,01,75,421	ersetzt durch 17-10608-00	use > 17-10608-00
24,01,75,423	Hülse LR 5F30	sleeve CR, 5F30
24,01,75,425	ersetzt durch 17-10850-00	use > 17-10850-00

Tabella1

24,01,75,439	ersetzt durch 17-10517-00	use > 17-10517-00
24,01,75,441	ersetzt durch 17-10518-00	use > 17-10518-00
24,01,75,442	Pleuel Kompl., 5F30	connectng rod assy 5F30
24,01,75,444	ersetzt durch 17-10508-00	use > 17-10508-00
24,01,75,445	Dichtung Ölpumpe	gasket oil pump, 5F30
24,01,75,450	ersetzt durch 17-10210-00	use > 17-10210-00
24,01,75,452	ersetzt durch 17-10302-00	use > 17-10302-00
24,01,75,473	Feder Ventilhub	spring valve stroke, Carrier 5F30
24,01,75,500	Verdi.-Ventil 2x7/8UNF	valve compr. 2x7/8UNF
24,01,75,505	Riemenscheibe 1-rillig	pulley 1-groove
24,01,75,509	Magnetspule 24VDC	coil, magn. 24VDC
24,01,75,510	Magnetspule 12VDC GM 12VDC	coil, magn. 12VDC GM 12VDC
24,01,75,513	Kupplungsscheibe 1-rillig	clutch disk 1-groove
24,01,75,525	BS Wellenabdichtung F5	shaft seal assy F5
24,01,75,526	Lagerflansch vorne	flange, bearing front
24,01,75,531	BS Lager vrn	bearing assy, front F5
24,01,75,703	Bodenplatte H54,5	plate, base H54,5
24,01,75,704	Dichtung, Bodenplatte	gasket, plate, base
24,01,75,715	Verschlusschraube M36*1,5	cap screw M36*1,5
24,01,75,716	ersetzt durch 24,01,75,027	use 24,01,75,027
24,01,75,719	Zyl-Rollenlager	bearing, roller
24,01,75,722	Lagerbuchse	journal box
24,01,75,723	O-Ring 88,62x1,78	O-Ring 88,62x1,79
24,01,75,725	Distanzring	ring, spacer
24,01,75,726	Dichtung Lager	gasket bearing
24,01,75,727	Stützring	ring, support
24,01,75,728	Spannhülse schwer 4x14	adapter, sleeve heavy 4x14
24,01,75,729	O-Ring 23,52x1,78 FK26	O-ring 23,52x1,78
24,01,75,732	Verschlusschraube M22x1,5	screw, cap M22x1,5
24,01,75,733	Dichtung, Lagerflansch	gasket, bearing flange
24,01,75,734	Schraube 6Kt M8x30	screw, hex M8x30
24,01,75,737	Lagerflansch vorne	flange, bearing front
24,01,75,738	Zyl-Schraube M8x25	screw, cyl. M8x25 FK26
24,01,75,740	Dichtring 20x16x1,5	ring, seal 20x16x1,5
24,01,75,748	Schraube 6-Kt M10x65	bolt hexagon M10x65

Tabella1

24,01,75,753	Dichtung, V-Platte unt	gasket, valve plate bot
24,01,75,754	Dichtung V-Platte unt	gasket valve plate bot
24,01,75,755	Dichtung, V-Platte ob-unt	gasket, valve plate tp
24,01,75,756	Zylinderdeckel	cylinder cover
24,01,75,758	BS Ventilplatte	kit valve plate
24,01,75,759	BS Ventilplatte	kit valve plate
24,01,75,760	BS Gleitringdichtung	kit floating ring seal
24,01,75,761	BS Ölpumpe	kit oil pump
24,01,75,762	BS-Kolben D=55	piston assy D=55
24,01,75,763	BS Kolben D50	kit piston D50
24,01,75,764	BS Kolben Pleuelstange	kit piston - conn. rod
24,01,75,768	BS Kurbelwelle	kit crankshaft
24,01,75,770	BS Schauglas	kit sight glass
24,01,75,771	BS Dichtungen	kit gasket
24,01,75,772	BS Dichtungen	kit gasket
24,01,75,775	BS Leistungsregler mit Deckel, 670ccm 24VDC	kit capacity regulation w. cyl., 670ccm 24VDC
24,01,75,776	BS Leistungsregler ohne Deckel, 670ccm, 24VDC	kit capacity regulation w/o cyl., 670ccm 24VDC
24,01,75,795	Zylinderdeckel m. Dichtung 3/4"7/8"	cylinder cover w/gasket
24,01,75,796	Kupplung 12VDC 2SPA5" SD505	clutch 12VDC 2SPA5"
24,01,75,797	Kupplung, 24VDC 2SPA5" SD505	clutch, 24VDC 2SPA5"
24,01,75,823	Ölpumpe einschl. Deckel	pump assy, oil
24,01,75,840	Gleitringdichtung	floating ring seal
24,01,75,852	Flanschdichtung	gasket, flange
24,01,75,878	Spule 24VDC,20W	coil 24VDC,20w
24,01,75,881	Dichtung, V-Platte unt 670ccm	gasket, valve plate bot
24,01,75,882	Dichtung, V-Platte ob-unt 670ccm	gasket, valve plate tp
24,01,75,885	BS Ventilplatte 390-670ccm	kit valve plate
24,01,75,889	BS Leistungsregler 385-670ccm 24VDC	kit capacity regulation 385-670ccm 24VDC
24,01,75,890	ersetzt durch 24,01,75,882	use > 24,01,75,882
24,01,75,891	Dichtung V-Platte unt 390ccm	gasket f. valve plate bot 175x110
24,01,75,902	ersetzt durch 14-00029-07	use > 14-00029-07
24,01,75,907	Nutmutter, selbstsichernd O5G	nut, self secured O5G
24,01,76,007	Dichtung 1 3/4"	gasket 1 3/4"
24,01,77,001	Saug-Absperrventil kompl.	shutt off valve assy, suction
24,01,77,002	Beipack Zwischenflansch	flange, intermediate

Tabella1

24,01,77,003	Magnetventil kompl.	valve, solenoid
24,01,77,004	Zylinderkopf	cylinder head
24,01,77,005	Flanschdichtung	gasket, flange
24,01,77,006	Sieb, Sauggasfilter	filter, suction gas
24,01,77,007	O-Ring f. Leistungsregelung	O-ring for unloader
24,01,77,008	Flachdichtung f. LR	gasket for unloader
24,01,77,009	Stützring f. LR	ring, support for unloader
24,01,77,010	Dichtring f. LR	gasket, seal for unloader
24,01,77,011	O-Ring f. LR	O-ring for unloader
24,01,77,012	Flachdichtung f. LR	gasket for unloader
24,01,77,013	Stützring f. LR	ring, support for unloader
24,01,77,014	Exzenterwelle	crankshaft, exzentre
24,01,77,015	Pleuel-Kolben, kompl.	piston connecting rod assy
24,01,77,016	Ventilplatte, kompl.	valve plate assy
24,01,77,017	Lagerdeckel	cover, bearing
24,01,77,018	Abschlußdeckel	cover, end
24,01,77,019	Zylinderlaufbuchse, links	bushing, cylinder left
24,01,77,020	Zylinderlaufbuchse, rechts	bushing, cylinder right
24,01,77,021	Überdruckventil für Lagerdeckel	valve, pressure
24,01,77,022	Druckabsperrrventil	shutt off valve assy, discharge
24,01,77,023	Saugabsperrrventil	shutt off valve assy, suction
24,01,77,024	Dichtungssatz, kompl.	gasket kit
24,01,77,025	Gleitringdichtung, m/O-ring	shaft seal assy, w/O-Ring
24,01,77,026	Filzstreifen	felt, strip
24,01,77,027	Sicherungsring	circlip
24,01,77,028	Zylinderrollenlager	bearing, roller
24,01,77,029	Dichtung für Saugabsperrrventil	gasket, shut off valve, suction
24,01,95,100	Kompressor, 24VDC, A6	compressor, 24VDC, A6
24,02,01,014	Verfl.-Paket TK7D	condenser, TK7D
24,02,01,021	Verfl.-Paket TK11	condenser, TK11
24,02,01,022	Verdampfer m. Heissgasleitung HD TK11	evaporator w. spiral HP, TK11
24,02,01,027	Verfl.-Paket KU11	condenser, KU11
24,02,11,001	Verfl.-Paket H385	condenser H385
24,02,11,007	Verfl.-Paket AC8/8-S	condenser, AC8/8-S
24,02,11,008	Kondensator AC7, Cu/Cu	condenser, AC7 Cu/Cu

Tabella1

24,02,11,012	Verfl.-Paket TK 14A	condenser w. blower rib shape 25,4x22
24,02,11,015	Verfl.-Paket AC6	condenser, AC6
24,02,11,019	Verfl.-Paket AC8/8-S	condenser, AC8/8-S
24,02,11,026	Verfl.-Paket AC7/TK7	condenser coil, AC7/TK7
24,02,11,027	Verfl.-Paket K16-4025	condenser laying rib, K16-4025
24,02,11,061	Verfl.-Paket K25-2	condenser, K25-2
24,02,11,063	Verfl.-Paket K25-1	condenser, K25-1
24,02,11,066	Verfl.-Paket K31-3-1krs	condenser coil, K31-3-1krs
24,02,11,068	Verfl.-Paket K31-3	condenser coil, K31-3
24,02,11,069	Verfl.-Paket K35-3 2Krs	condenser, K35-3
24,02,11,076	Verfl.-Paket K35-3 1Krs	condenser coil, K35-3-1+2krs
24,02,11,077	Verfl.-Paket AC40	condenser, AC40
24,02,11,079	Verfl.-Paket K50-3-1krs	condenser, K50-3-1krs
24,02,11,081	Verfl.-Paket AC50-2	condenser coil, AC50-2
24,02,11,084	Verfl.-Paket K40-5	condenser, K40-5
24,02,11,085	Verfl.-Paket K100-1krs	condenser, K100-1krs
24,02,11,087	Verfl.-Paket K100-2	condenser, K100-2
24,02,11,090	Verfl.-Paket K100-2krs	condenser, K100-2krs
24,02,11,100	Verfl.-Paket K105-1-1krs	condenser coil, K105-1-1krs
24,02,11,102	Verfl.-Paket K25-4	condenser, K25-4
24,02,11,103	Verfl.-Paket K107	condenser coil, K107
24,02,11,105	Verfl.-Paket K110/120-1krs	condenser coil, K110/120-1krs
24,02,11,106	Verfl.-Paket K125	condenser, K125-1krs
24,02,11,119	Verfl.-Paket li AC130	condenser lft, AC130
24,02,11,120	Verfl.-Paket re AC130	condenser rgt, AC130
24,02,11,125	Verfl.-Paket K250	condenser, K250
24,02,11,126	Verfl.-Paket K40-10	condenser, K40-10
24,02,11,128	Verfl.-Paket K45-5	condenser, K45-5
24,02,11,129	Verfl.-Paket K180	condenser, K180
24,02,11,130	Verfl.-Paket K181	condenser, K181
24,02,11,132	Verfl.-Paket K115	condenser, K115
24,02,11,134	Verfl.-Paket K182	condenser, K182
24,02,11,135	Verfl.-Paket K105-2	condenser coil, K105-2
24,02,11,136	BS Verfl.-Paket AC110	condenser coil cpl., AC110
24,02,11,138	Verfl.-Paket K132	condenser coil, K132

Tabella1

24,02,11,138	Verfl.-Paket K132	condenser coil, K132
24,02,11,139	Verfl.-Paket K260/261/270-1krs	condenser coil, K260/261/270-1krs
24,02,11,142	Verfl.-Paket K186	condenser, K186
24,02,11,143	KondensatorpaketK133 2krs	condenser coil, K133 2krs
24,02,11,147	ersetzt durch 24,02,11,149	use > 24,02,11,149
24,02,11,148	Verfl.-Paket K136-32-1krs	condenser coil, K136-32-1krs
24,02,11,149	Verfl.-Paket K136-24-1kr	condenser coil, K136-24-1krs
24,02,11,151	Verfl.-Paket K310-2krs	condenser coil, K310-2krs
24,02,11,152	Verfl.-Paket K310-1krs	condenser coil, K310-1krs
24,02,11,153	Verfl.-Paket K310-2krs	condenser coil, K310-2krs
24,02,11,160	ersetzt durch 24,02,11,202	use > 24,02,11,202
24,02,11,162	Verfl.-Paket K350-2krs	condenser, K350-2krs
24,02,11,171	Verfl.-Paket K355 1krs.	condenser coil, K355 1krs
24,02,11,173	Verfl.-Paket DA5	condenser coil, DA5
24,02,11,180	ersetzt durch 75,65,10,002	use 75,65,10,002
24,02,11,186	Verfl.-Paket AC315/355-1krs	condenser, AC315/355-1krs
24,02,11,189	Verfl.-Paket K353-1krs	condenser, K353-1krs
24,02,11,196	Verfl.-Paket K187	condenser coil, K187
24,02,11,197	Verfl.-Paket K190	condenser coil, K190
24,02,11,201	Verfl.-Paket K310	condenser coil, K310
24,02,11,202	Verfl.-Paket K350	condenser coil, K350
24,02,11,207	Verfl.-Paket AC112	condenser coil, AC112
24,02,11,216	Verfl.-Paket K353	condenser coil, K353
24,02,11,227	Verfl.-Paket K310 2-Krs.	condenser coil, K310 2 krs
24,02,11,230	Verfl.-Paket DA6/2	condenser coil, DA6/2
24,02,11,231	Verfl.-Paket FS2	condenser coil, FS2
24,02,95,020	Verfl.-Paket CIVIS	condenser coil, CIVIS
24,02,95,021	Kondensatorpaket Civis US	coil, condenser Civis US
24,02,95,022	Verflüssigerpaket Civis	coil, condenser Civis
24,02,95,030	Verfl.-Paket AC2400	condenser coil, AC2400
24,03,01,018	VERD-Paket TK7A/D1	coil, evap.,, TK7A/D1
24,03,01,026	Verd.-Paket TK10	coil, evap.,, TK10
24,03,01,033	VERD-Paket TK7D/7A2	coil, evap.,, TK7D/7A2
24,03,01,036	VERD-Paket TK6	coil, evap.,, TK6
24,03,11,001	Verd.-Paket AC8-S	coil, evap., AC8-S

Tabella1

24,03,11,002	VERD-Paket AC8	evaporator AC8
24,03,11,003	Verd.-Paket V7, CU/CU	evaporator V7, Cu/Cu
24,03,11,005	VERD-Paket o. SL AC8	evaporator non SL, AC8
24,03,11,007	Verd.-Paket re AC23	evaporator rgt, AC23
24,03,11,009	Verd.-Paket AC8-S	evaporator AC8-S
24,03,11,041	Verd.-Paket AC10-3-1krs	coil, evap., AC10-3-1krs
24,03,11,045	Verd.-Paket AC130-2/131	coil, evap., AC130-2/131
24,03,11,046	Verd.-Paket AC45-6	coil, evap., AC45-6
24,03,11,052	ZS-Verdampfer m. Bedienteil 12VDC	evaporator, w/controller 12VDC
24,03,11,062	Verd.-Paket lang V18-3	coil, evap., long, V18-3
24,03,11,065	Verd.-Paket re V18-B	coil, evap., rgt, V18-B
24,03,11,066	Verd.-Paket li V18-B	coil, evap., lft, V18-B
24,03,11,067	Verd.-Paket re AC18-BL	coil, evap., rgt, AC18-BL
24,03,11,072	Verd.-Paket kz. V18-3	coil, evap., short, V18-3
24,03,11,095	Verd.-Paket V31-2-1krs	coil, evap., V31-2-1krs
24,03,11,096	Verd.-Paket V31-3-1krs	coil, evap., V31-3-1krs
24,03,11,111	Verd.-Paket V35-3 1Krs	coil, evap., V35-3-1krs
24,03,11,112	Verd.-Paket V35-3-2krs	coil, evap., V35-3-2krs
24,03,11,121	Verd.-Paket V110	coil, evap., V110
24,03,11,172	BS ZS-Verdampfer 24VDC	evaporator assy w/accessory cpl. 24VDC
24,03,11,176	Verdampfer 12VDC S Q	evaporator assy, 12VDC
24,03,11,177	Verdampfer 24VDC SQ	evaporator assy 24VDC
24,03,11,206	Verd.-Paket m. Bedienteil 24VDC FE6000	coil, evap., w. operating device 24VDC
24,03,11,211	Verd.-Paket re V310-2krs	coil, evap., rgt, V310-2krs
24,03,11,220	ersetzt durch 75,01,01,046	use > 75,01,01,046
24,03,11,222	ersetzt durch 75,01,01,074	use > 75,01,01,074
24,03,11,230	Verd.-Paket re V340	coil, evap., rgt, V340
24,03,11,231	Verd.-Paket li V340	evaporator coil lft, V340
24,03,11,241	ersetzt durch 24,03,11,242	use > 24,03,11,242
24,03,11,242	Verd.-Paket V16	coil, evap., V16
24,03,11,246	Verd.-Paket V133L	evaporaor coil, lft, V133
24,03,11,248	Verd.-Paket re V136-24	coil, evap., rgt., V136-24
24,03,11,249	Verd.-Paket li V136-24	coil, evap., lft, V136-24
24,03,11,249	Verd.-Paket li V136-24	coil, evap., lft, V136-24
24,03,11,263	Verf.-Paket m. Tropfwanne re V186	coil, evap., w. drain pan rgt, V186

Tabella1

24,03,11,264	Verd.-Paket m. Tropfwanne li V186	coil, evap., w. drain pan lft, V186
24,03,11,272	Verd.-Paket li V355	coil, evap.,, lft, V355
24,03,11,273	Verd.-Paket re V355	coil, evap., rgt, V355
24,03,11,285	Verd.-Paket re V187 rechts	coil, evap., rgt, V187
24,03,11,286	Verd.-Paket re V187 links	coil, evap., lft, V187
24,03,11,300	Verd.-Paket AC313	coil, evap., AC313
24,03,11,301	Verd.-Paket AC353	coil, evap.,, AC353
24,03,11,302	Verdampfer V112	coil, evap., rgt, V112
24,03,11,305	Verd.-Paket V136-30	coil, evap., lft, V136-30
24,03,11,306	Verd.-Paket re V136-30	coil, evap., rgt, V136-30
24,03,11,313	Verd.-Paket re AC136-24	coil, evap., rgt, AC136-24
24,03,11,314	Verd.-Paket AC 137 20Kw	coil, evap., rgt 30kW
24,03,11,332	Verd.-Paket AC7	coil, evap., AC7
24,03,11,356	Verd.Paket AC 353 G3 ORFS	coil, evap.,, AC353 GEN3 ORFS
24,03,11,357	Verd.-Paket AC313-G3 ORFS	coil, evap.,, AC313 GEN3 ORFS
24,03,15,002	Verd.-Heizpaket V40	coil, evap., w/heat V40
24,03,15,006	Verd.-HZ-Paket V25-3	coil, evap., w/heat V25-3
24,03,15,011	Verd.-Heizpaket AC8	coil, evap., w/heat, AC8
24,03,15,017	ersetzt durch 24,03,15,040	use > 24,03,15,040
24,03,15,018	Verd.-HZ-Paket re VH180	coil, evap., w/heat rgt, VH180
24,03,15,019	Verdampfer u. Heizer VH180L	coil, evap., w/heat rgt, VH180L
24,03,15,024	Verd.-Heizpaket AC130-3	coil evap., w/heat AC130-3
24,03,15,025	Verd.-Heizpaket AC40/45	coil evap., w/heat AC40/45
24,03,15,026	Verd.-Paket V45-5	coil evap., w/heat V45-5
24,03,15,029	Verd-Heizpket re VH180-3	coil evap., w/heat rgt. VH180-3
24,03,15,030	Verd.-HZ-Paket li VH180-3	coil evap., w/heat lft. VH180-3
24,03,15,034	Verd.-Heizpaket re VH260/261/270	coil evap., w/heat rgt. VH260/261/270
24,03,15,035	VERD-HZ-Paket li VH270/260/261	coil evap., w/heat lft. VH260/261/270
24,03,15,040	Verd.-Heizpaket AC250	coil evap., w/heat AC250
24,03,15,043	Verf-Heizpaket VH193 rechts	coil evap., w/heat rgt., VH193-24
24,03,15,045	Verd-Heizpaket AC251	coil evap., w/heat AC251
24,03,95,043	Verdampferpaket, rechts V184	coil, evaporator right V184
24,03,95,044	Verdampferpaket, links V184	coil, evaporator left V184
24,03,95,050	Verdampferpaket, Frontbox Civis	coil, evaporator front box Civis
24,03,95,051	Verdampferpaket, lang, Civis	coil, evaporator, long, Civis

Tabella1

24,03,95,052	Verdampferpaket, kurz, Civis	coil, evaporator, short, Civis
24,03,95,053	Verdampferpaket V184 lang	coil, evaporator, long V184
24,03,95,054	Verdampferpaket V184 kurz	coil, evaporator, short V185
24,04,01,002	Exp.-Ventil FE4200	valve, exp. FE2400
24,04,01,005	Exp.-Ventil 10x12	valve, exp., therm. 10x12
24,04,01,028	Exp.-Ventil 5/8"-3/4"	valve, exp., therm. 5/8" /3/4"
24,04,01,029	Exp.-Ventil 3/4"-5/8" UNF	valve, exp., therm. 3/4"-5/8" UNF
24,04,01,039	ersetzt durch 24,04,01,097 & 24,04,75,014	use > 24,04,01,097 & 24,04,75,014
24,04,01,040	Exp.-Ventil 5/8"-3/4" 0,5	valve, exp., 5/8"-3/4"
24,04,01,041	Exp.-Ventil 3/4"-5/8" 0,5m	valve, exp. therm. 3/4"-5/8", 0,5m
24,04,01,042	Exp.-Ventil 5/8"-3/4"	valve, exp. therm. 5/8"-3/4"
24,04,01,044	Exp.-Ventil 5/8"-3/4"	valve, exp., therm. 5/8"-3/4"
24,04,01,045	ersetzt durch 24,04,01,137 & 24,04,01,147 & 24,04,75,014	use > 24,04,01,137 & 24,04,01,147 & 24,04,75,014
24,04,01,046	ersetzt durch 24,04,01,098 & 24,04,75,014	use > 24,04,01,098 & 24,04,75,014
24,04,01,050	ersetzt durch 24,04,01,137 & 24,04,01,147 & 24,04,75,014	use > 24,04,01,137 & 24,04,01,147 & 24,04,75,014
24,04,01,051	ersetzt durch 24,04,01,098 & 24,04,75,014	use > 24,04,01,098 & 24,04,75,014
24,04,01,060	Exp.-Ventil 3/4"-7/8" 3,0m	valve, exp., therm. 3/4"-7/8" 3,0m
24,04,01,061	ersetzt durch 24,04,01,060	use > 24,04,01,060
24,04,01,064	Exp.-Ventil 3/4"-7/8"	valve, exp., therm. 3/4"-7/8"
24,04,01,065	ersetzt durch 24,04,01,173 & 24,04,75,014	use > 24,04,01,173 & 24,04,75,014
24,04,01,066	Exp.-Ventil -5-8u 3-4-1 5bar	valve, exp. -5-8u 3-4-1 5bar
24,04,01,067	ersetzt durch 24,04,01,175 & 24,04,75,014, R134a	use > 24,04,01,175 & 24,04,75,014, R134a
24,04,01,072	Exp.-Ventil 5/8"-3/4"	valve, exp. therm. 5/8"-3/4"
24,04,01,073	Exp.-Ventil 5/8"-3/4"	valve, exp. therm. 5/8"-3/4"
24,04,01,080	Exp.-Ventil m. V-Einsatz	valve, exp. w/valve core
24,04,01,082	Exp.-Ventil	valve, exp., therm.
24,04,01,086	Exp.-Ventil 15/22 3,0m	valve, exp., therm. 15/22 3,0m
24,04,01,087	Exp.-Ventil 15/22 3,0m R22	valve, exp. therm. 15/22 3,0m R22
24,04,01,088	Exp.-Ventil 15/22 3,0m	valve, exp. therm. 15/22 3,0m
24,04,01,091	Exp.-Ventil 15/22 3,0m R134a	valve, exp., therm. D15/22 3,0m R134a
24,04,01,092	Exp.-Ventil 15/22 3,0m R134a	valve, exp., therm. D15/22 3,0m R134a
24,04,01,094	Exp.-Ventil 7/8"-7/8" 3,0m	valve, exp., therm. 7/8"-7/8" 3,0m
24,04,01,095	Exp.-Ventil 7/8"-7/8" 3,0m R134a	valve, exp., therm. 7/8"-7/8" 3,0m R134a
24,04,01,096	Exp.-Ventil 7/8"-7/8" R134a	valve, exp., therm. 7/8"-7/8" R134a
24,04,01,097	Exp.-Ventil 5/8"-3/4" R134a	valve, exp., therm. 5/8"-3/4" R134a

Tabella1

24,04,01,101	ersetzt durch 75,61,02,010	use > 75,61,02,010
24,04,01,104	Exp.-Ventil 15/22 TMXL8	valve, exp., therm. 15/22
24,04,01,105	Exp.-Ventil 15/22 TMXL8	valve, exp., therm. 15/22
24,04,01,115	Exp.-Ventil 5/8"-3/4" m/V-Einstaz	valve, exp., therm. 5/8"-3/4" w/core
24,04,01,120	Exp.-Ventil 5/8"-3/4" ohne Düse R134a	valve, exp., therm. 5/8"-3/4" w/o core
24,04,01,122	Ventileinsatz Gr.2,0	valve core Gr.2,0
24,04,01,123	Ventileinsatz Gr.3,0	valve core Gr.3,0
24,04,01,126	Ventileinsatz Gr.6,0	valve core Gr.6,0
24,04,01,135	Exp.-Ventil 5/8x3/4"	valve, exp., therm. 5/8-3/4"
24,04,01,136	Exp.-Ventil 5/8x3/4" #4,5	valve, exp., therm. 5/8"-3/4" #4,5
24,04,01,137	Exp.-Ventil 5/8"-3/4"	valve, exp., therm. 5/8-3/4"
24,04,01,143	Ventileinsatz Gr.1,0	valve core Gr.1,0
24,04,01,145	Ventileinsatz Gr.2,0	valve core Gr.2,0
24,04,01,146	Ventileinsatz #2,5	valve core #2,5
24,04,01,147	Ventileinsatz #3,0	valve core #3,0
24,04,01,148	Ventileinsatz #3,5	valve core #3,5
24,04,01,149	Ventileinsatz #4,5	valve core #4,5
24,04,01,150	Ventileinsatz #2,0	valve core #2,0
24,04,01,155	Exp.-Ventil, Löt, R134a	valve, exp., sold. R134a
24,04,01,156	Exp.-Ventil SBF R134	valve, exp., SBF R134a
24,04,01,167	Exp.-Ventil 5/8"-3/4" R134a	valve, exp., therm. 5/8"-3/4" R134a
24,04,01,170	Exp.-Ventil 5/8"-3/4" R134a	valve, exp., therm. 5/8"-3/4" R134a
24,04,01,171	Exp.-Ventil 3/4"-7/8" R134a	valve, exp., therm. 3/4"-7/8" R134a
24,04,01,172	Exp.-Ventil 5/8"-3/4" R134a	valve, exp., therm. 5/8"-3/4" R134a
24,04,01,173	Exp.-Ventil 7/8-7/8 R134a	valve, exp., therm. 7/8-7/8 R134a
24,04,01,175	Exp.-Ventil 3/4"-7/8" R134a	valve, exp., therm. 3/4"-7/8" R134a
24,04,01,176	Exp.-Ventil	valve, exp., therm.
24,04,01,177	Düseneinsatz T2 Gr.4,0	valve core, T2 Gr.4,0
24,04,01,178	Exp.-Ventil 7/8-7/8 R134a	valve, exp., therm. 7/8x7/8 R134a
24,04,01,180	Exp.-Ventil 1"14UN 1-3/16"12UN ORFS	valve, exp., therm. 1"14UN 1-3/16"12UN ORFS
24,04,02,005	Sicherheitsventil NW4 30bar 3/8"	valve, safety NW 4 30bar 3/8"
24,04,02,006	Sicherheitsventil 28bar 3/8"NPTx1/2"SAE	valve, safety 28bar 3/8"NPTx1/2"SAE
24,04,03,003	Füllventil grd. M15x1	valve, service sgt. M15x1
24,04,03,004	Füllventil grd. M13x1	valve, service sgt. M13x1
24,04,03,005	Schutzkappe SW 16	dust cap BK 16

Tabella1

24,04,03,006	Schutzkappe SW 13	dust cap BK 13
24,04,03,007	Füllventil 7/16" 90°ND	valve, service 7/16" 90°
24,04,03,008	Füllventil 7/16" 90°HD	valve, service 7/16" 90°
24,04,03,011	Füllventil grd. HD	valve, service sgt. HP
24,04,03,012	Füllventil grd. ND	valve, service sgt. LP
24,04,03,013	Füllventil grd. M13x1, ND, Lötstutzen	valve, service sgt. M13x1 LP
24,04,03,014	Füllventil grd. M15x1 HD, Lötstutzen	valve, service sgt. M15,1 HP
24,04,10,001	Ventil 3/4"	valve, therm. 3/4"
24,04,75,002	ersetzt durch 24,04,75,014	use > 24,04,75,014
24,04,75,007	Filter, Stecksieb TEK/A3	plug-in filter
24,04,75,008	Filter, Stecksieb TER/A4	plug-in filter
24,04,75,009	Filter, Stecksieb TER/A6	plug-in filter
24,04,75,010	Filter, Stecksieb	plug-in filter
24,04,75,013	D-Ausgleichleitung 3mm mit Dichtkopf L3,0	press. comp. line w. seal conical L3,0
24,04,75,014	D-Ausgleichsleitung L0,6	press. comp. line w. seal conical L0,6
24,04,75,014	D-Ausgleichsleitung L0,6	press. comp. line w. seal conical L0,6
24,04,75,015	Filter, Stecksieb m. Konus TMXB5	plug-in filter w. cone
24,04,75,016	Filter, Stecksieb m. Konus TMXL8	plug-in filter w. cone
24,04,75,017	Filter, Stecksieb TMX4,5	plug-in filter
24,04,75,018	Filter, Stecksieb TMVX-4,5	plug-in filter
24,04,75,020	Düzensatz TMVX-4,75	nozzle set
24,04,75,021	Filter, Stecksieb TMXB6	plug-in filter
24,04,75,026	Druckausgleichsleitung rechts V738	press. comp. Line, rgt V738
24,04,75,027	Druckausgleichsleitung links V738	press. comp. Line, lft V738
24,04,95,015	Expansionventil R134a	valve, expansion R134a
24,04,95,021	Exp.-Ventil 2,5, R134a	valve exp., therm 2,5 R134a
24,04,95,022	Exp.-Ventil 2,0, R134a	valve exp., therm 2,0 R134a
24,04,95,103	Filtereinsatz	plug-in-filter
24,05,01,011	Sammelflasche m. Befestigung 5/8" AC8	receiver w/bracket, AC8
24,05,01,011	Sammelflasche m. Befestigung 5/8" AC8	receiver w./bracket, AC8
24,05,01,022	Sammelflasche TK10	receiver, TK10
24,05,01,030	Sammelflasche m. SI-Ventil AC25-4	receiver w/safety valve, AC25-4
24,05,01,032	Sammelflasche AC250	receiver, AC250
24,05,01,035	Sammelflasche SW K50	receiver BK, K50
24,05,01,036	Sammelflasche 3/4" AC111	receiver, AC111

Tabella1

24,05,10,009	Flüssigkeitsabscheider	liquid separator
24,05,10,030	Abscheider	separator
24,05,10,045	Ölabscheider, Druckseite	oil separator, discharge 2x3/4"
24,05,20,006	ersetzt durch 75,70,05,019	use > 75,70,05,019
24,05,20,008	Komb.-Sammler-Trockner 5/8"-5/8" AC6	receiver - drier combi. 5/8"-5/8", AC6
24,05,20,009	Komb.-Sammler-Trockner OR=1 AC7	receiver - drier combi. 5/8"-5/8" OR=1 AC7
24,05,20,010	Sammler-Trockner, mit Schauglass OR=1 K403	receiver dryer, w/sight glass OR=1 K403
24,06,01,011	Filtertrockner 5/8" 210 cm³	filter drier 5/8" 210 cm³
24,06,01,013	Filtertrockner 225cm³ BS7/16"	filter drier 225cm³ BS7/16"
24,06,01,015	Filtertrockner 350cm³ 5/8"	filter drier 350cm³ 5/8"
24,06,01,016	Filtertrockner 3/4" 350cm³	filter drier 3/4" 350cm³
24,06,01,017	Filtertrockner 670cm³ 5/8"	filter drier 670cm³ 5/8"
24,06,01,018	Filtertrockner 5/8" 350cm³	filter drier 5/8" 350cm³
24,06,01,019	Filtertrockner 225cm³ 3/4"	filter drier 225cm³ 3/4"
24,06,01,020	Filtertrockner 3/4" 480cm³	filter drier 3/4" 480cm³
24,06,01,021	Filtertrockner 7/8" 350cm³	filter drier 7/8" 350cm³
24,06,01,021	Filtertrockner 7/8" 350cm³	filter drier 7/8" 350cm³
24,06,01,026	Filtertrockner 7/8" 700cm³	filter drier 7/8" 700cm³
24,06,01,026	Filtertrockner 7/8" 700cm³	filter drier 7/8" 700cm³
24,06,01,027	Filtertrockner 0,7l 18er 1 1/16"	filter drier 0,7L 18er 1 1/16"
24,06,01,032	Filtertrockner 3/8"	filter drier 3/8"
24,06,01,034	Filtertrockner 1/4" T6	filter drier 1/4" T6
24,06,01,041	Filtertrockner	filter drier
24,06,95,004	ersetzt durch 24,06,01,020	use > 24,06,01,020
24,06,95,005	Sammler-Trockner DX163 3/8"	receiver drier DX163 3/8"
24,06,95,006	Filtertrockner 3/4"	filter drier 3/4"
24,06,95,007	Sammler-Trockner DX165 5/8"	receiver drier DX165 5/8"
24,06,95,009	Filtertrockner DML305 7/8"	receiver drier DML305 7/8"
24,06,95,013	Filtertrockner HM305 7/8" OR=1	receiver drier HM305 7/8" OR=1
24,06,95,014	Filtertrockner HM164 3/4 OR=1	receiver drier HM164 3/4" OR=1
24,06,95,016	Filtertrockner HM304 3/4" OR=1	receiver drier HM304 3/4" OR=1
24,07,01,013	Schauglas f. Sammler m. Schwimmer	sight glass f. receiver w. float gauge
24,07,10,006	Schraubschauglas aussen-aussen	sight glass, screw, outside-outside
24,07,10,018	Schraubschauglas 7/8"	sight glass, screw, 7/8"
24,07,10,019	Schraubschauglas, aussen-aussen 5/8"	sight glass, screw, outside-outside 5/8"

Tabella1

24,07,10,028	Schraubsgauglas aussen-aussen, 3/4"	sight glass, screw, outside-outside 3/4"
24,07,10,048	Schauglas aussen-aussen 7/8"	sight glass outside-outside 7/8"
24,07,12,006	Schraubsgauglas in-aus	sight glass, screw, in-out
24,07,12,009	Schraubsgauglas in-aus 7/16	sight glass, screw, in-out 7/16"
24,07,12,011	Schraubsgauglas in-aus 5/8"	sight glass, screw, in-out 5/8"
24,07,12,016	Schraubsgauglas in-aus 3/4"	sight glass, screw, in-out 3/4"
24,07,12,021	Schraubsgauglas in-aus 7/8"	sight glass, screw, in-out 7/8"
24,07,15,001	Schraubsgauglas, aussen-aussen 7/8"	sight glass, screw, outside-outside 7/8"
24,07,15,003	Schauglas in-aus	sight glass in-out
24,08,95,001	Heizpaket Civis	coil, heat Civis
24,08,95,002	Heizpaket Civis	coil, heat Civis
24,08,95,003	Heizpaket Civis kurz	coil, heat Civis short
24,08,95,004	Heizpaket BD CG	coil, heat BD CG
24,09,01,004	Überwurfmutter 5/ 8" D10 SW22	nut, flar 5/ 8" D10 SW22
24,09,01,005	Überwurfmutter 3/4" D10	nut, flar 3/4" D10
24,09,01,007	Überwurfmutter 3/4" D12 SW27	nut, flar 3/4" D12 SW27
24,09,01,009	Überwurfmutter 7/ 8" D12 SW27	nut, flar 7/ 8" D12 SW27
24,09,01,010	Überwurfmutter D15 SW 27 7/8"	nut, flar D15 SW 27 7/8"
24,09,01,011	Überwurfmutter 7/ 8" D16 SW27	nut, flar 7/ 8" D16 SW27
24,09,01,017	Überwurfmutter M26x1,5	nut, flar M26x1,5
24,09,01,018	Überwurfmutter M30x2	nut, flar M30x2
24,09,01,019	Überwurfmutter M36x2	nut, flar M36x2
24,09,03,001	Doppelmutter 7/16" SW17	nut, dbl. 7/16" SW17
24,09,03,002	Doppelmutter 5/ 8" SW22	nut, dbl. 5/ 8" SW22
24,09,03,004	Doppelmutter 3/4" SW24	nut, dbl. 3/4" SW24
24,09,03,007	Doppelmutter 7/8" 45x30x30 SW27	nut, dbl. 7/8" 45x30x30 SW27
24,09,05,010	Einschraubwinkel 7/16"	elbow, screw 7/16"
24,09,07,001	T-Anschluß 7/16" 5/ 8"	T-conn. 7/16" 5/ 8"
24,09,07,002	T-Anschluß 3 x 7/16"	T-conn. 3x7/16"
24,09,07,003	T-Anschluß 7/16" 1/8"	T-conn. 7/16" 1/8"
24,09,07,005	T-Anschluß 7/16" 1/ 4"	T-conn. 7/16" 1/ 4"
24,09,07,009	T-Anschluß 7/8"	T-conn. 7/8"
24,09,07,011	T-Anschluß 5/ 8"	T-conn. 5/ 8"
24,09,08,001	T-Anschluß m. V-Einsatz 7/16"	T-conn. w. valve core 7/16" 7/16"
24,09,08,002	T-Anschluß durchgehend 7/16"	T-conn. continuous 7/16"

Tabella1

24,09,08,901	Ventileinsatz	valve core
24,09,10,001	KM-Verschraubung 7/8"	fitting 7/8"
24,09,10,002	KM-Verschraubung 3/4"	fitting 3/4"
24,09,10,004	ES-Winkel 7/16"/1/4"	elbow, screw, 7/16"/1/4"
24,09,10,006	Übergangsstück 5/8" 6-5/16"	adapter, reducing 5/8" 6-5/16"
24,09,10,007	Übergangsstück, 3/4"	adapter, reducing, 3/4"
24,09,10,008	Übergangsstück, 7/8" 10-1/2"	adapter, reducing, 7/8" 10-1/2"
24,09,10,009	KM-Verschraubung aussen-aussen 3/4-5/8	fitting outside-outside 3/4-5/8
24,09,10,010	Schottwandadapter 5/8"	adapter, bulkhead 5/8"
24,09,10,011	Schottwandadapter 3/4"	adapter, bulkhead 3/4"
24,09,10,012	Schottwandadapter 7/8"	adapter, bulkhead 7/8"
24,09,10,013	KM-Verschraubung 5/8"	fitting 5/8"
24,09,10,015	Schottwandadapter 5/8"	adapter, bulkhead 5/8"
24,09,10,016	Schottwandadapter 3/4"	adapter, bulkhead 3/4"
24,09,10,017	Schottwandadapter 7/8"	adapter, bulkhead 7/8"
24,09,10,019	Ölrückführungsstutzen 7/16", 3/8"	adapter, oil recirculation 7/16", 3/8"
24,09,10,020	Übergangsstück 5/8"	adapter, reducing 5/8"
24,09,10,021	Übergangsstück 3/4" 8-13/32"	adapter, reducing 3/4" 8-13/32"
24,09,10,022	Übergangsstück 7/8" 10-1/2"	adapter, reducing 7/8" 10-1/2"
24,09,11,004	Einschraubwinkel	nipple, screw
24,09,11,011	ES-Stutzen m. V-Einsatz 7/16"/1/4"	socket ,screw, w/valve core 7/16"/1/4"
24,09,13,001	Lötstutzen 7/16" D6	fitting, sold 7/16" D6
24,09,13,003	Lötstutzen 5/8" D10	fitting, sold 5/8" D10
24,09,13,004	Lötstutzen 5/8" D10	fitting, sold 5/8" D10
24,09,13,005	Lötstutzen 5/8" D=12	fitting, sold 5/8" D10
24,09,13,006	Lötstutzen 7/8" D15	fitting, sold 7/8" D15
24,09,13,007	Lötstutzen 7/8" D16	fitting, sold 7/8" D16
24,09,13,008	Lötstutzen D18 1'1/16" LSV	fitting, sold D18 1'1/16" LSV
24,09,13,009	Lötstutzen 3/4"	fitting, sold 3/4" D12
24,09,13,010	Lötstutzen D12 3/4"	fitting, sold D12 3/4"
24,09,13,012	Lötstutzen 3/8"-24	fitting, sold 3/8"-24
24,09,13,013	Lötstutzen 1'1/16"-Konus Rohr D22	fitting, sold 1'1/16"-22" D22 1'1/16"
24,09,13,019	Lötstutzen m. V-Einsatz 7/16"	fitting, sold w. valve core 7/16"
24,09,13,020	Lötstutzen 7/8" D12	fitting, sold 7/8" D12, OR=1
24,09,13,021	Lötstutzen D16 7/8"	fitting, sold D16 7/8", OR=1

Tabella1

24,09,13,022	Lötstutzen 5/8" D10	fitting, sold 5/8" D10 , OR=1
24,09,13,023	Lötstutzen D12 3/4"	fitting, sold D12 3/4", OR=1
24,09,13,024	Lötstutzen 1 1/16" OR=1	fitting, sold 1 1/16", OR=1
24,09,13,028	Ventilstutzen f. Füllventil Saug M13x1	adapter, valve f. valve, service suction M13x1
24,09,13,029	Ventilstutzen f. Füllventil Druck M15x1	adapter, valve f. valve, service press. M15x1
24,09,13,031	Lötstutzen innen zentr. NW20	fitting, sold SC NW20
24,09,13,032	Lötstutzen innen zentr. SZ20 D25	fitting, sold SC SZ20 D25
24,09,13,034	Lötadapter 5/8" D10,2	adapter, sold. 5/8" D10,2
24,09,14,002	Aufschraubstutzen 7/16" 3/4"	adapter, screw, 7/16"-3/4"
24,09,14,004	Aufschraubstutzen 5/8" 3/4" 5/8"	adapter, screw 5/8" 3/4" 5/8"
24,09,14,006	Aufschraubstutzen 7/8"-3/4"	adapter, screw, 7/8"-3/4"
24,09,14,007	Aufschraubstutzen 3/4"-7/8"	adapter, screw, 3/4"-7/8"
24,09,14,008	Aufschraubstutzen 3/4"-5/8"	adapterr screw, 7/8"-3/4"
24,09,14,009	Aufschraubstutzen 5/8"-7/8"	adapter, screw, 5/8"-7/8"
24,09,14,010	Aufschraubstutzen 6Kt 7/8" 5/8"	adapter SCR hex., 7/8" 5/8"
24,09,14,014	Verd.-Anschluß-Stutzen mit Flansch M36x20 grd.	adapter compr. w. flange sgt. M36x2
24,09,14,015	Verdi.-Anschluß m. Flansch M30x2	adapter compr. w. flange M30x2
24,09,14,017	ersetzt durch 24,09,14,020	use > 24,09,14,020
24,09,14,020	Übergangsstück 7/8"-7/8" OR=1	adapter, reducing 7/8"-UNF / 7/8" OR=1
24,09,14,021	Verdi.-Anschluß m. Flansch M30x2 90°	adapter compr. w/flange M30x2 90°
24,09,14,022	Verdi.-Anschluß m. Flansch M36x2 90°	adapter compr. w/flange M36x2 90°
24,09,14,023	Verdi.-Anschluß m. Flansch DS 90°	adapter compr. w/flange DIS 90°
24,09,14,025	Verd.-Anschluß M36x2 45°	adapter compr. M36x2 45°
24,09,14,027	Verdi.-Anschluß u. FB M36x2 7/8" AC261	adapter compr. a. FB M36x2 7/8" , AC261
24,09,14,030	Verdi.-Anschluß m. Flansch M36x2 70°	adapter compr. w. flange M36x2 70°
24,09,15,006	Verschlusstopfen 3/8"	rod, stopper 3/8"
24,09,15,011	Ventilkappe	cap, valve
24,09,15,030	Dichtstopfen f. OR=1 7/8"	cap, blind OR=1, 7/8"
24,09,25,001	Dichtkappe 7/16"	cap, blind 7/16"
24,09,25,003	Verschlußkappe 5/8"	seal cap 5/8"
24,09,25,005	Verschlußkappe 3/4"	seal cap 3/4"
24,09,25,007	Verschlußkappe 7/8"	seal cap 7/8"
24,09,95,001	Verschraubung 3/4" O-Ring	fitting 3/4" O-Ring
24,09,95,002	Adapter, T-Stück	adapter, T-Piece
24,09,95,003	Edelstahl Flexschlauch #24	hose, flexible #24

Tabella1

24,09,95,004	Edelstahl Flexschlauch #24	hose, flexible #24
24,09,95,035	Verschlussstück 5/8" SAE	capsule, closing 5/8" SAE
24,09,95,070	Verschraubung DM2 3/8" SAE	fitting, DM2 3/8" SAE
24,09,95,075	Verschraubung DM3 1/2" SAE	fitting, DM3 1/2" SAE
24,09,95,085	Verschraubung DM4 5/8 SAE	fitting, DM4 5/8 SAE
24,09,95,141	Löt nipple 1/4" SAE	nipple, soldering 1/4" SAE
24,09,95,370	Nipple 5/8" SAE	nipple, 5/8" SAE
24,09,95,613	Mutter, kurz 5/8" SAE	bolt, short 5/8" SAE
24,10,02,002	Leistungsregler BS3/4"	capacity regulation BS3/4"
24,11,10,005	Wasserheizpaket, AC31-3	water heating coil, AC31-3
24,11,10,015	Wasserheizpaket, AC7	water heating coil, AC7
24,11,10,022	Wasserheizpaket, re H350	water heating coil rgt, H350
24,11,10,023	Wasserheizpaket, li H350	water heating coil lft, H350
24,11,10,027	Wasserheizpaket, li AC35-3	water heating coil lft, AC35-3
24,11,10,028	Wasserheizpaket, re AC35-3	water heating coil rgt, AC35-3
24,11,10,031	Wasserheizpaket, li AC31-3	water heating coil lft, AC31-3
24,11,10,032	Wasserheizpaket, re AC31-3	water heating coil rgt, AC31-3
24,11,10,037	Wasserheizpaket, re AC130-2/131	water heating coil rgt, AC130-2/131
24,11,10,041	Wasserheizpaket, lang H18-B	water heating coil long, H18-B
24,11,10,045	Wasserheizpaket re AC186	water heating coil rgt, AC186
24,11,10,046	Wasserheizpaket, li AC186	water heating coil lft, AC186
24,11,10,049	Wasserheizpaket, re H132	water heating coil rgt, H132
24,11,10,050	Wasserheizpaket, li H132	water heating coil lft, H132
24,11,10,057	Wasserheizpaket, re ACR DA5	heater coil rgt ACR DA5
24,11,10,058	Wasserheizpaket, li ACR DA5	heater coil lft ACR DA5
24,11,10,062	Wasserheizpaket, re H310	water heating coil rgt, H310
24,11,10,063	Wasserheizpaket, li H310R	water heating coil lft, H310
24,11,10,064	Wasserheizpaket, re. H350	water heating coil, H350L
24,11,10,065	Wasserheizpaket, li H350	water heating coil, H350R
24,11,10,067	Wasserheizpaket, li H310	water heating coil lft, H310
24,11,10,068	Wasserheizpaket, re H350R	water heat coil, rgt, H350R
24,11,10,069	Wasserheizpaket, li H350L	water heat pump lft, H350L
24,11,10,070	Wasserheizpaket, li H355	water heating coil lft, H355
24,11,10,071	Wasserheizpaket, re H355	water heating coil rgt, H355
24,11,10,072	Wasserheizpaket, li H315	water heating coil lft, H315

Tabella1

24,11,10,073	Wasserheizpaket, re H315	water heating coil rgt, H315
24,11,10,082	Wasserheizpaket, H187R	water heating coil, H187R
24,11,10,083	Wasserheizpaket, H187L	water heating coil, H187L
24,11,10,091	Wasserheizpaket, li AC186	water heating coil lft, AC186
24,11,10,096	Wasserheizpaket, re AC353	water heating coil rgt, AC353
24,11,10,097	Wasserheizpaket, li AC353	water heating coil lft, AC353
24,11,10,098	ZS-Wasserheizpaket, re AC112	water heating coil rgt, AC112
24,11,10,099	ZS-Wasserheizpaket, li AC112	water heating coil lft, AC112
24,11,10,103	Wasserheizpaket, li AC136-24	water heating coil lft, AC136-24
24,11,10,104	Wasserheizpaket, re AC136-24	water heating coil lft, AC136-24
24,11,10,105	Wasserheizpaket, re AC111	water heating coil rgt, AC111
24,11,10,106	Wasserheizpaket, li AC111	water heating coil lft, AC111
24,11,10,108	Wasserheizpaket, li H136/30	water heating coil lft, AC136-30
24,11,10,109	Wasserheizpaket, re H136R/30	water heating coil rgt, AC136-30
24,11,10,110	Wasserheizpaket, li H136L-24	water heating coil lft, H136L-24
24,11,10,112	Wasserheizpaket, re H136R-24	water heating coil lft, H136R-24
24,11,10,114	Wasserheizpaket, FB187-2	water heating coil FB187-2
24,11,10,115	Wasserheizpaket, li H136L	water heating coil connection lft, H136L
24,11,12,005	Schlauch, Frischluft m. Entlüftungsventil	fresh air hose w. valve, bleeder
24,11,15,002	Wasserheizpaket, H18-3	water heating coil, H18-3
24,11,15,011	Wasserheizpaket, lang H18-3	water heating coil long, H18-3
24,11,15,040	Wasserheizpaket, V102	water heating coil, V102
24,12,01,004	Schwingungsausgleicher	vibration compensator
24,12,01,006	Schwingungsausgleicher	vibration compensator
24,12,01,007	Schwingungsausgleicher	vibration compensator
24,12,01,008	Schwingungsausgleicher	vibration compensator
24,12,01,009	Schwingungsausgleicher Vibraflex	vibration compensator
24,12,01,015	Schwingungsausgleicher D28	vibration compensator D28
24,12,01,016	Schwingungsausgleicher D22	vibration compensator D22
24,12,01,018	Schwingungsausgleicher NL 280+/-6 OZ	vibration compensator NL 280+/-6 OZ
24,12,01,019	Schwingungsausgleicher NL 320 +/- 6 OZ	vibration compensator NL 320 +/- 6 OZ
24,12,01,020	Schwingungsausgleicher Druckleitung 90°	vibration compensator, discharge 90°
24,12,01,021	Schwingungsausgleicher Saugleitung 180°	vibration compensator, suction 90°
26,01,01,001	Hauptschalter 3pol 4KW 380V	main switch 3ts 4KW 380V
26,01,01,012	Mikroschalter	switch, micro

Tabella1

26,01,01,019	Achsverlängerung	extension, axis
26,01,01,200	Drehschalter AC7	switch, rotary, AC7
26,01,01,500	Drehschalter 6stufig	switch, rotary 6steps
26,01,03,006	Druckschalter o. Schrift 3fach	switch, press. non font 3ts
26,01,05,001	Kippschalter 4pol	switch, toggle 4ts
26,01,05,010	Dichtungskappe 18/1	seal cap 18/1
26,01,05,011	Symboleinsatz GR	symbol inset GN
26,01,05,012	Wechselschalter 2W I-II	switch, 3-way 2W
26,01,05,013	Kippschalter	switch, toggle
26,01,05,014	Kippschalter	switch, toggle
26,01,05,016	Wechselschalter 2W	switch, 3-way 2W
26,01,05,017	Wechselschalter 2W	switch, 3-way 2W
26,01,05,018	Einsatz o. Symbol SW	insert non symbol BK
26,01,05,020	Blende Kippschalter	screen switch, toggle
26,01,05,023	Lampenfassung m. Lampe 24VDC	socket, lamp w. lamp 24VDC
26,01,05,024	Schalter	switch
26,01,05,026	Wechselschalter 2W	switch, 3-way 2W
26,01,05,027	Multifunktionsschalter	switch, multifunction
26,01,05,113	Kippschalter	switch, toggle
26,01,05,199	Drucktaster	switch, press
26,01,05,200	Wippschalter 1pol I/O	toggle switch 1ts
26,01,05,201	Wippschalter 1pol I/O/II	toggle switch 1ts 1-0-II
26,01,05,203	Gruppenstecker 8pol	set plug 8ts
26,01,05,206	Symbollinse Gebläse	symbol lense blower
26,01,05,208	Symbollinse Klimasymbol	symbol lense clima symbol
26,01,05,214	Symboleinsatz Hauptschalter	symbol inset main switch
26,01,05,215	Symboleinsatz Kühlung	symbol inset cooling
26,01,05,216	Symboleinsatz Gebläse langsam	symbol inset blower slow
26,01,05,217	Symboleinsatz Gebläse schnell	symbol inset blower rapid
26,01,05,218	Symboleinsatz Fr.-Luft	symbol inset fresh air
26,01,05,221	Symboleinsatz, rot	symbol inset, red
26,01,05,223	Symboleinsatz FRL auf/zu	symbol inset fresh air open/close
26,01,05,229	Symboleinsatz Frontscheibe	symbol inset front glas
26,01,05,230	Symboleinsatz Entfroster	symbol inset defroster
26,01,05,700	Endstück	end piece

Tabella1

26,01,05,701	Zwischenstück	spacer
26,01,10,001	Hilfsschütz 2S+2Ö SP230V 50Hz	relay, contactor, 2S+2Ö SP230V 50Hz
26,01,10,010	Schütz 4KW SP220V/50Hz	contactor 4KW SP220V/50Hz
26,01,10,106	Schütz 4KW SP24VDC	contactor 4KW SP24VDC
26,01,10,107	Schütz SP230V 50/60Hz	contactor SP230V 50/60Hz
26,01,10,108	Schütz 5,5KW SP12VDC	contactor 5,5KW SP12VDC
26,01,10,120	Schütz5,5kW-1Ö, Bahn, stehend	contactor 5,5KW main switch Rail
26,01,10,121	Schütz 5,5kW-ohne HS; Bahn; stehend	contactor 5,5KW w/o main switch Rail
26,01,10,201	Schütz 7,5KW SP24VDC	contactor 7,5KW SP24VDC
26,01,10,204	Schütz 15kW mit 2S/1Ö	contactor 15KW 2S/1Ö
26,01,10,205	Schütz 7,5KW SP12VDC	contact or 7,5KW SP12VDC
26,01,10,211	Schütz 7,5KW SP230V 50/60Hz	contactor 7,5KW SP230V 50/60Hz
26,01,10,502	Startrelais 230V 50Hz 1Ph	starter relais 230V 50Hz 1Ph
26,01,10,503	Klemmkasten 230V 50Hz 1Ph	clampbox f. start module 230V 50Hz 1Ph
26,01,10,702	Hilfsschalter f. Schütz	auxiliary-switch f. contactor
26,01,12,100	Schütz 12VDC	contactor 12VDC
26,01,12,206	Schütz 24VDC	contactor 24VDC
26,01,12,300	Schütz 2pol 36VDC 32A BG2	contactor 2ts 36VDC 32A BG2
26,01,13,114	Relais Industrie 24VDC	relay industry 24VDC
26,01,17,001	Relais 12VDC	relay 12VDC
26,01,17,002	Relais 12VDC 1W	relay 12VDC 1W
26,01,17,004	Relais o. Lasche 12VDC 2S	relay non bracket 12VDC 2S
26,01,17,005	Relais m. Lasche 12VDC 2S	relay w. bracket 12VDC 2S
26,01,17,007	Relais o. Lasche	relay non bracket
26,01,17,009	Relais m. Lasche 12VDC 1W	relay w. bracket 12VDC 1W
26,01,17,011	Leistungsrelais m. Vorkontakt 12VDC	relay, power w. first contact 12VDC
26,01,17,012	Relais 12VDC 1S 70A	relay 12VDC 1S 70A
26,01,17,014	Relais Industrie 12VDC	relay industry 12VDC
26,01,17,101	Relais o. Lasche 24VDC 1S	relay non bracket 24VDC 1S
26,01,17,104	Relais o. Lasche 24VDC 2S	relay non bracket 24VDC 2S
26,01,17,105	Relais m. Lasche 24VDC 2s	relay w. bracket 24VDC 2S
26,01,17,107	Relais o. Lasche 24VDC 1W	relay non bracket 24VDC 1W
26,01,17,108	Relais mini o.Lasche 24VDC 1W	relay micro 24VDC 1W
26,01,17,109	Relais m. Lasche 24VDC 1W	relay w. bracket 24VDC 1W
26,01,17,111	Leistungsrelais m. Vorkontakt 24VDC 50A	relay, power w. first contact 24VDC

Tabella1

26,01,17,112	Relais o. Lasche 24VDC 40A 1s	relay 24VDC 1S 40A
26,01,17,115	Relais MSR24 24VDC	relay MSR24 24VDC
26,01,17,117	Verzögerungsrelay 1-30s, 24VDC	relay, time delay adjustable 1-30sec
26,01,17,127	Relais o. Lasche 24VDC 1W	relay, w/bracket 24VDC 1W
26,01,17,128	Grundklemme mit Steckbare-Relais	clamp, w/relay
26,01,19,001	Socket f. Relais	socket f. relay
26,01,19,002	Socket f. Relais	socket f. relay
26,01,19,004	Socket, Minirelais	socket, mini relay
26,01,19,010	Relaisfassung 11pol	base, relay 11ts
26,01,19,011	Haltebügel	support
26,01,21,010	Zeitrelais	relay, time delay el.
26,01,21,012	Zeitrelais	relay, time delay
26,01,23,001	Relais f. Anl.-Verzög. 24VDC AVR1	relay f. time delay 24VDC
26,01,23,006	Verzögerungsrelais 12VDC	relay, time delay 12VDC
26,01,23,010	Zeitrlais Abfallverz.	relay, time delay f. slow release t4sec
26,01,23,011	Zeitrelais f. Abfallverz. t4min	relay, time delay f. slow release t4min
26,01,23,012	Zeitrelais 24VDC t=3s	relay, time delay 24VDC t=3s
26,01,23,017	Anlasserverz.-Relais 24VDC	relay f. time delay 24VDC
26,01,23,019	Sperrrelais f. Anlasser	relay, starter protection
26,01,95,064	Verzögerungsrelay	timer relay, electronic
26,01,95,065	Verzögerungsrelay	timer relay, electronic
26,01,95,108	Hilfskontakt CA5-11	contactor, auxiliary CA5-11
26,01,95,112	Schütz MO 18.5 KW	contactor, MO 18.5 KW
26,01,95,113	Schütz MI 4KW	contactor MI 4KW
26,01,95,114	Schütz MO 4KW 230 V	contactor, MO 4KW 230V
26,03,01,011	Relais, E-Motorschutz	relay, engine protection
26,03,01,021	Relais, E-Motorschutz	relay, engine protection
26,03,03,003	E-Motorschutzscharter	protective E-Motore switch
26,03,03,051	Hilfsscharter Normal	auxiliary-switch standard
26,03,09,001	Überspannungsschutz	overvoltage protector
26,03,09,101	Unterspannungs-Wächter	low voltage protector
26,03,11,001	Phasenfolge-Wächter 3x380V 50Hz	guard, voltage phase 3x380V 50Hz
26,03,15,001	Thermostat f. Enteisung	thermostat f. defrost
26,03,20,002	Pressostat ND	pressostat, LP
26,03,20,003	Pressostat, ND 1,2/42	pressostat, LP 1,2/42

Tabella1

26,03,20,004	Pressostat, ND	pressostat, LP
26,03,20,006	Pressostat, ND	pressostat, LP
26,03,20,010	Pressostat, ND	pressostat, LP
26,03,20,011	Pressostat, ND m. MTG-Winkel	pressostat, LP w. angle mount
26,03,20,014	Pressostat, ND 0,35/2,2	pressostat, LP 0,35/2,2
26,03,20,016	Pressostat, HD m. MTG-Winkel	pressostat, HP w/angle mount
26,03,20,110	Pressostat, ND 0,2/062 1,52/1,93	pressostat, LP 0,2/062 1,52/1,93
26,03,20,112	Pressostat f. LR	pressostat f. CR
26,03,20,113	Pressostat, ND 1,7/1,95 1,25/1,45	pressostat, LP 1,7/1,95 1,25/1,45
26,03,20,251	Pressostat, HD 22,8/24,1 15,6/17,5	pressostat, HP 22,8/24,1 15,6/17,5
26,03,20,252	Pressostat, HD R22	pressostat, HP
26,03,20,256	Pressostat HD	pressostat, HP
26,03,20,257	Pressostat, HD 22,8/24,1 15,6/17,5	pressostat, HP 22,8/24,1 15,6/17,5
26,03,20,258	Druckschalter innengewinde 18,6/13,8 7/16"	switch, press. female thread 18,6/13,8 7/16"
26,03,20,259	Pressostat, HD 23,4/24,8 15,8/17,2	pressostat, HP 23,4/24,8 15,8/17,2
26,03,20,260	Pressostat, HD	pressostat, HP
26,03,20,267	Pressostat HD 23,5/16,6	pressostat, HP 23,5/16,6
26,03,20,272	Pressostat f. Leistungsregler O5G	pressostat f. CR 05G
26,03,20,273	Schalter f. Gebläsekreislauf	switch f. fan cycling
26,03,30,500	Pressostat HD-ND kombi. -0,3/7 7/30	pressostat HP-LP combi. -0,3/7 7/30
26,03,95,016	Pressostat KP 15 Auto	pressostat KP 15 Auto
26,03,95,017	Pressostat KP 15 HD/ND	pressostat KP 15 HP/LP
26,03,95,018	Deckel f.Pressostat KP15	cover, pressostat KP15
26,03,95,021	ersetzt durch CTI09752	use > CTI09752
26,03,95,022	Druckschalter KP15	pressure switch KP15
26,03,95,023	Pressostat KP1 Auto ND	Pressostat KP1 Auto ND
26,05,01,006	SI-Automat 1pol	automat, safety 1ts
26,05,01,009	Flachautomat C20	automat safety C20
26,05,01,037	Flachautomat C4-3	automat safety C4-3
26,05,01,040	Leistungsschutzschalter 4pol 4A	switch, power fused 4ts 4A
26,05,02,001	SI-Automat 8A 24VDC	automat, safety 8A 24VDC
26,05,02,005	SI-Automat 16A 24VDC	automat, safety 16A 24VDC
26,05,02,007	SI-Automat 24VDC 25A	automat, safety 24VDC 25A
26,05,02,014	Überstrom Schutzgerät	overcurrent protective gear
26,05,02,015	Überstrom Schutzgerät	overcurrent protective gear

Tabella1

26,05,02,020	SI-Automat 100A	automat, safety 100A
26,05,02,023	Überstromschutzschalter	switch, overcurrent cut-out
26,05,02,024	Überstromschutzschalter 10A	switch, overcurrent cut-out 10A
26,05,02,025	Überstromschutzschalter 15A	switch, overcurrent cut-out 15A
26,05,05,005	Microtemperatursicherung 14/35 D1.4	micro temperature fuse 14/35 D1.4
26,05,05,055	Sicherung 20A	fuse 20A
26,05,05,102	Glassicherung träge 6,3x32 16A	glassed fuse slow 6,3x32 16A
26,05,05,103	Glassicherung träge 6,3x32 20A	glassed fuse slow 6,3x32 20A
26,05,05,111	Sicherung träge 5x20 10AT	fuse slow 5x20 10AT
26,05,05,240	Einsatz Flachsicherung 3A	insert fuse, flat 3A
26,05,05,242	Einsatz Flachsicherung 5A	insert fuse, flat 5A
26,05,05,244	Einsatz Flachsicherung 10A	insert fuse, flat 10A
26,05,05,245	Einsatz Flachsicherung 15A	insert fuse, flat 15A
26,05,05,246	Einsatz Flachsicherung 20A	insert fuse, flat 20A
26,05,05,247	Einsatz Flachsicherung 25A	insert fuse, flat 25A
26,05,05,248	Einsatz Flachsicherung 30A	insert fuse, flat 30A
26,05,05,251	Autosicherung rd. 8A 6x25	car, fuse rd. 8A 6x25
26,05,05,300	SI-Streifen 25A	fuse 25A
26,05,05,301	SI-Streifen 30A 11x41	fuse 30A 11x41
26,05,05,302	SI-Streifen 50A 11x41	fuse 50A 11x41
26,05,05,303	SI-Streifen 80A 11x41	fuse 80A 11x41
26,05,05,304	SI-Streifen 100A	fuse 100A
26,05,05,305	SI-Streifen 125A 11x41	fuse 125A 11x41
26,05,05,345	Mega Fuse 80A	Mega Fuse 80A
26,05,05,346	Mega Fuse 100A	Mega Fuse 100A
26,05,05,347	Mega Fuse 125A	Mega Fuse 125A
26,05,05,348	Mega Fuse 150A	Mega Fuse 150A
26,05,05,351	Schmelzsicherung 75A für 1kW Motor	fuse, heat 75A for 1Kw motor
26,05,09,070	Automatenträger	contactor, holder
26,05,09,071	Stecksocket 1pol 12-P10	socket 1ts
26,05,11,011	SI-Dose f. Rundsicherung 6pol	box, fuse f. cutouts, round 6ts
26,05,11,019	SI-Dose f. Flachsicherung 1pol	box, fuse f. fuse, flat 1ts
26,05,11,022	SI-Dose 2pol 2x50A 11x41	box, fuse 2ts 2x50A 11x41
26,05,11,023	SI-Dose 2pol 2x50A 11x41	box, fuse 2ts 2x50A 11x41
26,05,11,027	SI-Dose 2pol 2x80A 11x41	box, fuse 2ts 2x80A 11x41

Tabella1

26,05,11,041	SI-Dose f. Flachsicherung 5pol	box, fuse f. fuse, flat 5ts
26,05,11,042	SI-Dose f. Flachsicherung 5pol	box, fuse f. fuse, flat 5ts
26,05,11,061	Sicherungshalter Mega Fuse	box, Mega Fuse
26,05,14,007	Temp.-Schalter Hochspannung	switch, temp. high voltage
26,05,14,009	Übertemperaturschlater 3-polig	switch, thermal protection 3-term.
26,05,14,013	Esti-Patrone 120°, verstärkt	Esti-Patrone 120°- reinforced
26,05,95,011	Sicherung 40A 1000VAC	fuse, 40A 1000VAC
26,05,95,018	Sicherungen 10x38 4A	fuse 10x38, 4A
26,07,01,005	Lampe 24VDC	lamp 24VDC
26,07,01,006	Glassockel 24VDC 1W/33mA	lamp, mini glassed socket 24VDC 1W/33mA
26,07,02,001	Kontrolllampe, grün	lamp, control green
26,07,02,005	Kontrolllampe, rot	lamp, control red
26,07,02,010	Kontrolllampe, blau	lamp, control blue
26,07,02,020	Leuchtdiode m. Fassung RT 28VDC	control light w. socket RD 28VDC
26,07,02,021	Leuchtdiode m. Fassung GR 28VDC	control light w. socket GN 28VDC
26,07,02,022	Leuchtdiode m. Fassung GB 28VDC	control light w. socket YE 28VDC
26,07,02,027	Anzeigenleuchte 2fach 12VDC	signal light 2ts 12VDC
26,07,02,028	Anzeigenleuchte 2fach 24VDC	signal light 2ts 24VDC
26,07,02,042	Signallampe rd. 150V	signal lamp rd. 150V
26,07,02,045	Leuchtdiode GR	control light GN
26,07,02,805	Signalgeber, piezo 24VDC	transmitter, piezo 24VDC
26,07,04,001	Betriebsstundenzähler	hour meter
26,07,04,003	Betriebsstundenzähler 12/24VDC	hour meter 12/24VDC
26,07,04,006	Betriebsstundenzähler 12-80V	hour meter 12-80V
26,07,06,004	Fernthermometer geeicht	thermometer gauged
26,07,06,006	Thermometer m. LED 12/24VDC Anz.in °C	thermometer w. LED digital 12/24VDC °C
26,07,06,009	Anzeigegepanel m. Betriebsstunden	display board w. operation hours
26,07,06,010	Thermometer m. LED 12/24VDC Anz.in °F	thermometer w. LED digital 12/24VDC °F
26,07,06,805	Temp.-Regler, Wärmeschutz	thermostat control, therm.-protection
26,07,06,901	Aufbauzwischengehäuse	socket, insert
26,07,06,902	Befestigungsteg f. Steckergehäuse	mounting, web f. plug housing
26,07,07,004	D-Transmitter ND -0,8/7 7/16"	trans., press LP inside -0,8/7bar 7/16"
26,07,07,005	Transmitter HD 0/30bar 7/16" 30A	trans., press HP inside 0/30bar 7/16" 30A
26,07,07,006	D-Transmitter HD 0-30bar 7/16"	trans., press HP 0-30bar 7/16"
26,07,07,007	D-Transmitter ND 0-8bar 7/16"	trans., press LP 0-8bar 7/16"

Tabella1

26,07,07,010	D-Transmitter HD 0-18bar 7/16" 0-4V	trans., press HP 0-18bar 7/16" 0-4V
26,07,07,011	Druckaufnehmer ND -0,5-15,5 7/16"	trans., press ND 0,5-15,5 7/16"
26,07,07,012	Druckaufnehmer HD 0-30bar 7/16"	trans., press HP 0-30bar 7/16"
26,07,11,006	Verzögerungsrelais 12/24VDC	relay, time delay 12/24VDC
26,07,11,009	Motorschutz intern 24VDC	engine protect. internal 24VDC
26,07,11,010	Relais, Motorschutz 24VDC	relay, engin protection 24VDC
26,07,11,011	Motorschutz intern 24VDC	engine protect. internal 24VDC
26,07,11,016	Stromkontrollrelais	relay, control, current,
26,07,11,017	Stromkontrollrelais	relay, control, current
26,07,11,026	Thermistorschutzrelais	thermistor, protection, relay,
26,07,11,027	Überwachungsrelais 300-500V	relais, monitoring 300-500V
26,07,11,028	Motorschutz intern 230V 50/60Hz	engine protect. internal 24VDC
26,07,11,029	Motorschutz intern 24VDC	engine protect. internal
26,09,01,001	Temp.-Regler	thermostat control,
26,09,01,002	Thermostat Raumfühler -10/+25	thermostat control, sensor, room -10/+25 GD,
26,09,01,010	Thermostat 12/24VDC	thermostat control, 12/24VDC
26,09,01,013	Thermostat o. Kappe	thermostat control, w/o cap
26,09,01,021	Temp.-Regler mech.	thermostat control, 1step mech.
26,09,01,021	Temp.-Regler elektr.	thermostat control, electr.
26,09,01,026	Thermostat m. Raumfühler 16A	thermostat control, 16A
26,09,01,029	Thermostat kühlen/heizen	thermostat control, cooling/heating
26,09,01,031	Temp.-Regler 12/24VDC +8/+3	thermostat control, 12/24VDC +8/+3
26,09,01,032	Temp.-Regler, kombi f. Enteisung	thermostat control, defrost 16A
26,09,01,037	Regler f. Raumtemperatur	controller f. sensor, temp.
26,09,01,055	Thermostat	thermostat control,
26,09,01,059	SI-Thermostat 130°	thermostat, safety 130°
26,09,01,061	Raumthermostat kühlen-heizen +5/+30	sensor, inside, cooling/heating +5/+30
26,09,01,073	Thermostat 12/24VDC	thermostat control, 12/24VDC
26,09,01,074	Temp.-Regler	thermostat control,
26,09,01,080	Kontakt +15/+30	contact, thermo +15/+30
26,09,01,083	Thermistorfühler	thermistor sensor
26,09,01,084	Bimetall Thermoschalter	switch, thermal, bimetal
26,09,03,001	Regler, 12/24VDC Sytronic	controller, 12/24VDC
26,09,03,002	Klimaregler	clima control
26,09,03,003	Regler 12/24VDC SytronicS	controller 12/24VDC

Tabella1

26,09,03,004	Regler 12/24VDC	controller 12/24VDC
26,09,03,005	Regler 12/24VDC	controller 12/24VDC
26,09,03,007	Thermostat 12/24VDC	thermostat control, el. 12/24VDC
26,09,03,008	Bedienteil BT321	operating device
26,09,03,013	Thermostat 280P	thermostat control, 280P
26,09,03,014	Thermostat	thermostat control,
26,09,03,016	Thermostat 24VDC +15/+30	thermostat control, el. 24VDC +15/+30
26,09,03,017	Thermostat 12VDC -30/+20 285M	thermostat control, el. 12VDC -30/+20
26,09,03,019	Temp.-Regler 1stufig 245/10	thermostat control, 1step
26,09,03,020	Mess-Verstärker	test amplifier
26,09,03,021	Temp.-Regler 1stufig 245	thermostat control, 1step
26,09,03,024	Temp.-Regler 12/24VDC	controller temp., 12/24VDC
26,09,03,025	Temp.-Regler kühlen-heizen 12/24VDC	controller temp. cooling/heating 12/24VDC
26,09,03,027	Thermostat, 24VDC	thermostat control, el. 24VDC
26,09,03,030	Bedienteil BT415	operating device, BT415
26,09,03,035	Klimaregler KR422	clima control, KR422
26,09,03,036	Klimaregler 19" KR423	clima control 19", KR423
26,09,03,037	Klimaregler KR412	clima control, KR412
26,09,03,038	ersetzt durch 26,09,03,048	use > 26,09,03,048
26,09,03,039	ersetzt durch 26,09,03,049	use > 26,09,03,049
26,09,03,048	Bedienteil BT324; 24VDC; G=S	controller 24VDC, BT324, HW0324
26,09,03,049	Bedienteil BT324 ; 12VDC ; G=2	controller 24VDC, BT324, HW0324
26,09,03,120	Klimaregler m. Stecker+Pins KR450-C	clima control w. plug+pins, KR450-C
26,09,03,121	Klimaregler KR408 MBT	clima control w. plug+pins, KR408
26,09,03,123	Klimaregler KR410 A2	clima control, KR410 A2
26,09,03,126	Klimaregler KR429	clima control, KR429
26,09,03,127	Klimaregler KR452D-STO	clima control, KR452D-STO
26,09,03,128	Klimaregler KR410SBS	clima control, KR410SBS
26,09,03,129	Klimaregler KR429	clima control, KR429
26,09,03,132	Klimaregler KR421	clima control, KR421
26,09,03,138	Klimaregler KR422	clima control, KR422
26,09,03,139	ersetzt durch 26,09,03,139-01	use > 26,09,03,139-01
26,09,03,139	Klimaregler KR434 VH/Bus	clima control car radio VH/Bus
26,09,03,141	Bedienteil BT415-S	operating device, BT415-S
26,09,03,149	ersetzt durch 26,09,03,149-01	use > 26,09,03,149-01

Tabella1

26,09,03,149-(Klimaregler KR434 Neo/Bus	clima control, KR434 Neo/Bus
26,09,03,803 Fühler NTC Sytronic	sensor NTC, Sytronic
26,09,03,804 Temp.-Fühler	sensor, temp.
26,09,03,806 Temp.-Fühler	sensor, temp.
26,09,03,807 Temp.-Fühler Silizium	sensor, temp. silizium
26,09,03,809 ES-Fühler m. Stecker 1KV	sensor, screw w/plug 1KV
26,09,03,810 ES-Fühler m. Stahlgehäuse L4m TK11	sensor SCR w. steel housing L4m, TK11
26,09,03,812 Temp.-Fühler	sensor, temp.
26,09,03,813 Temp.-Fühler PTC	sensor, temp. PTC
26,09,03,814 Temp.-Fühler, außen	sensor, temp. outside w. plug wpf.
26,09,03,815 Temp.-Fühler, außen	sensor, temp. Outside
26,09,03,816 Temp.-Fühler	sensor, temp.
26,09,03,817 Temp.-Fühler	sensor, temp.
26,09,03,818 Temp.-Fühler, m/Abdeckung	sensor, temp. w. cover
26,09,03,820 Temp.-Fühler, innen, Dach	sensor, temp., inside/air duct
26,09,05,010 FB-Steuerung m. Drehknopf FBS305	FB-control w. turn button
26,09,07,002 Abtauuhr m. Thermostat integriert	clock, defrost w. thermostat control
26,09,10,001 DRZ-Regler f. Gebläse 24VDC 5,5A	control, RPM f. blower 24VDC 5,5A
26,09,10,002 Drehzahlregler f. Gebläse 24VDC 15A	control, RPM f. blower 24VDC 15A
26,09,10,003 DRZ-Regler f. Gebläse 24VDC 15A	control, RPM f. blower 24VDC 15A
26,09,10,004 Gebläsemodul 24VDC 14A	blower module 24VDC 14A
26,09,10,005 Drehzahlmodul, wasserdicht 24VDC 15A	control, RPM f. blower, wpf. 24VDC 15A
26,09,10,010 Steuerplatte f. Gebläse	operating plate f. blower el.
26,09,10,011 Steuerplatte f. Gebläse DRP3	operating plate f. blower el.
26,09,10,012 Steuerplatte f. Gebläse DRP4	operating plate f. blower el.
26,09,10,013 Relaiskarte analog	platine, relay analogue
26,09,10,019 Vorwiderstand f. Gebläse 0,75+0,75Ohm	resistance f. blower 0,75+0,75Ohm
26,09,10,021 Drehzahlsteller PKD T5	control, RPM PKD5
26,09,10,024 Anlaufmodul 24VDC 22 A	start module 24VDC 22 A
26,09,10,104 DRZ-Regler m. Filter 24VDC 15A	control, RPM w. filter 24VDC 15A
26,09,10,105 Drehzahlregler	control, RPM
26,09,10,106 DRZ-Regler m. Filter 24VDC 15A DRB60	controller, RPM w. filter 24VDC 15A
26,09,10,108 DRZ-Regler m. Filter 24VDC 15A DRB80	controller, RPM w. filter 24VDC 15A
26,09,10,110 DRZ-Regler m. Filter 24VDC 15A DRB100	controller, RPM w. filter 24VDC 15A
26,09,10,112 Drehzahlregler, 24VDC, 15A	controller, RPM 24VDC 15A

Tabella1

26,09,16,001	Steuerplatine 24VDC	control board 24VDC
26,09,16,101	Platine f. Klimaregler analog 8E/8A	circuit board, controller analogue 8E/8A
26,09,16,201	Platine f. Klimaregler digital 8E/8A	circuit board, controller digital 8E/8A
26,09,20,015	Luftklappensteuergerät 24VDC	air throttle controller 24VDC
26,09,20,020	Luftklappensteuerungsmodul 24VDC 2A	air throttle controller 24VDC
26,09,95,001	Thermostat TR711NF	Thermostat TR711NF
26,09,95,006	Thermostat IC 915	thermostat IC 915
26,09,95,007	Thermostat NT2Z mit 2 Sensoren	Thermostat NT2Z w/2 sensors
26,09,95,008	Fühler für PC905	sensor, PC905
26,09,95,009	Aussensonde 1,5m	sensor, outside 1,5m
26,09,95,012	Innere Sonde Hinter 6m	Innere Sonde Hinter 6m
26,09,95,013	Thermostat NT3Z	Thermostat NT3Z
26,09,95,015	Fühler 24V INT CIVIS	sensor 24V INT CIVIS
26,09,95,016	Temp.-Fühler, Außen CIVIS	sensor ext temp CIVIS
26,09,95,019	Sonde, innen, vorne 1.5m	sensor, inner, front 1.5m
26,09,95,025	Thermokontakt 90°C	thermo contact 90°C
26,11,01,001	Widerstand	resistor
26,11,01,002	Widerstand m. Drahtende 150Ohm 5W	resistor w. end of wire axial 150Ohm 5W
26,11,01,003	Widerstand m. Drahtende	resistor w. end of wire axial
26,11,01,004	BS Widerstand m. Halter 2,7-8Ohm	resistor w. support cpl. 2,7-8Ohm
26,11,01,006	Widerstand f. Gebläsestufen	resistor f. blower steps
26,11,01,007	BS Widerstand m. Halter 1,6-8,2Ohm	resistor w. bracket cpl. 1,6-8,2Ohm
26,11,01,011	BS Widerstand 3,3 Ohm 35W	resistor 3,3 Ohm 35W
26,11,01,012	Widerstand 2,2 Ohm 65W	resistor 2,2 Ohm 65W
26,11,01,014	Widerstand 3,24 Ohm 50W CF	resistor 3,24 Ohm 50W CF
26,11,01,015	Widerstand 1 Ohm 65W	resistor 1 Ohm 65W
26,11,01,020	Widerstand gekapselt 28W	resistor encapsulated 28W
26,11,01,027	Widerstand 24VDC	resistor 24VDC
26,11,01,028	Widerstand f. Gebläse 12VDC	resistor 12VDC
26,11,01,030	Abgreifschelle für Widerstand	clamp, for resistor
26,11,02,003	Widerstand 6K8	resistor 6K8
26,11,02,005	Widerstand 10K	resistor 10K
26,11,02,009	Widerstand m. Drahtende 22K 0,5W	resistor w. end of wire axial 22K 0,5W
26,11,02,010	Kohleschicht-Widerstand	resistor, carbon coated
26,11,02,011	Widerstand 3,92kOhm 0,5W	resistor 3,92kOhm 0,5W

Tabella1

26,11,02,012	Widerstand m. Drahtende 2k2 0,5W	resistor w. end of wire axial 2k2 0,5W
26,11,02,014	Widerstand 120Ohm 0,25W	resistor 120Ohm 0,25W
26,11,05,001	Widerstand 50W 3,75Ohm	resistor 50W 3,75Ohm
26,11,05,002	Drehpotentiometer	potentiometer, turn
26,11,05,011	Potentiometer 2x10kOhm +/-5%	potentiometer 2x10kOhm +/-5%
26,11,05,012	Potentiometer, einfach	potentiometer simple 10k Ohm
26,11,05,013	ersetzt durch 26,11,05,023	use > 26,11,05,023
26,11,05,014	Drehpotentiometer 10kOhm D6	potentiometer, turn 10kOhm D6
26,11,05,018	Dreh-Poti m.2 pol.Schalt.10K 4mm	potentiometer, turn switch
26,11,05,020	Potentiometer linear 10k 6mm	potentiometer, 10kOhm lin.
26,11,05,021	Potentiometer 10K lin.m.1/0 6mm	Potentiometer 10K lin.m.1/0 6mm
26,11,05,022	Potentiometer 10k lin. 6mm	Potentiometer 10k lin. 6mm
26,11,05,023	Potentiometer 10k lin.m.1/0 6mm	Potentiometer 10k lin.m.1/0 6mm
26,11,10,005	Brückengleichrichter 800V 10A	rectifier bridge 800V 10A
26,11,10,010	Gleichrichter	rectifier
26,11,15,001	Diode 600V 3A	diode 600V 3A
26,11,95,009	ersetzt durch 26,11,01,009	use > 26,11,01,009
26,11,95,012	ersetzt durch 26,11,95,013	use > 26,11,95,013
26,11,95,013	Heizelement PTC 2,5KW	heat element PTC 2,5KW
26,13,01,001	Kondensator elektrolytisch 40VDC	condenser electrolytic 40VDC
26,13,01,005	Kondensator, elektrolytisch 220mF 63V	condenser electrolytic 220mF 63V
26,13,01,008	Kondensator, elektrolytisch 40VDC	condenser, electrolytic 40VDC
26,13,01,052	Anlaufkondensator	condenser, starting
26,13,01,053	Anlaufkondensaor 230V 50Hz 1Ph	condensor, starting 230V 50Hz 1Ph
26,13,01,055	Anlaufkondensator 230V 60Hz 1Ph	condensor starting 230V 60Hz 1Ph
26,13,10,001	Varistor 113 C 3-6 mA 340V	varistor 113 C 3-6 mA 340V
26,15,01,305	Transformator 220/380V 40A 700VA	transformer 220/380V 40A 700VA
26,15,01,315	Transformator 380V 2x10V	transformer 380V 2x10V
26,15,01,351	Stufentrafo TD1	transformer, step TD1
26,15,01,355	Stufentrafo m. Anzapfungen 4A 380V	transformer, step w. tap 4A 380V
26,15,01,358	Transformator, primär:400V/50Hz 4A	transformer, primary 400V/50Hz 4A
26,15,14,002	Spannungswandler 220V-4/8KV	transformer 220V-4/8KV
26,15,20,009	Spannungswandler 24/12VDC,1A	transformer 24/12VDC,1A
26,15,95,001	ersetzt durch 26,09,10,005	use > 26,09,10,005
26,17,01,225	Gerätestecker m. PW 5pol 16A 220/380V	instrument connector 5ts 16A 220/380V

Tabella1

26,17,05,001	FS-Gehäuse 1pol WS 6,3x0,8	conn.plug 1ts WH 6,3x0,8
26,17,05,004	FS-Gehäuse 2pol WS R6,3x0,8	conn.plug 2ts WH R6,3x0,8
26,17,05,010	FS-Gehäuse 4pol WS 6,3x0,8	conn.plug 4ts WH 6,3x0,8
26,17,05,016	FS-Gehäuse 6pol WS 6,3x0,8	conn.plug 6ts WH 6,3x0,8
26,17,05,022	FS-Gehäuse 8pol WS 6,3x0,8	conn.plug 8ts.WH 6,3x0,8
26,17,05,035	FS-Gehäuse 8pol	conn.plug 8ts
26,17,05,050	FS-Gehäuse 11pol WS 6,3x0,8	conn.plug 11ts WH 6,3x0,8
26,17,05,051	FS-Gehäuse 11fach SW 6,3x0,8	conn.plug 11ts BK 6,3x0,8
26,17,05,052	FS-Gehäuse 11fach RT 6,3x0,8	conn.plug 11ts RD 6,3x0,8
26,17,05,053	FS-Gehäuse 11fach GN 6,3x0,8	conn.plug 11ts GN 6,3x0,8
26,17,05,054	FS-Gehäuse 11fach BL 6,3x0,8	conn.plug 11ts BU 6,3x0,8
26,17,05,061	Steckergehäuse 6pol Power-Timer	plug housing 6ts
26,17,05,063	Steckergehäuse 10pol Power-Timer	plug housing 10ts
26,17,12,007	Steckereinsatz 10pol	plug insert male 10ts
26,17,12,009	Sockelgehäuse 10pol	socket housing 10ts
26,17,12,011	Anbaugehäuse 10pol	frame 10ts
26,17,12,014	Anbaugehäuse	frame
26,17,12,017	Einsatz f. Anbaugeh.	insert f. frame
26,17,12,020	Gehäuseboden	housing bot.
26,17,12,021	Gehäusedeckel	housing cover
26,17,12,022	Buchseneinsatz 16pol	jack base 16.ts
26,17,12,023	Steckereinsatz 16pol	plug insert male 16.ts
26,17,12,025	Gehäuseboden offen	housing bot. open
26,17,12,029	Steckergehäuse 6pol	plug housing 6ts
26,17,12,030	Steckergehäuse 16pol Jun.-Timer	plug housing 16.ts
26,17,12,031	Steckergehäuse 25pol Jun.-Timer	plug housing 25.ts
26,17,12,038	Steckergehäuse 24pol	plug housing 24term.
26,17,12,039	Zugentlastung f. Kabel 24pol	strain relief, 24term.
26,17,12,051	Buchsengehäuse 16pol	connector housing 16.ts
26,17,12,060	Steckergehäuse 16pol	plug housing 16.ts
26,17,12,065	Steckerset	plug, set
26,17,12,066	Steckerset kz. 24VDC	Set plugs sht. 24VDC
26,17,12,067	Leitungsdose f. Ventil	leading-prescribed f. valve
26,17,12,087	Steckergehäuse 2pol	plug housing 2ts
26,17,12,088	Steckergehäuse 2pol	plug housing 2ts

Tabella1

26,17,12,090	Anbaugehäuse	frame
26,17,12,091	Tüllengehäuse	converter
26,17,12,092	MTG-Rahmen 24HPR	frame MTG
26,17,12,093	Kontakteinsatz Stift	contact set pin
26,17,12,094	Kontakteinsatz Buchse	contact set connector
26,17,12,095	Kontakteinsatz 108 DD	pin, insert 108 DD
26,17,12,097	Crimpkontakt Stift 0,75-1mm ²	connector male pin silvered 0,75-1mm ²
26,17,12,098	Crimpkontakt Stift 1,5mm ²	connector male pin silvered 1,5mm ²
26,17,12,100	Crimpkontakt Buchse 0,75-1mm ²	connector male connector silvered 0,75-1mm ²
26,17,12,101	Crimpkontakt Buchse 1,5mm ²	connector male connector silvered 1,5mm ²
26,17,12,102	Crimpkontakt Buchse 2,5mm ²	connector male connector silvered 2,5mm ²
26,17,12,103	Kontakteinsatz Stift	contact set pin
26,17,12,104	Kontakteinsatz Buchse	contact set connector
26,17,12,105	Schalengehäuse Snap	housing, connector
26,17,12,107	Tüllengehäuse PG29	converter PG29
26,17,12,108	Tüllengehäuse PG29	converter PG29
26,17,12,109	Anbaugehäuse	housing, connector
26,17,12,110	Kontakteinsatz, Stift	contact, pin
26,17,12,111	Kontakteinsatz Buchse	contact set connector
26,17,12,112	Tüllengehäuse PG36	converter PG36
26,17,12,121	Anbaugehäuse	frame
26,17,12,122	Tüllengehäuse PG11	converter PG11
26,17,12,123	Sockelgehäuse PG11	socket housing PG11
26,17,12,124	Stifteinsatz	pinbase
26,17,12,125	Buchseneinsatz	jack base
26,17,12,130	Kompaktgehäuse f. D-SUB 9pol	compact housing f. d-sub 9ts
26,17,12,131	Schraubverriegelung	screw-type locking
26,17,12,133	Buchsengehäuse f. D-SUB 9pol	connector=1 housing f. d-sub 9ts
26,17,12,134	Crimpkontakt f. D-SUB Stift 0,2-0,56mm ²	connector male f. d-sub pin 0,2-0,56mm ²
26,17,12,135	Crimpkontakt f. D-SUB	connector male f. d-sub connector 0,2-0,56mm ²
26,17,12,150	Tüllengehäuse Hoch PG21	converter high PG21
26,17,12,151	Gehäuse m. Bügel Hoch PG21	socket housing w. plastic bracket high PG21
26,17,12,152	Kontakteinsatz Stift	contact set pin
26,17,12,153	Kontakteinsatz Buchse	contact set connector
26,17,12,156	Crimpkontaktstift 1,5mm ²	crimp-contact, pin 1,5mm ²

Tabella1

26,17,12,157	Crimpkontaktstift 2,5mm ²	crimp-contact, pin 2,5mm ²
26,17,12,161	Crimpkontaktbuchse 1,5mm ²	crimp-contact, socket 1,5mm ²
26,17,12,162	Crimpkontaktbuchse 2,5mm ²	crimp-contact, socket 2,5mm ²
26,17,12,165	Sockelgehäuse m. Metallbügel	socket housing w. metal bow
26,17,12,195	Stiftgehäuse 7-Polig	plug, housing 7-term.
26,17,12,216	Steckergehäuse 6-Pol.	plug housing 6ts
26,17,12,217	Steckergehäuse 6-Pol.	plug housing 6ts
26,17,12,220	Gehäusestecker 3pol	housing plug 3ts
26,17,15,001	FS-Gehäuse 1pol 6,3x08	conn.plug 1ts 6,3x08
26,17,15,003	FS-Gehäuse f. Sicherung 1fach	conn.plug f. fuse 1ts
26,17,15,004	Gehäuse f. FS-Hülse 2pol 6,3x0,8	conn.plug f. conn.female 2ts 6,3x0,8
26,17,15,010	Gehäuse f. FS-Hülse 4pol 6,3x0,8	conn.plug f. conn.female 4ts 6,3x0,8
26,17,15,016	Gehäuse f. FS-Hülse 6pol 6,3x0,8	conn.plug f. conn.female 6ts 6,3x0,8
26,17,15,022	Gehäuse f. FS-Hülse 8pol 6,3x0,8	conn.plug f. conn.female 8ts 6,3x0,8
26,17,15,030	Steckhülsegehäuse f. Kippschalter 8pol	poke sleeve housing f. switch, toggle 8ts
26,17,15,031	Zentralstecker	main plug
26,17,15,037	Steckergehäuse 15pol	plug housing 15ts
26,17,15,038	Steckergehäuse 15pol	plug housing 15ts
26,17,15,050	Gehäuse f. FS-Hülse 11pol 6,3x0,8	conn.plug f. conn.female 11ts 6,3x0,8
26,17,15,063	Steckergehäuse 10pol Power-Timer	plug housing 10ts
26,17,20,043	Flanschdichtung f. Gerätestecker 16A	flange sealing f. In-plug 16A
26,17,95,011	ersetzt durch 26,33,03,137	use > 26,33,03,137
26,17,95,154	Aderendhülse 25mm ²	end sleeve 25mm ²
26,19,10,004	Isolierstoffgehäuse 430x125	insulating housing 430x125
26,19,10,023	Schaltschrank m. Türe & Montageplatte	switch box w/door & mount plate
26,19,10,042	Abzweigdose 210x210x95	junction box 210x210x95
26,19,10,046	Klemmkasten grundiert	clampbox primed
26,19,10,047	Klemmkasten grundiert	clampbox primed
26,19,10,048	ersetzt durch 26,19,10,023	use > 26,19,10,023
26,19,13,002	Volleinschub geschlossen 19"	insert chassis closed 19"
26,19,13,003	Einschub geschlossen 19"	plug-in unit closed 19"
26,19,15,025	Frontblech, 19" Einschub	front plate 19"
26,19,15,031	Halteblech f. Stecker 9pol	plate, support f. plug 9ts
26,19,20,002	Abzweigdose 98x98x58	junction box 98x98x58
26,19,20,010	Abzweigdose 362	junction box

Tabella1

26,21,01,008	Zugfeder-Durchgangskl. STTB 2,5	terminal STTB 2,5
26,21,01,012	Durchgangsklemme GU 0,2-4	terminal GY 0,2-4
26,21,01,013	Durchgangsklemme BL 0,2-4	terminal BU 0,2-4
26,21,01,037	Anschlussklemme M8x20	terminal M8x20
26,21,01,038	AS-Klemme	terminal
26,21,03,006	Tragschiene	Carrier rail
26,21,03,021	Endwinkel	end flange
26,21,03,025	Abschluss-Zwischenplatte	plate, end & middle
26,21,03,038	Querbrücke f. Klemme 4mm²	crossbridge f. terminal insulated 4mm²
26,21,10,010	Diodenleiste DL30	diode board
26,21,10,016	Kontaktplatte f. Filter	contact plate f. filter
26,21,15,001	Batterieklemme f. Minuspol 70mm²	battery, terminal f. negative pole 70mm²
26,21,15,004	Batterieklemme f. Pluspol 70mm²	battery, terminal f. positive pole 70mm²
26,21,95,001	Halter PTC Civis	support, PTC Civis
26,21,95,011	Reihen-klemme mit Dioden	terminal, w/diode
26,21,95,012	Vierleiterklemme Diode 2,5/1,5	terminal, w/diode 2,5/1,5
26,21,95,013	Endwinkel	angle, end
26,25,01,057	Kabelkanal m. Deckel geschlitzt 44x45	duct f. wiring w. cap ducting 44x45
26,25,03,001	Kabelbinder 95x2,5	fastening strip 95x2,5
26,25,03,002	Kabelbinder 140x3,6	fastening strip 140x3,6
26,25,03,004	Kabelbinder 190x4,8	fastening strip 190x4,8
26,25,03,005	Kabelbinder 360x4,8	fastening strip 360x4,8
26,25,03,006	Kabelbinder 7,6x360	fastening strip 7,6x360
26,25,03,012	Befestigungssockel f. Kabelbinder	mounting base f. fastening strip
26,27,03,003	Kabelverschraubung GU PG9	cable bushing GY PG9
26,27,03,005	Kabelverschraubung GU PG11	cable bushing GY PG11
26,27,03,007	Kabelverschraubung GU PG13,5	cable bushing GY PG13,5
26,27,03,009	Kabelverschraubung GU PG16	cable bushing GY PG16
26,27,03,011	Kabelverschraubung GU PG21	cable bushing GY PG36
26,27,03,013	Kabelverschraubung GU PG29	cable bushing GY PG29
26,27,03,015	Kabelverschraubung GU PG36	cable bushing GY PG36
26,27,03,027	Fitting f. Isolierschlauch GU PG11	fitting f. insulation pipe GY PG11
26,27,03,029	Fitting f. Isolierschlauch GU PG16	fitting f. insulation pipe GY PG16
26,27,03,030	Fitting f. Isolierschlauch GU PG2	fitting f. insulation pipe GY PG21
26,27,03,036	Diichtung, Kabelverschraubung	gasket f. cable bushing

Tabella1

26,27,07,002	Kontermutter GU PG9	nut, lock GY PG9
26,27,07,003	Kontermutter GU PG11	nut, lock GY PG11
26,27,07,005	Kontermutter GU PG16	nut, lock GY PG16
26,27,07,006	Kontermutter GU PG21	nut, lock GY PG21
26,27,07,007	Kontermutter GU PG29	nut, lock GY PG29
26,27,07,008	Kontermutter GU PG36	nut, lock GY PG36
26,27,12,001	Reduzierung NW21-NW16	reducer NW21-NW16
26,27,12,002	Anschlußstück f. Stecker 16pol	adapter f. plug 16.ts
26,27,12,005	Reduzierring PG21-PG16	ring, reducer PG21-PG16
26,27,12,007	Reduzierung PG16-PG11	reducer PG16-PG11
26,27,13,003	Durchführungstülle	bushing
26,27,13,006	Durchführungstülle GZ29	bushing GZ29
26,27,13,051	Dichtscheibe 21pol	sealing washer 21.ts
26,27,13,059	Abdichtung f. Einzelader 2-2,8	gasket f. single lead of a cabel 2-2,8
26,27,13,061	Dichtscheibe 16-Polig	washer, seal 16term.
26,27,13,062	Druckplatte 16-Polig	plate, press 16term.
26,27,15,002	Membrandurchführungstülle DG 11	lead through bush DG 11
26,27,15,003	Membrandurchführungstülle DG 13,5	lead through bush DG 13,5
26,27,15,004	Membrandurchführungstülle DG 16	lead through bush DG 16
26,27,15,005	Membrandurchführungstülle DG 21	lead through bush DG 21
26,27,15,006	Membrandurchführungstülle DG 29	lead through bush DG 29
26,27,15,007	Membrandurchführungstülle DG 36	lead through bush DG 36
26,27,95,017	Kabelverschraubung PG29	cable bushing PG29
26,27,95,018	Gegenmutter für PG29	nut, lock PG29
26,31,01,004	Isolierband RT 0,15x15x10m	insulation tape RD 0,15x15x10m
26,31,01,005	Isolierband GU 0,15x15x10m	insulation tape GY 0,15x15x10m
26,31,01,006	Isolierband SW 0,15x15x10m	insulation tape BK 0,15x15x10m
26,31,01,012	Isolierband SW 0,15x30x25m	insulation tape BK 0,15x30x25m
26,33,01,015	RZ-Kabelschuh 1,5-2,5mm² M5	cabel socket, ring insulated 1,5-2,5mm² M5
26,33,01,017	RZ-Kabelschuh 4,6-6,0mm² M5	cabel socket, ring insulated 1,5-2,5mm² M8
26,33,01,023	RZ-Kabelschuh 4,6-6,0 M 5	cabel socket, ring insulated 4,6-6,0mm² M5
26,33,01,026	RZ-Kabelschuh 4,6-6,0mm² M10	cabel socket, ring insulated 4,6-6,0mm² M10
26,33,01,036	FS-Hülse 6,3x0,8 0,5-1,5mm²	conn.female insulated 6,3x0,8 0,5-1,5mm²
26,33,01,105	Stoßverbinder 1,5-2,5mm²	butt joint insulated 1,5-2,5mm²
26,33,03,029	RZ-Kabelschuh 10,0mm² M5	cabel socket, ring non insulated 10,0mm² M5

Tabella1

26,33,03,030	RZ-Kabelschuh 10,0mm² M6	cabel socket, ring non insulated 10,0mm² M6
26,33,03,031	RZ-Kabelschuh 10,0mm² M8	cabel socket, ring non insulated 10,0mm² M8
26,33,03,048	RZ-Kabelschuh 35,0mm² M6	cabel socket, ring non insulated 35,0mm² M6
26,33,03,049	RZ-Kabelschuh 35,0mm² M8	cabel socket, ring non insulated 35,0mm² M8
26,33,03,050	RZ-Kabelschuh 35,0mm² M10	cabel socket, ring non insulated 35,0mm² M10
26,33,03,058	RZ-Kabelschuh 50mm² M8	cabel socket, ring non insulated 50mm² M8
26,33,03,059	RZ-Kabelschuh 50mm² M10	cabel socket, ring non insulated 50mm² M10
26,33,03,128	FS-Hülse m. SI 6,3x0,8 4-6mm²	conn.female w. lock silvered 6,3x0,8 4-6mm²
26,33,03,130	FS-Hülse m. SI 6,3x0,8 0,5-1,5mm²	conn.female w. lock silvered 6,3x0,8 0,5-1,5mm²
26,33,03,132	FS-Hülse m. SI 6,3x0,8 1,5-2,5mm²	conn.female w. lock non insulated 6,3x0,8 1,5-2,5mm²
26,33,03,133	FS-Hülse m. SI 6,3x0,8 1,5-2,5mm²	conn.female w. lock silvered 6,3x0,8 0,5-1,5mm²
26,33,03,134	Flachsteckhülse 6,3x 0,8	conn.female w. lock non insulated 6,3x0,8 4-6mm²
26,33,03,137	Flachstecker m. SI 6,3x0,8 1,5-2,5mm²	conn.male w. lock non insulated 6,3x0,8 1,5-2,5mm²
26,33,03,138	Flachstecker m. SI 6,3x0,8 4-6mm²	conn.male w. lock non insulated 6,3x0,8 4-6mm²
26,33,03,139	Flachstecker m. SI 6,3x0,8 1,5-2,5mm²	conn.male w. lock silvered 6,3x0,8 1,5-2,5mm²
26,33,03,140	FS-Hülse 1,5-2,5mm²	conn.female 1,5-2,5mm²
26,33,03,142	Buchsenkontakt	connector
26,33,03,147	Flachstecker m. SI 6,3x0,8 0,5-1,0mm²	conn.male w. lock silvered 6,3x0,8 0,5-1,0mm²
26,33,03,149	Flachstecker m. SI 6,3x0,8 4-6mm²	conn.male w. lock silvered 6,3x0,8 4-6mm²
26,33,03,195	Buchsenkontakt 3,5	connector 3,5
26,33,03,196	Buchsenkontakt 1,6	connector 1,6
26,33,03,197	Buchse 0,5-2,1mm²	connector 0,5-2,1mm²
26,33,03,198	Stiftkontakt D1,6	connector male D1,6
26,33,03,200	Buchse 0,5-2,1mm²	connector 0,5-2,1mm²
26,33,03,201	Stiftkontakt D3,5 MNL	connector male D3,5
26,33,03,209	Stiftkontakt 2mm²	connector male 2mm²
26,33,03,210	Buchse 1,5-2,5mm² Jun-Timer	connector 1,5-2,5mm²
26,33,03,214	Stiftkontakt 1-2mm²	connector male 1-2mm²
26,33,03,215	Buchse 0,5-1,0mm² Jun-Timer	connector 0,5-1,0mm²
26,33,03,217	Buchsenkontakt 2mm²	connector 2mm²
26,33,03,218	Buchsenkontakt 1,5-2,5mm²	connector 1,5-2,5mm²
26,33,03,232	FS-Hülse m. SI	connectorfemale, secured
26,33,03,233	FS-Hülse m. SI 6,3x0,8 0,5-1,5mm²	conn.female w. fuse silvered 6,3x0,8 0,5-1,5mm²
26,33,03,251	Flachsteckhülse 0,5-1,0mm² MCP	conn.female 0,5-1,0,5mm² MCP
26,33,03,252	Flachsteckhülse 1,5-2,5mm² MCP	conn.female 1,5-2,5mm² MCP

Tabella1

26,33,05,004	Aderendhülse 1,5mm ²	end-sleeve 1,5mm ²
26,38,01,001	Platine DA31/38	printed circuit, DA31/38
26,38,05,001	gedruckte Schaltung TK51	printed circuit, TK51
26,38,08,001	ersetzt durch 26,38,08,006	use > 26,38,08,006
26,38,08,002	Platine AC10/35/315/355	printed circuit, AC10/35/315/355
26,38,08,004	ersetzt durch 26,38,08,006	use > 26,38,08,006
26,38,08,005	Platine AC10/353 Rückseite beschichtet	printed circuit, AC10/353 coated back side
26,38,08,006	Platine AC10/353 Rückseite beschichtet	printed circuit, AC10/353 coated back side
26,38,08,007	Platine AC10/353 alle Seiten beschichtet	printed circuit, AC10/353, coated both sides
26,38,10,001	Platine AC18-I/III	printed circuit, AC18-I/III
26,38,10,002	Platine AC18-I/III	printed circuit, AC18-I/III
26,38,10,020	Erweiterungsplatine f. Gebläse	modul f. blower
26,38,95,001	Add-on PTC Fehlerkarte	add-on PTC failure card
26,40,01,002	Einzelader BN 1,5mm ² H07V-K	single lead of a cabel BN 1,5mm ²
26,40,01,003	Einzelader RT 1,5mm ² H07V-K	single lead of a cabel RD 1,5mm ²
26,40,01,004	Einzelader BL 1,5mm ² H07V-K	single lead of a cabel BU 1,5mm ²
26,40,01,005	Einzelader SW 1,5mm ² H07V-K	single lead of a cabel BK 1,5mm ²
26,40,02,002	Einzelader BL 2,5mm ² H07V-K	single lead of a cabel BU 2,5mm ²
26,40,02,003	Einzelader RT 2,5mm ² H07V-K	single lead of a cabel RD 2,5mm ²
26,40,04,004	Einzelader SW 6mm ² H07V-K	single lead of a cabel BK 6mm ²
26,40,04,005	Einzelader BN 6mm ² H07V-K	single lead of a cabel BN 6mm ²
26,40,07,002	Einzelader RT 25mm ² H07V-K	single lead of a cabel RD 25mm ²
26,40,07,003	Einzelader BN 25mm ² H07V-K	single lead of a cabel BN 25mm ²
26,40,08,001	Einzelader SW 35mm ² H07V-K	single lead of a cabel BK 35mm ²
26,40,08,010	Einzelader SW 50mm ² H07V-K	single lead of a cabel BK 50mm ²
26,40,09,001	Einzelader BN 0,75mm ² H05V-K	single lead of a cabel BN 0,75mm ²
26,40,21,015	Einzelader GNWS 1,5mm ²	single lead of a cabel GNWH 1,5mm ²
26,40,21,016	Einzelader GNRT 1,5mm ²	single lead of a cabel GNRD 1,5mm ²
26,40,30,002	Ölflexkabel nummeriert GU 2x1,5mm ²	hose, oil LT=F numbered GY 2x1,5mm ²
26,40,30,003	Ölflexkabel nummeriert GU 3x1,5mm ²	hose, oil LT=F numbered GY 3x1,5mm ²
26,40,30,004	Ölflexkabel nummeriert GU 4x1,5mm ²	hose, oil LT=F numbered GY 4x1,5mm ²
26,40,30,005	Ölflexkabel nummeriert GU 5x1,5mm ²	hose, oil LT=F numbered GY 5x1,5mm ²
26,40,30,007	Ölflexkabel nummeriert GU 7x1,5mm ²	hose, oil LT=F numbered GY 7x1,5mm ²
26,40,30,008	Ölflexkabel nummeriert GU 8x1,5mm ²	hose, oil LT=F numbered GY 8x1,5mm ²
26,40,30,012	Ölflexkabel nummeriert GU 12x1,5mm ²	hose, oil LT=F numbered GY 12x1,5mm ²

Tabella1

26,40,30,014	Ölflexkabel nummeriert GU 14x1,5mm ²	hose, oil LT=F numbered GY 14x1,5mm ²
26,40,30,025	Ölflexkabel nummeriert GU 2x2,5mm ²	hose, oil LT=F numbered GY 2x2,5mm ²
26,40,30,027	Ölflexkabel nummeriert GU 4x2,5mm ²	hose, oil LT=F numbered GY 4x2,5mm ²
26,40,30,028	Ölflexkabel nummeriert GU 5x2,5mm ²	hose, oil LT=F numbered GY 5x2,5mm ²
26,40,30,030	Ölflexkabel nummeriert GU 7x2,5mm ²	hose, oil LT=F numbered GY 7x2,5mm ²
26,40,30,035	Ölflexkabel nummeriert GU 12x2,5mm ²	hose, oil LT=F numbered GY 12x2,5mm ²
26,40,30,039	Ölflexkabel nummeriert GU 16x2,5mm ²	hose, oil LT=F numbered GY 16x2,5mm ²
26,40,32,002	Kabel abgeschirmt	wire shielded
26,40,32,005	Kabel abgeschirmt 4x0,75mm ² LIY-CY	wire shielded 4x0,75mm ²
26,40,32,006	Kabel abgeschirmt 2x0,5mm ² LIY-CY	wire shielded 2x0,5mm ²
26,40,32,050	Einzelader SW 2,5mm ² H07Z-K	single lead of a cabel halogen free BK 2,5mm ²
26,40,95,056	Kabel H07V-K 4X25mm ² , schwarz	cabel H07V-K 4X25mm ² , black
26,40,99,046	Masseband 21,2/250	earthing wire 21,2/250
26,40,99,047	Masseband 21,2/275	earthing wire 21,2/275
26,40,99,048	Masseband 21,2/300	earthing wire 21,2/300
26,40,99,053	Masseband 21,2/350	earthing wire 21,2/350
26,43,01,005	Drehknopf SW	turn button BK
26,43,01,014	Kombiknopf f. Temp.-Regler	button, combi. f. thermostat control,
26,43,01,015	Kombiknopf f. Drehschalter	button, combi. f. switch, rotary
26,43,01,016	Kappe f. Kombiknopf	cap f. button, combi.
26,43,01,018	Gerätekopf	turn button
26,43,01,022	Drehknopf FB340	turn button, FB340
26,43,01,027	Drehknopf FE4200	turn button f. blower speed controlling device
26,43,01,029	Drehknopf f. Poti	turn button f. Poti
26,43,01,030	Deckel f. Drehknopf	cap f. turn button
26,45,05,001	Leuchtstoffröhre 36W L120	fluorescent lamp 36W L120
28,01,01,001	E-Motor BE 85-2K/S19	E-Motor 0,1KW 220V 50Hz 1Ph
28,01,05,010	E-Motor 230V 50Hz 1Ph	E-Motor 230V 50Hz 1Ph
28,01,10,001	E-Motor 0,1KW 220/380V 50Hz 3Ph	E-Motor 0,1KW 220/380V 50Hz 3Ph
28,01,10,002	E-Motor 380V 50/60Hz 0,1KW	E-Motor 380V 50/60Hz 0,1 KW
28,01,10,004	E-Motor 480V 60Hz	E-Motor 480V 60Hz
28,01,10,008	E-Motor 220V 50Hz Air V	E-Motor 220V 50Hz Air V
28,01,14,029	E-Motor 220/380V 50Hz 3Ph	E-Motor 220/380V 50Hz 3Ph
28,02,05,005	Gleichstrommotor 12VDC	E-Motor DC lft-hd-rot. 12VDC
28,02,05,013	Gleichstrommotor 12VDC	E-Motor DC lft-hd-rot. 12VDC

Tabella1

28,02,10,006	Gleichstrommotor 24VDC	E-Motor DC lft-hd-rot. 24VDC
28,02,10,015	Gleichstrommotor 24VDC	E-Motor DC lft-hd-rot. 24VDC
28,02,10,016	Gleichstrommotor 24VDC	E-Motor DC clockw.-rot. 24VDC
28,02,10,019	Gleichstrommotor li 24VDC	E-Motor DC lft 24VDC
28,02,10,020	Doppelschaftmotor 24VDC	double shaft E-Motor 24VDC
28,02,10,021	Gleichstrommotor 24VDC Low Noise	E-Motor DC, Low Noise axial 24VDC
28,02,10,023	Gleichstrommotor 12VDC	E-Motor DC, Low Noise axial 12VDC
28,02,20,001	Gleichstrommotor, Doppeschaft 24VDC	E-Motor DC, double shaft, 24VDC
28,02,30,009	Gleichstrommotor 24VDC 1Kw 2130Upm	E-Motor DC 24VDC 1Kw 2130Upm
28,02,30,014	Elektromotor 24VDC DC Kollektorlos	E-Motor, 24VDC, brushless
28,02,45,002	Kohlebürste D150	brushes, carbon
28,02,45,003	Meldekohlen D150	carbon, transmitting
28,02,90,003	Schild f. Lager	shield f. bearing
28,02,90,004	Schild f. Lager hi	shield f. bearing re
28,02,90,005	Rotor 12VDC	rotor 12VDC
28,02,90,006	Rotor 24VDC	rotor 24VDC
28,02,90,008	Rotor o. Kugellager 24VDC	rotor non bearing, ball 24VDC
28,02,90,009	Polgehäuse m. Magnet li-lauf	stator w. magnet lft-hd-rot.
28,02,90,015	Kugellager	bearing, ball
28,02,90,016	Ausgleichsscheibe	compensation spring
28,02,90,017	Tellerfeder	disk spring
28,02,90,018	Halteschraube	holding screw
28,02,90,511	Klemmkastendeckel f. Gleichstrommotor	cover, terminal E-Motor
28,02,90,515	Lüfter f. Gleichstrommotor	fan, E-Motor
28,02,90,519	Kugellager f. Gleichstrommotor	bearing, ball f. E-Motor DC
28,02,90,521	SI-Ring f. Gleichstrommotor wellenseitig	circlip, E-Motor
28,02,90,524	Toleranzring f. Gleichstrommotor	ring, tolerance E-Motor
28,02,95,025	Elektromotor 24VDC, AC2400	E-Motor, EI, 24VDC, 2400
28,03,04,804	Ölablassschlauch L=270	tube, oil drain L=270
28,03,04,805	Schalldämpfer, lose	muffler
28,03,04,809	Abgasrohr	pipe, exhaust
28,03,95,003	Gummilager M6x20	shock mount M6x20
28,03,95,058	Gummilager M6x19	shock mount M6x19
28,03,95,063	Schwingungsdämpfer	damper, vibration
28,03,95,064	Dämpfer, 400	damper, 400

Tabella1

28,03,95,065	Dämpfer, 400	damper, 400
28,03,95,066	Dämpfer, 400	damper, 400
28,04,05,004	Anlasser 12VDC	starter 12VDC
28,04,12,002	Krümmer 90°	pipe, exhaust 90°
28,04,98,502	Schmierölfilter DA 34-39-40	filter, oil DA34-39-40
28,04,98,503	Kraftstofffilter DA 34-39-40	filter, fuel DA34-39-40
28,04,98,505	Luftfiltereinsatz DA 34-39-40	filter, air DA34-39-40
28,10,04,006	Lichtmaschine 28VDC 55A N1	generator 28VDC 55A
28,10,04,010	Generator 28VDC	generator 28VDC
28,10,04,012	Generator 28VDC	generator 28VDC
28,10,04,013	Generator 12VDC 160A	generator 12VDC 160A
28,10,10,001	Keilriemenscheibe SPA102	pulley, V-belt SPA102
28,10,12,006	Lüfterscheibe re-li	fan disk rgt-lft
28,10,14,005	Spannungsregler	voltage regulator
28,10,14,006	Spannungsregler f. Lima 175A	voltage regulator for alternator 175A
28,10,14,007	Spannungsregler	voltage regulator
28,10,14,009	Halter f. Lager	support f. bearing
28,10,14,010	Bürsteneinheit	brushes assy
28,10,14,013	BG Felddiode	diode, assy
28,10,14,018	Gleichrichterdiode, neg.	rectifier diode negativ
28,10,14,021	Gehäuse hinten	housing, rear
28,10,14,022	Gleitring	slip ring
28,10,14,023	Lagerdichtung	gasket, bearing
28,10,14,024	Gebläserad für Lichtmaschine	fan f. alternat OR=1
28,10,14,027	Lager vorne	bearing, front
28,10,14,028	Rollenlager	bearing, roller
28,10,14,029	Dichtung gegen Lageröl	gasket, bearing oil
28,12,01,003	Wasserpumpe 24VDC	water pump 24VDC
28,12,01,015	Wasserpumpe f. HZ-Gerät 24VDC AC7/TK7	water pump, heating, 24VDC, AC7/TK7
28,12,01,016	Wasserpumpe 24VDC	water pump 24VDC
28,12,01,019	Umwälzpumpe 24VDC	circulating pump 24VDC
28,12,01,020	W-Umwälzpumpe 24VDC 250W	water circulating pump 24VDC 250W
28,12,01,115	Wasserpumpe f. HZg. 12VDC AC7/TK7	water pump f. HTR 12VDC, AC7/TK7
28,12,03,005	Brennstoffpumpe 24VDC	pump, fuel 24VDC
28,12,03,016	Brennstoffpumpe 24VDC	pump, fuel 24VDC

Tabella1

28,14,02,003	Hubmagnet 12VDC 25Hub	solenoid, stop 12VDC
28,14,02,014	Hubmagnet 12VDC 0,85in	solenoid, stop 12VDC 0,85in
28,14,03,005	Hubmagnet 24VDC	solenoid, stop 24VDC
28,16,02,003	Stellmotor f. FRL-Klappe	E-Motor, fresh air flap
28,16,02,007	Stellmotor mit Bügel	E-Motor, servo
28,16,02,008	Stellmotor 24VDC	E-Motor, servo 24VDC
28,16,02,010	Stellmotor AC315/355	E-Motor, servo, AC315/355
28,16,02,011	Stellmotor 24VDC/AC	E-Motor, servo
28,18,03,008	Kraftstofffilter GF 18	filter, fuel
28,18,03,009	Kraftstofffilter Purolator	filter, fuel
28,18,04,001	Kraftstofffilter-Einsatz ZB600, D950	filter insert, air ZB600, D950
28,20,01,003	Gebläse li 24VDC DG550-L	blower, radial lft-hd-rot. 24VDC, DG550-L-1
28,20,01,004	Gebläse, Radial DG 550-1R 24VDC	blower, radial clockw.-rot. 24VDC, DG550-R-1
28,20,01,014	Gebläse, DR, 24VDC	blower, DR 24VDC 800m³/h
28,20,01,015	Gebläse DR 24VDC 1000m³/h	blower, DR 24VDC 1000m³/h
28,20,01,016	Gebläse li 24VDC DG550-L	blower, radial w. control, RPM lft. 24VDC, DG550
28,20,01,017	Gebläse re 24VDC DG 550-1R	blower, radial w. control, RPM rgt. 24VDC, DG550
28,20,01,023	Gebläse, DR 12VDC	blower, DR 12VDC
28,20,01,024	Gebläse, DR 12VDC	blower, DR 12VDC
28,20,01,025	Gebläse, DR 24VDC DRG500	blower, DR 24VDC, DRG500
28,20,01,029	Gebläse 24VDC AC12	blower, radial 24VDC, AC12
28,20,01,030	Gebläse 24VDC 3V AC12	blower, radial 24VDC, AC12
28,20,01,031	Gebläse, Radial 24VDC AC340	blower, radial 24VDC, AC340
28,20,01,032	Gebläse, DR 24VDC	blower, DR 24VDC
28,20,01,033	Gebläse DR 24VDC 800m³/h	blower, DR 24VDC 800m³/h
28,20,01,034	Gebläse DR, 24VDC 1000m³/h	blower, DR 24VDC 1000m³/h
28,20,01,035	Gebläse DR, 12VDC 800m³/h	blower, DR 12VDC 800m³/h
28,20,01,036	Gebläse DR 24VDC 750m³/h	blower, DR 24VDC 750m³/h
28,20,01,039	Gebläse, DR 24VDC	blower, DR 24VDC
28,20,01,041	Gebläse, DR 24VDC 1200m³/h AC340	blower, DR 24VDC 1200m³/h, AC340
28,20,01,043	Gebläse, DR m. Widerstand 24VDC	blower, DR w/resistor 24VDC
28,20,01,047	Gebläse, DR 24VDC 500m³/h	blower, DR 24VDC 500m³/h
28,20,01,048	Gebläse, Radial 24VDC	blower, radial 24VDC
28,20,01,050	Gebläse, DR 24VDC DRB100	blower, DR 24VDC, DRB100
28,20,01,052	Gebläse, DR 12VDC	blower, DR 12VDC

Tabella1

28,20,01,053	Gebläse, DR 24VDC 1035 m³/h	blower, DR 24VDC 1035M³/h
28,20,01,055	Gebläse, DR 24VDC 775 m³/h	blower, DR 24VDC 775 m³/h
28,20,01,203	Gebläse, Radial links 12VDC DG 550-1L	blower, radial 12VDC, DG550-1-L
28,20,01,209	Gebläse, Radial 12VDC	blower, radial 12VDC
28,20,01,210	Gebläse, Radial 12VDC	blower, radial 12VDC
28,20,01,211	Gebläse, Radial 24VDC	blower, radial 24VDC
28,20,01,212	Gebläse, Radial 24VDC	blower, radial 24VDC
28,20,01,220	Gebläse, DR 12VDC 800m³/h	blower, DR 12VDC 800m³/h
28,20,01,221	Gebläse, DR 24VDC 1V	blower, DR 24VDC, 1V
28,20,02,023	Gebläse 220V 50/60Hz 1Ph 1570rpm	blower 220V 50/60Hz 1Ph 1570rpm
28,20,02,024	Gebläse 360-480V 50/60Hz	blower 360-480V 50/60Hz
28,20,02,037	Gebläse 400V+-10% 50Hz	blower 400V+-10% 50Hz
28,20,02,038	Gebläse 400V+-10% 50Hz	blower 400V+-10% 50Hz
28,20,02,042	Gebläse, Radial 400V, 50Hz	blower, radial 400V 50Hz
28,20,02,045	Gebläse, Radial 24VDC	blower, radial 24VDC
28,20,95,010	Gebläse, DR 3V	blower, DR, 3V
28,20,95,015	Gebläse, DR 24VDC 3V	blower, radial 24VDC 3V
28,20,95,020	Radialgebläse 24VDC	blower, radial 24VDC
28,20,95,022	Gebläse, DR 24VDC 3V	blower, radial 24VDC 3V
28,20,95,025	ersetzt durch 28,20,95,022	use > 28,20,95,022
28,20,95,026	Gebläse, DR 24VDC	blower, radial 24VDC
28,20,95,027	Gebläse, DR 24VDC	blower, DR 24VDC
28,21,01,001	Axialventilator, 24VDC, Drückend	blower, axial press. 24VDC
28,21,01,002	Axialventilator 24VDC, Saugend	blower, axial suction 24VDC
28,21,01,003	Axialventilator, 24VDC Saugend, AC12	blower, axial suct. 24VDC, AC12
28,21,01,005	Axialventilator 12VDC, Druckend	blower, axial press. 12VDC, AC130-1
28,21,01,006	Axialventilator, 12VDC D225 AC6 Druckend	blower, axial 12VDC, AC6 press.
28,21,01,007	Axialventilator, 24VDC D225 AC6 Druckend	blower, axial 24VDC, AC6 press.
28,21,01,008	Axialventilator, 12VDC Saugend	blower, axial 12VDC suct.
28,21,01,009	Axialventilator, 24VDC Saugend	blower, axial 24VDC suct.
28,21,01,011	Axialventilator, 24VDC	blower, axial 24VDC
28,21,01,012	Axialventilator, 24VDC Druckend AC261/250	blower, axial press. 24VDC D305 AC261/250
28,21,01,013	Axialventilator, 24VDC D305 Saugend	blower, axial 24VDC D305 suct.
28,21,01,016	Axialventilator, 24VDC D350 Druckend	blower, axial 24VDC D350 press.
28,21,01,018	Axialventilator, 12VDC D350 Druckend	blower, axial 12VDC D350 press.

Tabella1

28,21,01,022	Axialventilator, 24VDC D280 Saugend	blower, axial 24VDC D280 suct.
28,21,01,023	Axialventilator, 12VDC D280 Saugend	blower, axial 12VDC D280 suct.
28,21,01,024	Axialventilator, 24VDC, D255 Druckend	blower, axial D255 24VDC press.
28,21,01,025	Axialventilator, 24VDC, D280 Druckend	blower, axial D280 24VDC press.
28,21,02,013	Axialventilator, 220/380V	blower, axial 220/380V
28,21,02,019	Axialventilator, 230/400V IP55	blower, axial 230/400V IP55
28,21,02,021	E-Motorlüferrad, 3Ph 400V 50Hz IP54	E-Motor fan wheel 3Ph 400V 50Hz IP54
28,21,02,022	Axialventilator, 3Ph 400V 87Hz IP54	E-Motor fan wheel 3Ph 400V 87Hz IP54
28,21,02,026	Axiaventilator, 3Ph 400V 50Hz	fan, axial 3Ph 400 50Hz
28,21,02,028	Axialventilator, vakuumisoliert, 3Ph 400V 50Hz	valve vacuum insulated 3Ph 400V 50Hz
28,21,95,020	Kondensatorlüfter 400VAC	fan, condenser 400VAC
28,21,95,021	Axialventilator m. Schutzgitter 400VAC	fan, axial w/gille 400VAC
28,21,95,026	ersetzt durch 28,21,01,025	use > 28,21,01,025
28,22,01,001	Gebläserad DG550-L-1	blower wheel lft-hd-rot., DG550-L-1
28,22,01,003	Gebläserad DG550-L-1	blower wheel lft-hd-rot., DG550-1L-1
28,22,01,004	Gebläserad DG550-R-1	blower wheel clockw.-rot., DG550-1R-1
28,22,05,003	Gebläsegehäuse li DG550-L-1	blower casing lft, DG550-1L-1
28,22,05,004	Gebläsegehäuse re DG550-R-1	blower casing rgt, DG550-1R-1
28,22,07,001	Stahlklammer	clamp, steel
28,22,07,050	Dichtung f. Gebläse DG550	gasket f. blower DG550
28,22,07,051	Dichtung f. Gebläse DR	gasket f. blower DR
28,22,07,053	Dichtung f. Gebläse, radial	gasket f. blower, radial
28,22,07,054	Dichtung f. Gebläse DRB 100	gasket f. blower DRB 100
28,23,01,021	Lüfterflügel D300	fan blade D300
28,23,01,024	Lüfterflügel 3flg	fan blade 3-wings
28,23,01,025	Lüfterflügel D12H7	fan blade D12H7
28,23,01,601	Lüfterflügel f. Verfl., K100	fan blade f. cond., K100
28,23,01,603	Lüfterflügel	fan blade
28,23,01,604	Lüfterflügel	fan blade
28,23,01,815	Lüfterflügel Low Noise D300	fan, axial Low Noise D300
28,23,04,001	Schutzgitter f. Gebläse	protective grading f. blower, axial
30,01,01,004	Rillenkugellager f. Gebläse	bearings, blower
30,03,01,015	Kupplung elastisch 24/28	clutch elastic 24/28
30,04,01,006	Kupplung 24VDC 2SPA 6"	clutch 24VDC 2SPA 6"
30,04,01,011	Kupplung 24VDC 2SPA 5'1/4"	clutch 24VDC 2SPA 5'1/4"

Tabella1

30,04,01,012	Kupplung 24VDC 2SPA 6"	clutch 24VDC 2SPA6"
30,04,01,017	Kupplung 24VDC 2SPA200	clutch 24VDC 2SPA200
30,04,01,027	Kupplung 24VDC 2SPA160	clutch 24VDC 2SPA160
30,04,01,029	Kupplung 24VDC 2SPB200	clutch 24VDC 2SPB200
30,04,01,030	Kupplung 24VDC 1SPA258 2SPB203	clutch 24VDC 1SPA258 2SPB203
30,04,01,031	ersetzt durch 30,04,02,031 & 30,04,01,834	use > 30,04,02,031 & 30,04,01,834
30,04,01,033	Kupplung 24VDC 2SPA280 2SPB180	clutch, 24VDC 2SPA280 2SPB180
30,04,01,035	Kupplung, 24VDC 2SPA205	clutch, 24VDC 2SPA205
30,04,01,036	ersetzt durch 30,04,02,232 & 30,04,01,834	use > 30,04,02,232 & 30,04,01,834
30,04,01,039	Kupplung 24VDC 1SPA270 2SPB175	clutch 24VDC 1SPA270 2SPB175
30,04,01,041	Kupplung 24VDC 2SPA276 2SPB197	clutch 24VDC 2SPA276 2SPB197
30,04,01,042	Kupplung 24VDC 2SPA238	clutch 24VDC 2SPA238
30,04,01,046	Kupplung 24VDC 1SPA270 2SPB210	clutch 24VDC 1SPA270 2SPB210
30,04,01,047	Kupplung 24VDC 2SPB160	clutch 24VDC 2SPB160
30,04,01,048	Kupplung 24VDC 2SPB175	clutch 24VDC 2SPB175
30,04,01,049	Kupplung 24VDC 7PK190	clutch 24VDC 7PK190
30,04,01,050	Kupplung 24VDC ohne Riemenscheibe	clutch 24VDC w/o pulley
30,04,01,051	Kupplung 24VDC 2SPA256 2SPB168	clutch 24VDC 2SPA256 2SPB168
30,04,01,055	Kupplung 24VDC 3SPA210	clutch 24VDC 3SPA210
30,04,01,056	Kupplung 24VDC 2SPB210	clutch 24VDC 2SPB210
30,04,01,059	Kupplung 24VDC 2SPA205	clutch 24VDC 2SPA205
30,04,01,062	Kupplung 24VDC 2SPA175	clutch 24VDC 2SPA175
30,04,01,063	Kupplung 24VDC 2SPB186	clutch assy 24VDC 2SPB186
30,04,01,064	Kupplung 24VDC 2SPB228	clutch assy 24VDC 2SPB228
30,04,01,067	Kupplung 24VDC 2SPA 2SPB240	clutch 24VDC 2SPA 2SPB240
30,04,01,068	Kupplung 24VDC 3SPB170	clutch 24VDC 3SPB170
30,04,01,078	Kupplung 24VDC 2SPB200	clutch 24VDC 2SPB200
30,04,01,082	Kupplung 24VDC 4SPA210	clutch 24VDC 4SPA210
30,04,01,083	Kupplung 24VDC 2SPB186	clutch 24VDC 2SPB186
30,04,01,085	Kupplung, 24VDC 2SPB150	clutch, 24VDC 2SPB150
30,04,01,086	Kupplung, 24VDC ohne Riemenscheibe	clutch 24VDC w/o pulley
30,04,01,091	Kupplung 24VDC 1SPB170	clutch 24VDC 1SPB170
30,04,01,094	Kupplung, 24VDC 2SPA168 UX116	clutch, 24VDC 2SPA168 UX116
30,04,01,099	Kupplung 24VDC 2SPB228,6	clutch, 24VDC 2SPB228,6
30,04,01,100	Kupplung 24VDC 2SPA 2SPB263	clutch 24VDC 2SPA 2SPB263

Tabella1

30,04,01,101	Kupplung 24VDC 2SPB 2SPA263	clutch 24VDC 2SPB 2SPA263
30,04,01,102	Kupplung 24VDC ohne Keilscheibe	clutch 24VDC w/o pulley
30,04,01,105	Kupplung 12VDC TM31	clutch 12VDC TM31
30,04,01,107	Kupplung 24VDC 2SPB255	clutch 24VDC 2SPB255
30,04,01,200	Kupplung 24VDC 12PK185,8	clutch 24VDC 12PK185,8
30,04,01,204	Kupplung 24VDC 7PK	clutch 7-groove 24VDC 7PK
30,04,01,207	Kupplung 24VDC 2SPB166,5	clutch 24VDC 2SPB166,5
30,04,01,208	Kupplung 24VDC 7PK160	clutch 7-groove 24VDC 7PK160
30,04,01,209	ersetzt durch 30,04,02,209 & 30,04,01,834	use > 30,04,02,209 & 30,04,01,834
30,04,01,211	Kupplung 24VDC 2SPB220	clutch 24VDC 2SPB220
30,04,01,215	ersetzt durch CTI83877	use > CTI83877
30,04,01,216	Kupplung 12VDC, DKS26	clutch 12VDC DKS26
30,04,01,218	Kupplung 24VDC 2SPB203	clutch 24VDC 2SPB203
30,04,01,221	Kupplung 24VDC 2SPA265 2SPB166	clutch 24VDC 2SPA265 2SPB166
30,04,01,222	Kupplung 24VDC 2SPA180	clutch 24VDC 2SPA180
30,04,01,224	Kupplung 24VDC 9PK	clutch 24VDC 9PK
30,04,01,226	Kupplung 24VDC 1SPB144 DKS32	clutch 24VDC 1SPB144
30,04,01,227	Kupplung 24VDC 2AVX13 D=177	clutch 24VDC 2AVX13 D=77
30,04,01,228	Kupplung 24VDC 5PK272 2XPB193	clutch 24VDC 5PK272 2XPB193
30,04,01,230	ersetzt durch 30,04,02,230 & 30,04,01,834	use > 30,04,02,230 & 30,04,01,834
30,04,01,232	ersetzt durch 30,04,02,232 & 30,04,01,834	use > 30,04,02,232 & 30,04,01,834
30,04,01,233	ersetzt durch 30,04,02,233 & 30,04,01,834	use > 30,04,02,233 & 30,04,01,834
30,04,01,234	ersetzt durch 30,04,02,234 & 30,04,01,834	use > 30,04,02,234 & 30,04,01,834
30,04,01,235	ersetzt durch 30,04,02,235 & 30,04,01,834	use > 30,04,02,235 & 30,04,01,834
30,04,01,236	ersetzt durch 30,04,02,236 & 30,04,01,834	use > 30,04,02,236 & 30,04,01,834
30,04,01,240	ersetzt durch 30,04,02,240 & 30,04,01,834	use > 30,04,02,240 & 30,04,01,834
30,04,01,241	Kupplung, 5PK215 2SPB210	clutch, 5PK215 2SPB210
30,04,01,242	ersetzt durch 30,04,02,242 & 30,04,01,834	use > 30,04,02,242 & 30,04,01,834
30,04,01,243	ersetzt durch 30,04,02,243 & 30,04,01,834	use > 30,04,02,243 & 30,04,01,834
30,04,01,244	Kupplung 24VD 5PK225	clutch, 5PK225 24VDC
30,04,01,245	ersetzt durch 30,04,02,245 & 30,04,01,834	use > 30,04,02,245 & 30,04,01,834
30,04,01,247	EM Kupplung LA16WK 70Y 24VDC	clutch WK 70Y, 24VDC
30,04,01,606	Kupplung 12VDC 2SPA5'1/4" SD508	clutch 12VDC 2SPA5'1/4"
30,04,01,610	Kupplung 12VDC PK 5'1/4" SD508	clutch 12VDC PK 5'1/4"
30,04,01,611	Kupplung 12VDC PK 5" SD505 SD5H09	clutch 12VDC PK 5"

Tabella1

30,04,01,613	Kupplung 12VDC 1SPA95 TRS105	clutch 12VDC 1SPA95
30,04,01,620	Kupplung, 5 1/4" 24VDC SD7H15	clutch, 5 1/4" 24VDC
30,04,01,803	Magnetkern 24VDC LA16	magnet core 24VDC
30,04,01,804	Magnetkern 12VDC LA16	magnet core 12VDC
30,04,01,805	Magnetkern 24VDC LA21.2	magnet core 24VDC
30,04,01,806	Magnetkern 24VDC LA16 FK5	magnet core 24VDC
30,04,01,815	Magnetkern 24VDC LA18	magnet core 24VDC
30,04,01,817	Magnetkern 24VDC LA28.2.1/LA13.1	magnet core 24VDC
30,04,01,819	Feder LA15/16	spring
30,04,01,820	Ringfeder LA16	spring, ring
30,04,01,821	Feder LA18	spring
30,04,01,823	Feder LA150.2Y	spring
30,04,01,824	Magnetkern 24VDC LA150	magnet core 24VDC
30,04,01,825	Magnetkern 12VDC SD508	magnet core 12VDC
30,04,01,826	Magnetkern 24VDC SD508	magnet core 24VDC
30,04,01,827	Magnetkern DKS 32	magnet core 24VDC
30,04,01,828	Magnetkern 24VDC KK24	coil, clutch 24VDC KK34
30,04,01,830	Kugellager f. Kupplung	bearing, ball f. clutch
30,04,01,831	Kugellager f. Kupplung	bearing, ball f. clutch
30,04,01,833	Magnetkern mit Diode 24VDC	magnet core 24VDC w/diode
30,04,01,834	Kabel, Kupplung kompl.	wire, clutch cpl.
30,04,01,841	Kupplung 24VDC 8PK	clutch 24VDC 8PK
30,04,01,842	Kupplung 24VDC 2SPB	clutch 24VDC 2SPB
30,04,01,844	Kupplung TM31 24VDC 2SPA	clutch 24VDC 2SPA
30,04,02,030	Kupplung 24VDC 1SPA258 2SPB203	clutch 24VDC 1SPA258 2SPB203
30,04,02,031	Kupplung 24VDC ohne Riemenscheibe	clutch 24VDC w/o pulley
30,04,02,048	Kupplung 24VDC 2SPB164	clutch 24VDC 2SPB164
30,04,02,071	Kupplung 24VDC 1SPA260 2SPB215	clutch 24VDC 1SPA260 2SPB215
30,04,02,207	Kupplung 24VDC 2SPB159,9	clutch 24VDC 2SPB159,9
30,04,02,209	Kupplung 24VDC 1SPA242 2SPB169	clutch 24VDC 1SPA242 2SPB170
30,04,02,210	Kupplung 24VDC 2SPA254 2SPB193	clutch 24VDC 2SPA254 2SPB193
30,04,02,222	Kupplung 24VDC 2SPA180	clutch 24VDC 2SPA181
30,04,02,228	Kupplung 24VDC 5PK272 2SPB193	clutch 24VDC 5PK272 2SPB193
30,04,02,230	Kupplung 24VDC 11PK180	clutch 24VDC 11PK180
30,04,02,231	Kupplung 24VDC	clutch 24VDC

Tabella1

30,04,02,232	Kupplung 24VDC 2SPB DA180	clutch 24VDC 2SPB180
30,04,02,233	Kupplung 24VDC 2SPA276 2SPB197	clutch 24VDC 2SPA276 2SPB197
30,04,02,234	Kupplung 2SPA120 2SPB180	clutch 24VDC 2SPA280 2SPB180
30,04,02,235	Kupplung 2SPA270 2SPB193	clutch 24VDC 2SPA270 2SPB193
30,04,02,236	Kupplung 24VDC 2SPB200	clutch 24VDC 2SPB200
30,04,02,237	Kupplung 24VDC 10PK225	clutch 24VDC 10PK225
30,04,02,238	Kupplung 24VDC 2SPB210	clutch 24VDC 2SPB210
30,04,02,239	Kupplung 24VDC 3SPB170	clutch 24VDC 3SPB170
30,04,02,240	Kupplung 24VDC 2SPA220 2SPB220	clutch 24VC 2SPB220 2SPA220
30,04,02,242	Kupplung24VDC AVX167	clutch 24VDC AVX167
30,04,02,243	Kupplung 24VDC 9PK204	clutch 24VDC 9PK204
30,04,02,245	Kupplung 24VDC 2SPA264 2SPB236	clutch 24VDC 2SPA264 2SPB236
30,04,02,246	Kupplung 24VDC 2SPA274,5 2SPB212	clutch 24VDC 2SPA274,5 2SPB212
30,04,02,247	Kupplung 24VDC 2SPA176 2SPB132	clutch 24VDC 2SPA176 2SPB132
30,04,02,248	Kupplung 24VDC 9PK	clutch 24VDC 9PK
30,04,02,250	Kupplung 24VDC 2SPA294 2SPB153	clutch 2SPA294 2SPB153
30,04,02,251	Kupplung 24VDC AVX210 9PK205	clutch 24VDC AVX210 9PK205
30,04,02,252	Kupplung 24VDC 2SPA 2SPB 225	clutch 24VDC 2SPA 2SPB 225
30,04,02,253	Kupplung 24VDC 2SPB160	clutch 24VDC 2SPB160
30,04,02,254	Kupplung 24VDC AVX210 9PK208	clutch 24VDC AVX210 9PK208
30,04,02,255	Kupplung 24VDC 2SPB203	clutch 24VDC 2SPB203
30,04,02,256	Kupplung 24VDC 2SPA218 2SPB193	clutch 24VDC 2SPA218 2SPB193
30,04,02,257	Kupplung 24VDC 9PK147	clutch 24VDC 9PK147
30,04,02,258	Kupplung 24VDC 10PK173	clutch 24VDC 10PK173
30,04,02,259	Kupplung 24VDC 4SPA190	clutch 24VDC 4SPA190
30,04,95,030	EM-Kupplung 24VDC	EM-Clutch 24VDC
30,04,95,035	EM-Kupplung KK34-20 24VDC	Magnetkupplung KK34-20 24VDC
30,04,95,050	ersetzt durch 30,04,01,841	use > 30,04,01,841
30,04,95,054	Magnetkupplung 24VDC 8PK	clutch assy 24VDC 8PK
30,06,10,007	Keilriemen 732 SPA	V-belt 732 SPA
30,06,10,009	Keilriemen 800 SPA	V-belt 800 SPA
30,06,10,010	Keilriemen 807 SPA	V-belt 807 SPA
30,06,10,025	Keilriemen 1000 SPA	V-belt 1000 SPA
30,06,10,026	Keilriemen 1007 SPA	V-belt 1007 SPA
30,06,10,029	Keilriemen 1060 SPA	V-belt 1060 SPA

Tabella1

30,06,10,043	Keilriemen 1282 SPA	V-belt 1282 SPA
30,06,10,055	Keilriemen 1432 SPA	V-belt 1432 SPA
30,06,10,073	Keilriemen 1757 SPA	V-belt 1757 SPA
30,06,10,074	Keilriemen 1782 SPA	V-belt 1782 SPA
30,06,10,087	Keilriemen 2000 SPA	V-belt 2000 SPA
30,06,10,097	Keilriemen 2240 SPA	V-belt 2240 SPA
30,06,11,016	Keilriemen 982 XPA	V-belt 982 XPA
30,06,11,019	Keilriemen 1107 XPA	V-belt 1107 XPA
30,06,11,020	Keilriemen 1032 XPA	V-belt 1032 XPA
30,06,11,021	Keilriemen 1120 XPA	V-belt 1120 XPA
30,06,11,022	Keilriemen 1180 XPA	V-belt 1180 XPA
30,06,11,023	Keilriemen 1207 XPA	V-belt 1207 XPA
30,06,11,025	Keilriemen 1232 XPA	V-belt 1232 XPA
30,06,11,026	Keilriemen 1250 XPA	V-belt 1250 XPA
30,06,11,027	Keilriemen 1257 XPA	V-belt 1257 XPA
30,06,11,028	Keilriemen 1282 XPA	V-belt 1282 XPA
30,06,11,030	Keilriemen 1307 XPA	V-belt 1307 XPA
30,06,11,032	Keilriemen 1400 XPA	V-belt 1400 XPA
30,06,11,036	Keilriemen 1500 XPA	V-belt 1500 XPA
30,06,11,047	Keilriemen 2240 XPA	V-belt 2240 XPA
30,06,15,018	Keilriemen satzgelängt AV13/12,5 2x825	V-belt fixed-length AV13/12,5 2x825
30,06,15,025	Keilriemen AV13/12,5 L900	V-belt AV13/12,5 L900
30,06,15,027	Keilriemen AV13/12,5 L950	V-belt AV13/12,5 L950
30,06,15,041	Keilriemen AV13/12,5 L1025	V-belt AV13/12,5 L1025
30,06,15,045	Keilriemen AV13/12,5 L1060	V-belt AV13/12,5 L1060
30,06,15,050	Keilriemen AV 13/12,5 L1100	V-belt AV 13/12,5 L1100
30,06,15,052	Keilriemen AV 13/12,5 L1125	V-belt AV 13/12,5 L1125
30,06,15,057	Keilriemen AV 13/12,5 L1175	V-belt AV 13/12,5 L1175
30,06,16,024	Keilriemen AV 13/12,5 L1400	V-belt AV 13/12,5 L1400
30,06,20,020	Keilriemen SPB 1250	V-belt SPB 1250
30,06,20,023	Keilriemen SPB 1550	V-belt SPB 1550
30,06,20,031	Keilriemen SPB 2000	V-belt SPB 2000
30,06,20,033	Keilriemen 2264 SPB	V-belt SPB 2264
30,06,20,035	Keilriemen satzgelängt SPB 2310	V-belt fixed-length SPB 2310
30,06,20,036	Keilriemen SPB 2360	V-belt SPB 2360

Tabella1

30,06,20,037	Keilriemen SPB 2391	V-belt SPB 2391
30,06,20,038	Keilriemen 2240 SPB	V-belt 2240 SPB
30,06,20,041	Keilriemen 1345 AVX15	V-belt 1345 AVX15
30,06,20,044	Keilriemen 1360 AVX15	V-belt 1360 AVX15
30,06,20,045	Keilriemen 1445 AVX15	V-belt 1445 AVX15
30,06,20,046	Keilriemen 1500 AVX15	V-belt 1500 AVX15
30,06,20,060	Keilriemen 7PK 1397	V-belt 7PK 1397
30,06,20,062	Keilriemen XPB 1450	V-belt XPB 1450
30,06,21,002	Keilriemen 1320 XPB	V-belt XPB 1320
30,06,21,003	Keilriemen 1443 XPB	V-belt L1443 XPB
30,06,21,004	Keilriemen 1500 XPB	V-belt LP1500 XPB
30,06,21,006	Keilriemen 1700 XPB	V-belt LP1700 XPB
30,06,21,007	Keilriemen 1750 XPB	V-belt 1750 XPB
30,06,21,008	Keilriemen LW1800 XPB	V-belt LW1800 XPB
30,06,21,009	Keilriemen LP2000 XPB	V-belt LP2000 XPB
30,06,21,011	Keilriemen LP2120 XPB	V-belt LP2120 XPB
30,06,21,013	Keilriemen XPB LP2240	V-belt XPB LP2240
30,06,21,016	Keilriemen LP2500 XPB	V-belt LP2500 XPB
30,06,21,021	Keilriemen LP2410 XPB	V-belt LP2410 XPB
30,06,22,016	Keilriemen LP2210 XPB	V-belt LP2210 XPB
30,06,23,001	Kraftband LW2100 3SPB	belt, banded LW2100 2SPB
30,06,23,002	Kraftband LW2075 2SPB	belt, banded LW2075 2SPB
30,06,23,004	Kraftband LW2100 2SPB	belt, banded LW2100 2SPB
30,06,23,006	Kraftband LW2000 2SPB	belt, banded LW2000 2SPB
30,06,23,010	Kraftband LW2280 2SPB	belt, banded LW2280 2SPB
30,06,23,012	Kraftband LA2400 2SPB	belt, banded LA2400 2SPB
30,06,23,015	Kraftband LW2550 2SPB	belt, banded LW2550 2SPB
30,06,35,015	Keilriemen, breit L1400 für LR2	V-belt, broad L1400 for LR2
30,06,35,038	Keilriemen AV10/9,5 LA950	V-belt AV10/9,5 LA950
30,06,95,021	Keilriemen A21	V-belt A21
30,06,95,043	Keilriemen A42	V-belt A42
30,06,95,070	Keilriemen A70	V-belt A70
30,06,95,256	Keilriemen B56	V-belt B56
30,06,95,284	Keilriemen B84	V-belt B84
30,06,95,287	Keilriemen B87	V-belt B87

Tabella1

30,06,95,289	Keilriemen B89	V-belt B89
30,06,95,915	Keilriemen XPB 2150	V-belt XPB 2151
30,06,95,970	ersetzt durch 30,09,01,022	use > 32,09,01,022
30,06,95,971	Keilriemen 8PK-2030	V-belt 8PK-2030
30,06,95,972	Keilriemen 8PK 2080	belt, 8PK 2080
30,06,95,974	Keilriemen 8PK-1785	V-belt 8PK-1785
30,06,95,975	Keilriemen 8PK 2055	V-belt 8PK 2055
30,06,95,977	Keilriemen 8PK 2190	V-belt 8PK 2190
30,06,95,987	Keilriemen SPB L=2120	belt, power SPB L=2120
30,06,95,992	Keilriemen 8PK, 1930	V-belt 8PK, 1931
30,06,95,995	Keilriemen 6PK 2325	V-belt 6PK 2326
30,09,01,002	Keilrippenriemen 5PK 1300	V-belt 5PK 1300
30,09,01,004	Keilrippenriemen 6PK 1321	V-belt 6PK 1321
30,09,01,005	Keilrippenriemen 7PK 1190	V-belt 7PK 1190
30,09,01,010	Keilrippenriemen 4PK 2100	V-belt 4PK 2100
30,09,01,011	Keilrippenband 4PK 698	V-belt 4PK 698
30,09,01,013	Keilrippenriemen 7PK 1420	V-belt 7PK 1420
30,09,01,014	Keilrippenriemen 7PK 1570	V-belt 7PK 1570
30,09,01,015	Keilrippenriemen 7PK 1440	V-belt 7PK 1440
30,09,01,016	Keilrippenriemen 7PK 1388	V-belt 7PK 1388
30,09,01,020	Keilrippenriemen 7PK 1655	V-belt 7PK 1655
30,09,01,021	Keilrippenriemen 6PK 1300	V-belt 6PK 1300
30,09,01,022	Flachriemen 8PK 2205	V-belt 8PK 2205
30,09,01,023	Keilrippenriemen 6PK 1655	V-belt 6PK 1655
30,09,01,030	Keilrippenriemen 11PK 1655	V-belt 11PK 1655
30,09,01,036	Keilrippenriemen 5PK 1321	V-belt 5PK 1322
30,09,02,030	Keilrippenriemen 11PK 1650	V-belt 11PK 1650
30,11,02,006	Gasdruckstoßdämpfer	shock absorber
30,12,01,006	Tellerfeder A16x8,2x0,9	disk spring A16x8,2x0,9
30,12,01,007	Tellerfeder A16x8,2x0,9	disk spring A16x8,2x0,9
30,13,01,027	Konuslager 11 MN 45	bearing, tapered 11 MN 45
30,13,01,030	Schwingmetall	compensator, vibration
30,13,01,031	Anschlagscheibe	stop ring
30,13,01,032	Zentrierscheibe	disk, center
30,13,01,035	Bügelement 55	hoop element 55

Tabella1

30,13,01,036	Bügelement 65	hoop element 65
30,13,01,036	Bügelement 65	hoop element 65
30,13,01,038	Konuslager 60	bearing, tapered 60
30,13,01,039	Konuslager 45	bearing, tapered 45
30,13,02,010	Rundlager 45 M8	bearing, round 45 M8
30,13,02,017	Schwingelement M8	compensator, vibration
30,13,02,026	Anschlagscheibe	stop ring
30,13,02,030	Schwingungsdämpfer 60	damper, vibration 60
30,13,02,041	Gummihülse 31,5/20x25	sleeve, rubber 31,5/20x25
30,13,02,042	Schwingungsisolator	rubber mounting
30,13,02,047	Rundlager D75 H25 M12 60	bearing, round D75 H25 M12 60
30,13,02,050	Rundlager D30 H15 M8 44	bearing, round D30 H15 M8 44
30,13,02,052	Metalgummipuffer	damper, rubber/metal
30,13,02,053	Metalgummipuffer	damper, rubber/metal
30,13,03,009	Metalldämpfer	metal, damper
30,13,03,013	Ganzmetalldämpfer	damper, metal
30,13,03,020	Schwingungsdämpfer	damper, vibration
30,13,03,021	BS Schwingungselemente	kit pulse damper
30,13,03,023	Ganzmetalldämpfer	damper, metal
30,13,03,024	Schwingungsdämpfer	damper, vibration
30,13,03,040	Schwingungsdämpfer	damper, vibration
30,13,03,041	Schwingungsdämpfer	damper, vibration
30,13,04,001	Spannelement	tensioner D16,5
30,13,04,003	Spannelement D16,5	tensioner D16,5
30,13,06,003	Schwingungsdämpfer	damper, vibration
30,13,95,100	Schwingungsdämpfer	damper, vibration
30,17,02,002	Gabelgelenk M5x10 M5	fork link M5x10 M5
30,17,02,004	Gabelgelenk M6x12 M6	fork link M6x12 M6
30,17,02,019	Gabelkopf m. SI 16x32x1,5	fork head w. fuse 16x32x1,5
30,17,07,014	Einschraubbolzen m. SI 16x32	bolt screw, secured 16x32
30,17,10,012	Winkelgelenk AS10-M6	angle joint
30,17,10,016	Winkelgelenk m. Nietzapfen BS10x4,5	angle joint w. rivet bolt
30,17,10,018	Winkelgelenk AS10-M6-LH	angle joint
-302-436	ersetzt durch 40-60058-05	use > 40-60058-05
32,01,01,056	Schraube 6-Kt M10x40	bolt hexagon M10x40

Tabella1

32,01,01,057	Schraube 6-kt M 10x45	bolt hexagon M10x45
32,01,01,058	Schraube 6-Kt M10x50	bolt hexagon M10x50
32,01,01,059	Schraube 6-Kt M10x55	bolt hexagon M10x55
32,01,01,062	Schraube 6-Kt M10x70	bolt hexagon M10x70
32,01,01,063	Schraube 6-Kt M10x75	bolt hexagon M10x75
32,01,01,064	Schraube 6-Kt M10x80	bolt hexagon M10x80
32,01,01,065	Schraube 6-Kt M10x90	bolt hexagon M10x90
32,01,01,066	Schraube 6-Kt M10x100	bolt hexagon M10x100
32,01,01,067	Schraube 6-Kt M10x110	bolt hexagon M10x110
32,01,01,082	Schraube 6-Kt M12x90	bolt hexagon M12x90
32,01,01,093	Schraube 6-Kt M10x85	bolt hexagon M10x85
32,01,01,155	Schraube 6-Kt M10x90	bolt hexagon M10x90
32,01,01,719	Schraube 6-Kt M10x85	bolt hexagon M10x85
32,01,02,010	Schraube 6-Kt M4x12	bolt hexagon M4x12
32,01,02,024	Schraube 6-Kt M5x16	bolt hexagon M5x16
32,01,02,042	Schraube 6-Kt M6x12	bolt hexagon M6x12
32,01,02,044	Schraube 6-Kt M6x16	bolt hexagon M6x16
32,01,02,045	Schraube 6-Kt M6x20	bolt hexagon M6x20
32,01,02,046	Schraube 6-Kt M6x25	bolt hexagon M6x25
32,01,02,054	Schraube 6-Kt M6x75	bolt hexagon M6x75
32,01,02,060	Schraube 6-Kt M8x12	bolt hexagon M8x12
32,01,02,061	Schraube 6-Kt M8x16	bolt hexagon M8x16
32,01,02,063	Schraube 6-Kt M8x25	bolt hexagon M8x25
32,01,02,067	Schraube 6-Kt M8x45	bolt hexagon M8x45
32,01,02,070	Schraube 6-Kt M8x70	bolt hexagon M8x70
32,01,02,073	Schraube 6-Kt M8x100	bolt hexagon M8x100
32,01,02,081	Schraube 6-Kt M10x20	bolt hexagon M10x20
32,01,02,082	Schraube 6-Kt M10x25	bolt hexagon M10x25
32,01,02,083	Schraube 6-Kt M10x30	bolt hexagon M10x30
32,01,02,084	Schraube 6-Kt M10x35	bolt hexagon M10x35
32,01,02,085	Schraube 6-Kt M10x40	bolt hexagon M10x40
32,01,02,086	Schraube 6-Kt M10x45	bolt hexagon M10x45
32,01,02,087	Schraube 6-Kt M10x50	bolt hexagon M10x50
32,01,02,088	Schraube 6-Kt M10x60	bolt hexagon M10x60
32,01,02,091	Schraube 6-Kt M10x80	bolt hexagon M10x80

Tabella1

32,01,02,092	Schraube 6-Kt M10x100	bolt hexagon M10x100
32,01,02,104	Schraube 6-Kt M12x30	bolt hexagon M12x30
32,01,02,109	Schraube 6-Kt M12x60	bolt hexagon M12x60
32,01,02,111	Schraube 6-Kt M12x80	bolt hexagon M12x80
32,01,02,126	Schraube 6-Kt M14x35	bolt hexagon M14x35
32,01,02,132	Schraube 6-Kt M14x75	bolt hexagon M14x75
32,01,02,168	Schraube 6-Kt B18x50	bolt hexagon B18x50
32,01,02,188	Schraube 6-Kt M20*140	bolt hexagon M20*140
32,01,02,670	Schraube 6-Kt M10x30	bolt hexagon M10x30
32,01,02,673	Schraube 6-Kt M10x45	bolt hexagon 6-Kt M10x45
32,01,02,674	Schraube 6-Kt M10x50	bolt hexagon 6-Kt M10x50
32,01,02,675	Schraube 6-Kt M10x65	bolt hexagon 6-Kt M10x65
32,01,02,676	Schraube 6-Kt M10x70	bolt hexagon 6-Kt M10x70
32,01,04,003	Augenschraube M6x45	bolt, eye M8x45
32,01,04,006	Augenschraube LB M10x100	bolt, eye LB M10x100
32,01,04,007	Augenschraube M10x80	bolt, eye M10x80
32,01,04,016	Augenschraube M10x110	bolt, eye M10x110
32,01,04,020	Augenschraube M12x120	bolt, eye M12x120
32,01,04,021	Augenschraube M12x250	bolt, eye M12x250
32,01,06,036	Zylinderschraube M3x8	bolt, cylindric M3x8
32,01,06,078	Zylinderschraube M6x20	bolt, cylindric M6x20
32,01,07,023	Zylinder 6-Kt innen M6x25	cylinder hexagon inside M6x25
32,01,07,035	Zyl-Schraube 6-Kt innen M8x16	bolt, cylindric hexagon inside M8x16
32,01,07,038	Zyl-Schraube 6-Kt innen M8x30	bolt, cylindric hexagon inside M8x30
32,01,07,058	Zyl-Schraube 6-Kt innen M10x40	bolt, cylindric hexagon inside M10x40
32,01,07,060	Zyl-Schraube 6-Kt innen M10x60	bolt, cylindric hexagon inside M10x60
32,01,07,062	Zyl-Schraube 6-Kt innen M10x70	bolt, cylindric hexagon inside M10x70
32,01,07,065	Zyl-Schraube 6-Kt innen M10x130	bolt, cylindric hexagon inside M10x130
32,01,08,033	Zyl-Schraube 6-Kt innen M8x25	bolt, cylindric hexagon inside M8x25
32,01,10,016	Schraube 6-Kt M8x1x30	bolt hexagon M8x1x30
32,01,11,040	Schraube Senkkopf M4x20	bolt flat head M4x20
32,01,11,051	Schraube Senkkopf M5x20	bolt flat head M5x20
32,01,11,093	Schraube Senkkopf M10x20	bolt flat head M10x20
32,01,14,024	Schraube 6-Kt M18x1,5x70	bolt hexagon M18x1,5x70
32,01,20,024	Blechschrabe 6-Kt B4,8x16	screw, sheet hexagon B4,8x16

Tabella1

32,01,22,029	LB-Schraube 4,8x16	pan-head tapping screw cross 4,8x16
32,01,22,036	LB-Schraube 4,8x45	pan-head tapping screw cross 4,8x45
32,01,22,052	LB-Schraube 4,2x13	pan-head tapping screw cross 4,2x13
32,01,22,055	LB-Schraube 4,8x13	pan-head tapping screw cross 4,8x13
32,01,22,553	LB-Schraube 3,5x13	pan-head tapping screw 3,5x13
32,01,23,020	LB-Schraube 3,5x16	pan-head tapping screw cross 3,5x16
32,01,25,011	LB-Schraube 2,5x12	pan-head tapping screw cross 2,5x12
32,01,26,351	Schraube 6-Kt 3/8"x1 3/4"	bolt hexagon 3/8"x1 3/4"
32,01,28,023	Flügelschraube M6x16	bolt, wing M6x16
32,01,29,019	Linsensenkschraube M4x10	raised countersunk head screw M4x10
32,01,30,001	Gewindestift M5x30	thread pin M5x30
32,01,31,351	Gewindestift M4x10	thread pin M4x10
32,01,34,009	Rändelschraube M5x12	screw, milled 5x10 20
32,01,36,006	Spannschraube	screw, straining
32,01,36,016	Schraube 6-Kt innen 4x10	bolt hexagon inside 4x10
32,01,36,018	Rändelschraube 5x10 20	screw, milled 5x10 20
32,01,42,031	Schraube 6-Kt M4x12	bolt hexagon M4x12
32,01,42,033	Schraube 6-Kt M4x16	bolt hexagon M4x16
32,01,42,047	Schraube 6-Kt M5x12	bolt hexagon M5x12
32,01,42,049	Schraube 6-Kt M5x16	bolt hexagon M5x16
32,01,42,051	Schraube 6-Kt M5x20	bolt hexagon M5x20
32,01,42,053	Schraube 6-Kt M5x25	bolt hexagon M5x25
32,01,42,069	Schraube 6-Kt M6x20	bolt hexagon M6x20
32,01,42,071	Schraube 6-Kt M6x25	bolt hexagon M6x25
32,01,42,072	Schraube 6-Kt M6x30	bolt hexagon M6x30
32,01,42,080	Schraube 6-Kt M6x70	bolt hexagon M6x70
32,01,42,090	Schraube 6-Kt M8x16	bolt hexagon M8x16
32,01,42,092	Schraube 6-Kt M8x20	bolt hexagon M8x20
32,01,42,097	Schraube 6-Kt M8x40	bolt hexagon M8x40
32,01,42,098	Schraube 6-Kt M8x45	bolt hexagon M8x45
32,01,42,130	Schraube 6-Kt M10x100	bolt hexagon M10x100
32,01,95,001	ersetzt durch 32,01,34,009	use > 32,0134,009
32,01,95,006	6kt-Schraube M5x16	screw, hex M5x16
32,01,95,034	Schraube HM 10x30	bolt, HM 10x30 10.9
32,02,14,009	Mutter 6-Kt M4	nut hexagon M4

Tabella1

32,02,14,011	Mutter 6-Kt M6	nut hexagon M6
32,02,14,015	Mutter 6-Kt M10	nut hexagon M10
32,02,14,017	Mutter 6-Kt M12	nut hexagon M12
32,02,14,019	Mutter 6-Kt M14	nut hexagon M14
32,02,14,024	Mutter 6-Kt M18	nut hexagon M18
32,02,14,372	Mutter M4	nut M4
32,02,14,373	Mutter 6-Kt M5	nut hexagon M5
32,02,14,374	Mutter 6-Kt M6	nut hexagon M6
32,02,14,376	Mutter 6-Kt M8	nut hexagon M8
32,02,16,009	Mutter 6-Kt M16x1,5	nut hexagon M16x1,5
32,02,17,355	Mutter 6-Kt M6	nut hexagon M6
32,02,22,003	Mutter 6-Kt M5	nut hexagon M5
32,02,22,006	Mutter 6-Kt M8	nut hexagon M8
32,02,22,008	Mutter 6-Kt M10	nut hexagon M10
32,02,22,010	Mutter 6-Kt Selbstsich. M12	nut hexagon M12 secured
32,02,22,053	Mutter 6-Kt selbstsich. M5	nut hexagon secured M5
32,02,22,054	Mutter 6-Kt selbstsich. M6	nut hexagon secured M6
32,02,22,058	Mutter 6-Kt selbstsich. M10	nut hexagon secured M10
32,02,24,003	Blindnietmutter Senkkopf M6 90°	rivet, blind nut flat head (bolt/screw) M6 90°
32,02,24,015	Blindnietmutter gerändelt M6	rivet, blind nut milled M6
32,02,25,001	Nietmutter M6	rivet nut M6
32,03,03,005	Unterlegscheibe A4,3	washer A4,3
32,03,03,006	Unterlegscheibe B5,3	washer B5,3
32,03,03,007	Unterlegscheibe B6,4	washer B6,4
32,03,03,009	Unterlegscheibe B8,4	washer B8,4
32,03,03,010	Unterlegscheibe B10,5	washer B10,5
32,03,03,011	Unterlegscheibe d=13	washer B13
32,03,03,015	Unterlegscheibe B21	washer B21
32,03,03,362	Unterlegscheibe A4,3	washer A4,3
32,03,03,363	Unterlegscheibe B5,3	washer B5,3
32,03,03,366	Unterlegscheibe A8,4	washer A8,4
32,03,03,367	Unterlegscheibe A10,5	washer A10,5
32,03,08,004	Unterlegscheibe 12x3,25x1	washer 12x3,25x1
32,03,08,006	Unterlegscheibe 12x4,85x1	washer 12x4,85x1
32,03,20,005	Scheibe 5,3	disc 5,3

Tabella1

32,03,20,006	Scheibe 6,4	disc 6,4
32,03,20,009	Scheibe 10,5	disc 10,5
32,03,20,010	Scheibe A13	disc
32,03,20,365	Scheibe A4,3	disc A4,3
32,03,20,366	Scheibe A5,3	disc
32,03,20,367	Scheibe A 6,4	disc
32,03,20,369	Scheibe A8,4	disc A8,4
32,03,20,552	U-Scheibe 6.4	screw retension M6
32,04,01,012	Zahnscheibe J6,4	tooth lock washer J6,4
32,04,01,014	Zahnscheibe J8,4	tooth lock washer J8,4
32,04,01,015	Zahnscheibe J10,5	tooth lock washer J10,5
32,04,01,016	Zahnscheibe J12,5	tooth lock washer J12,5
32,04,01,019	Zahnscheibe J18,5	tooth lock washer J18,5
32,04,05,006	Scheibe S6 Schnorr	disc S6
32,04,05,008	Scheibe S8 Schnorr	disc S8
32,04,05,010	Scheibe S10 Schnorr	disc, S10
32,04,06,001	Sperrkantring GR4	springwasher GR4
32,04,06,002	Sperrkantring GR5	springwasher GR5
32,04,06,003	Sperrkantring GR6	springwasher GR6
32,04,06,004	Sperrkantring GR8	springwasher GR8
32,04,06,005	Sperrkantring GR10	springwasher GR10
32,04,06,006	Sperrkantring Gr12	springwasher Gr12
32,04,07,001	Sperrkantring GR4	springwasher GR4
32,04,07,002	Sperrkantring GR5	springwasher GR5
32,04,07,003	Sperrkantring GR6	springwasher GR6
32,04,07,004	Sperrkantring GR8	springwasher GR8
32,04,07,005	Sperrkantring Gr10	springwasher Gr10
32,04,10,014	Federring A8 DIN 127	spring lock
32,04,10,015	Federring aufgebogen A10	spring lock bended up A10
32,04,10,016	Federring A 12 DIN 127	spring lock A12
32,04,10,017	Federring A14	spring lock A14
32,04,95,002	ersetzt durch 32,03,20,366	use > 32,03,20,366
32,07,02,080	Spannhülse leicht	adapter, sleeve lightly
32,07,03,005	Spannhülse	adapter, sleeve
32,07,03,010	Spannhülse schwer DA 16x22	adapter, sleeve heavy DA 16x22

Tabella1

32,07,04,001	Spiralspannstift 3x16	spiral pin flat round 3x16
32,10,05,005	Blindniet 3,2x12,7	rivet, blind flat-rd. 3,2x12,7 6,5-8
32,10,05,013	Blindniet 4,8x11	rivet, blind flat-rd. 4,8x11 5,0-6,5
32,10,05,015	Blindniet 4,8x14	rivet, blind flat-rd. 4,8x14 8-9,5
32,10,05,016	Blindniet 4,8x14	rivet, blind flat-rd. 4,8x14 9,5-13
32,10,10,023	Blindniet 4,8x10	rivet, blind flat-rd. 4,8x10 3,5-5,0
32,10,10,050	Blindniet 3,2x8	rivet, blind flat-rd. 3,2x8 3,5-5
32,10,10,051	Blindniet 3,2x10	rivet, blind flat-rd. 3,2x10 5-7
32,10,10,101	Blindniet 4,8x10,3	rivet, blind flat-rd. 4,8x10,3 1,6-6,4
32,10,10,104	Blindniet 4,8x16,9	rivet, blind flat-rd. 4,8x16,9 6,4-12,7
32,10,10,105	"Blindniet 4,8x18	rivet, blind flat-rd. 4,8x18 11,5-13
32,11,01,002	Passfeder A4x4x40	feather key A4x4x40
32,11,01,012	Passfeder	feather key
32,13,01,008	SI-Ring f. E-Motor SW D8	ring, circlip f. E-Motor BK D8
32,13,01,015	Segerring D90x3	Seeger circlip ring D90x3
32,13,01,020	SI-Ring	ring, circlip
32,13,02,010	SI-Scheibe D7	washer, thrust BK D7
32,13,03,004	Federmutter D4,0	nut, spring D4,0
32,13,05,001	Klemmverschluß SXN06	clip, bajonett
32,14,01,002	Paßscheibe D9x15x0,5	shim ring D9x15x0,5
32,15,01,038	Rohrschelle m. Gummiprofil B12 D6	clamp w. rubber profile B12 D6
32,15,01,044	Rohrschelle m. Gummiprofil B12 D12	clamp w. rubber profile B12 D12
32,15,01,047	Rohrschelle m. Gummiprofil B12 D15	clamp w. rubber profile B12 D15
32,15,01,054	Rohrschelle m. Gummiprofil B12 D22	clamp w. rubber profile B12 D22
32,15,01,075	Rohrschelle m. Gummiprofil B15 D28	clamp w. rubber profile B15 D28
32,15,01,082	Rohrschelle m. Gummiprofil B15 D15	clamp w. rubber profile B15 D15
32,15,05,799	Rohrschelle B20 D20	clamp B20 D20
32,15,10,001	Schneckengewindeschelle B5 D7-11 W2	clamp B5 D7-11
32,15,10,005	Schneckengewindeschelle B8 D10-16 W2	clamp B8 D10-16
32,15,10,006	Schneckengewindeschelle B9 D12-20 W2	clamp B9 D12-20
32,15,10,008	Schneckengewindeschelle B9 D16-25 W1	clamp B9 D16-25
32,15,10,009	Schneckengewindeschelle B9 D20-32 W2	clamp B9 D20-32
32,15,10,011	Schneckengewindeschelle B9 D25-40 W2	clamp B9 D25-40
32,15,10,013	Schneckengewindeschelle B9 D32-50 W2	clamp B9 D32-50
32,15,10,014	Schneckengewindeschelle B9 D40-60 W2	clamp B9 D40-60

Tabella1

32,15,10,015	Schneckengewindeschelle B9 D50-70 W2	clamp B9 D50-70
32,15,10,016	Schneckengewindeschelle B9 D60-80 W2	clamp B9 D60-80
32,15,10,017	Schneckengewindeschelle D80-100 W2	clamp D80-100 W2
32,15,10,023	Schneckengewindeschelle 22-26	clamp 22-26
32,15,10,045	Schneckengewindeschelle B12 D100-120	clamp B12 D100-120
32,15,10,050	Schneckengewindeschelle B12 D150-170	clamp B12 D150-170
32,15,10,051	Schneckengewindeschelle B12 D160-180	clamp B12 D160-180
32,15,11,005	Schneckengewindeschelle	clamp B12 D80-100
32,15,12,004	Schelle D27-31 B12 A-C W4	clamp B12 D27-31
32,15,12,005	Schelle D32-39 A-C	hose clamp D32-39
32,15,12,006	Schelle D40-47 A-C W4	hose clamp D40-47 A-C W4
32,15,12,016	Schelle D27-31 A-C W4	hose clamp D27-31
32,15,13,001	Schelle	hose clamp
32,15,13,002	Spannschelle	mounting clamb
32,15,25,077	Spannschelle mit Konsole	clamp, w/bracket
32,15,30,850	Schelle Gr.2 D15	pipe clip Gr.2 D15
32,15,30,852	Schelle Gr.2 D18	pipe clip Gr.2 D18
32,15,30,855	Schelle Gr.3 D22	pipe clip Gr.3 D22
32,15,30,856	Schelle Gr.3 D23	pipe clip Gr.3 D23
32,15,30,857	Schelle Gr.3 D25.4	pipe clip Gr.3 D25.4
32,15,30,859	Schelle Gr.4 D28	pipe clip Gr.4 D28
32,15,30,863	Schelle Gr.5 D35	pipe clip Gr.5 D35
32,15,30,930	Anschweißplatte Gr.II	welded plate Gr.II
32,15,30,931	Anschweißplatte #03	welded plate #03
32,15,30,935	Deckplatte DP2	cover plate DP2
32,15,30,936	Deckplatte DP3	cover plate DP2
32,15,30,937	Deckplatte DP4	cover plate DP2
32,15,30,938	Deckplatte DP5	cover plate DP5
32,15,32,002	Spannschelle f. Abgasrohr	mounting clamb f. exhaust pipe
32,15,35,009	Schelle m. Konsole	clamp w. bracket
32,15,45,002	Klemmverschluß, federnd C 16	clip, spring
32,15,45,006	Spange f. Trockner	clamp f. drier
32,15,95,004	ersetzt durch 32,15,10,009	use > 32,15,10,009
32,16,01,013	Flansch m. Lötbuchse Feder 25/18 LF	flange w. brazing sleeve spring 25/18
32,16,01,014	Flansch m. Lötbuchse Nut 25/18	flange w. brazing sleeve groove 25/18

Tabella1

32,16,01,015	Flansch m. Lötbuchse Feder 25/22	flange w. brazing sleeve spring 25/22
32,16,01,017	Flansch m. Lötbuchse Feder 25/28 LF	flange w. brazing sleeve spring 25/28
32,16,01,018	Flansch m. Lötbuchse Nut 25/28	flange w. brazing sleeve groove 25/28
32,16,01,019	Flansch m. Lötbuchse Feder 40/35 LF	flange w. brazing sleeve spring 40/35
32,16,01,020	Flansch m. Lötbuchse Nut 40/35 LFN	flange w. brazing sleeve groove 40/35
32,16,01,021	Flansch m. Lötbuchse Nut 40/42	flange w. brazing sleeve groove 40/42
32,16,01,023	Lötstutzen	air duct
32,19,10,006	Reduziermuffe 12-10	coupling, reducer 12-10
32,19,10,010	Reduziermuffe 15-12	coupling, reducer 15-12
32,19,10,018	Reduziermuffe 18l-15l	coupling, reducer 18l-15l
32,19,10,024	Reduziermuffe 22l-18l	coupling, reducer 22l-18l
32,19,10,027	Reduziermuffe 28-15	coupling, reducer 28-15
32,19,10,028	Reduziermuffe 28-22	coupling, reducer 28-22
32,19,10,029	Reduziermuffe 28-19	coupling, reducer 28-19
32,19,10,032	Reduziermuffe 35l-28l	coupling, reducer 35l-28l
32,19,13,007	Lötfitting Bogen kz. 45° 15l-A	soldered pipe-fitting bend sht. 45° 15l-A
32,19,13,009	Lötfitting Bogen kz. 45° 18l-A	soldered pipe-fitting bend sht. 45° 18l-A
32,19,13,011	Lötfitting Bogen lang 45° 28l-A	soldered pipe-fitting bend long 45° 28l-A
32,19,17,009	Lötfitting Bogen lang 45° 18l-l	soldered pipe-fitting bend long 45° 18l-l
32,19,17,010	Lötfitting Bogen lang 45° 22 l-l	soldered pipe-fitting bend long 45° 22 l-l
32,19,17,011	Lötfitting Bogen lang 45° 28l-l	soldered pipe-fitting bend long 45° 28l-l
32,19,17,012	Lötfitting Bogen lang 45° 35 l-l	soldered pipe-fitting bend long 45° 35 l-l
32,19,21,004	Lötfitting Bogen lang 90° 15l-A	soldered pipe-fitting bend long 90° 15l-A
32,19,22,007	Lötfitting Bogen kz. 90° 15l-A	soldered pipe-fitting bend sht. 90° 15l-A
32,19,22,011	Lötfitting Bogen kz. 90° 28l-A	soldered pipe-fitting bend sht. 90° 28l-A
32,19,22,012	Lötfitting Bogen kz. 90° 35l-A	soldered pipe-fitting bend sht. 90° 35l-A
32,19,25,005	Lötfitting Bogen lang 90° 15A-A	soldered pipe-fitting bend long 90° 15A-A
32,19,25,007	Lötfitting Bogen lang 90° 22A-A	soldered pipe-fitting bend long 90° 22A-A
32,19,26,007	Lötfitting Bogen kz. 90° 15l-l	soldered pipe-fitting bend sht. 90° 15l-l
32,19,26,009	Lötfitting Bogen kz. 90° 18l-l	soldered pipe-fitting bend sht. 90° 18l-l
32,19,26,010	Lötfitting Bogen kz. 90° 22 l-l	soldered pipe-fitting bend sht. 90° 22 l-l
32,19,26,011	Lötfitting Bogen kz. 90° 28 l-l	soldered pipe-fitting bend sht. BG 90 GD-28 l-l
32,19,26,012	Lötfitting Bogen kz. 90° 35 l-l	soldered pipe-fitting bend sht. 90° 35 l-l
32,19,32,007	T-Anschluß 15-15-15	T-conn. 15-15-15
32,19,32,009	T-Anschluß 18-18-18	T-conn. 18-18-18

Tabella1

32,19,32,011	T-Anschluß 28-28-28 5130	T-conn. 28-28-28
32,19,32,012	T-Anschluß 35-35-35 5130	T-conn. 35-35-35
32,19,33,036	T-Anschluß Reduzierung 15-10-15	T-conn. reducer 15-10-15
32,19,33,055	T-Anschluß Reduzierung 15-18-15	T-conn. reducer 15-18-15
32,19,33,067	T-Anschluß Reduzierung 18-15-18	T-conn. reducer 18-15-18
32,19,36,006	Winkel D15 I-I	angle D15 I-I
32,19,37,006	Winkel D15 I-A	angle D15 I-A
32,19,39,037	Absatznippel Reduzierung 28A-22	reducing fitting reducer 28A-22
32,19,39,041	Absatznippel Reduzierung 35A-18	reducing fitting reducer 35A-18
32,19,39,042	Absatznippel Reduzierung 35-22	reducing fitting reducer 35-22
32,19,39,043	Absatznippel Reduzierung 35A-28	reducing fitting reducer 35A-28
32,19,39,047	Absatznippel Reduzierung 42A-22	reducing fitting reducer 42A-22
32,19,39,048	Absatznippel Reduzierung 42A-35	reducing fitting reducer 42A-35
32,19,39,049	Absatznippel Reduzierung 42A-35	reducing fitting reducer 42A-35
32,19,42,009	Muffe D22 5270	sleeve D22
32,19,42,010	Muffe D28 5270	sleeve D28
32,19,42,011	Muffe D35 5270	sleeve D35
32,21,01,004	Lötfitting 3-teilig 1 1/4"-35	fitting,sold 3-partial 1 1/4"-35
32,21,02,002	Doppelstutzen M16x1,5	fitting, double M16x1,5
32,21,03,002	Schlauchnippel m. Dichtkopf NW4	hose stem w. seal conical NW4
32,21,03,004	ÜW-Mutter M14x1,5 15x15	nut M14x1,5 15x15
32,21,03,005	ÜW-Mutter M16x1,5 15x15	nut M16x1,5 15x15
32,21,03,006	Schlauchnippel m. Dichtkopf NW6	hose stem w. seal conical NW6
32,22,01,006	Rohrfitting konisch DN20 I-A	connection, pipe conic DN20 I-A
32,22,01,007	Schneidringverschraubung GE 22 LR 3/4"	cutting ring screw GE 22 LR 3/4"
32,23,05,001	O-Ring 15,0x1,8	O-ring 15,0x1,8
32,23,05,002	O-Ring für 5/8" SZ6-5/16"	O-ring D7.65 6-5/16"
32,23,05,003	O-Ring für 3/4" SZ8-13/32"	O-ring D10.82 8-13/32"
32,23,05,004	O-Ring SZ10 R134a	O-ring D14 10-1/2"
32,23,05,005	O-Ring #12 R134a	O-ring #12 R134a
32,23,05,006	O-Ring DKS15	O-ring
32,23,05,011	O-Ring TRS105	O-ring
32,23,05,012	O-Ring TRS105	O-ring
32,23,05,052	O-Ring 18,72x2,62 25	O-ring 18,72x2,62 25 SS
32,23,05,060	O-Ring 17,12x2,62 20 SS	O-ring 17,12x2,62 20 SS

Tabella1

32,23,05,061	O-Ring 13,94x2,62 DS	O-ring 13,94x2,62
32,23,05,062	O-Ring, Ölrückführung 9x1,5	O-ring, oil recirculation 9x1,5
32,23,05,063	O-Ring 21,95x1,78mm	O-ring 21,95x1,78 25
32,23,05,064	O-Ring 29,87x1,78mm	O-ring 29,87x1,78 35
32,23,05,065	O-Ring 20x2 M30x1,5	O-ring 20x2 25 M30x1,5
32,23,05,066	O-Ring 26x2 M36x2	O-ring 26x2 30 M36x2
32,23,05,067	ersetzt durch 32,23,05,073	use > 32,23,05,073
32,23,05,068	O-Ring f. Verschraubung M36	O-ring f. fitting M36
32,23,05,069	O-Ring f. SI-Ventil DI9	O-ring f. valve, safetyDI9
32,23,05,072	O-Ring R134a	O-ring M26x1,5
32,23,05,073	O-RING M30X2,0	O-ring M30X2,0
32,23,05,074	O-Ring M36x2,0	O-ring M36x2,0
32,23,10,001	Dichtring 1"-14	gasket ring 1"-14 15
32,23,10,002	Dichtring 1'1/4-12	gasket ring 1'1/4-12
32,23,10,003	Dichtung 25	gasket 25
32,23,10,004	Dichtung f. Führungsring 8	gasket f. leading washer 8
32,23,10,009	Dichtscheibe 20x4	sealing washer 20x4
32,23,10,010	Dichtscheibe 27,6x6	sealing washer 27,6x6
32,23,10,011	Dichtscheibe D33,5x7,0	sealing washer D33,5x7,0
32,23,10,014	Dichtring 2661-M5	gasket ring 2661-M5
32,23,10,018	Dichtring M5	gasket ring M5
32,23,10,020	Dichtscheibe Teflon D24 H5,5	sealing washer teflon D24 H5,5
32,23,15,004	Dichtring 13.2x18x2	gasket ring 13.2x18x2
32,23,15,005	Dichtring A14x18x1,5	gasket ring A14x18x1,5
32,23,15,006	Dichtring f. Lötflansch DI40	gasket ring f. brazed flange DI40
32,23,15,008	Dichtring f. Lötflansch DI28	gasket ring f. brazed flange DI28
32,23,15,009	Dichtring f. Lötflansch 40/35 DN 35	gasket ring f. brazed flange 40/35 DN 35
32,23,15,010	Dichtring f. Flansch 25/18 DN 18	gasket ring f. flange 25/18 DN 18
32,23,26,001	Dichtring 10x13,5x1	gasket ring 10x13,5x1 4
32,23,26,002	Dichtring f. Ventil 10x13,5x2	gasket ring f. valve 10x13,5x2
32,23,26,064	Dichtring 14x 20x1,5	gasket ring 10x13,5x2
32,23,26,168	Dichtring 21x27x1,5	gasket ring 21x27x1,5
32,23,26,175	Dichtring 22x27x1,5	gasket ring 22x27x1,5
32,23,26,230	Dichtring 7/16"	gasket ring 7/16"
32,23,26,232	Dichtring 5/8"	gasket ring 5/8"

Tabella1

32,23,26,234	Dichtring 3/4"	gasket ring 3/4"
32,23,26,236	Dichtring 7/8"	gasket ring 7/8"
32,23,26,240	Dichtring 1'1/16"	gasket ring 1'1/16"
32,23,95,012	ersetzt durch 32,23,05,004	use > 32,23,05,004
32,23,95,013	ersetzt durch 32,23,05,005	use > 32,23,05,005
32,24,01,001	Klemmverschluss m. Dichtring Dichtung	clamp w. gasket ring
32,24,01,005	Verschlusszapfen	bolt, stopper
32,24,01,006	Unterteil	part, bot.
32,24,01,007	Haltescheibe	retaining washer 10
32,24,01,008	Verschlusszapfen	bolt, stopper
32,24,01,009	Schnellverschlussunterteil	quick release fastener, base
32,24,01,010	Verschlussunterteil	base lock
32,24,01,013	Verschlussbolzen	bolt, stopper
32,24,01,014	Verschlussunterteil	base lock
32,24,01,015	Gegenplatte	plate, mounting
32,24,01,016	Haltescheibe	retaining washer
32,24,01,018	Gegenhaken f. Spannverschluss	counter, hook f. turnbuckle
32,24,01,023	Verschlussstopfen KS=8,5	bolt, stopper KS=8,5
32,24,01,027	Verschlussstopfen KS=6,6-7,3	bolt, stopper KS=6,6-7,3
32,24,01,034	Verschlusszapfen	bolt, stopper
32,24,01,036	Haltenocken 991 R2 1AF	supporting cam
32,24,01,037	BS Verschlussbolzen	bolt, stopper w. gasket
32,24,01,039	Haltenocken m. Träger H35	supporting cam w. carrier H35
32,24,01,040	Spannverschluss	turn buckle
32,24,01,042	BS Druckverschluss	pressure lock cpl.
32,24,01,050	Druckverschluss compl.	pressure lock cpl.
32,24,01,058	Verschlussbolzen	bolt, stopper
32,24,01,059	Kopfunterlegscheibe	head washer
32,24,01,060	SI-Scheibe S16	washer, thrust
32,24,01,063	Verschlussbolzen	bolt, stopper
32,24,01,072	BS Drehriegel H13 L45	fastener cpl. H13 L45
32,24,01,073	Schnappverschluss	spring lock
32,24,01,074	Schnellverschluss Gr.2	quick release fastener Gr.2
32,24,01,076	Haltescheibe, geschlitzt	retaining washer
32,24,01,077	Verschlussbolzen 6-Kt AC270-NP	bolt, stopper hexagon, AC270-NP

Tabella1

32,24,01,079	Flügelkopfbolzen	bolt, swinghead
32,24,02,002	Führungsring	leading washer
32,24,02,003	Sprengring	snap ring
32,24,02,006	Rändelkopfschraube	screw, knurled
32,24,02,008	SI-Ring	ring, circlip
32,24,02,017	ersetzt durch 32,24,02,019	use > 32,24,02,019
32,24,02,019	Combiclip D7,5	clip D7,5
32,24,95,001	Verschluss, AC133/AC135	bolt, lock AC133/AC135
32,24,95,002	Scheibe f. Verschluss AC133/AC135	washer, lock bolt AC133/AC135
32,24,95,003	Verschluss, Unterteil	lock, base
32,24,95,004	Verschlussbolzen D9 L32	bolt, stopper D9 L32
32,24,95,005	Verschlussbolzen D9 L26	bolt, stopper D9 L26
32,24,95,006	Feder f. Verschluss AC133/AC135	spring, lock bolt AC133/AC135
32,24,95,007	Scheibe f. Verschluss AC133/AC135	washer, lock bolt AC133/AC135
32,24,95,008	Si-Scheibe f. Verschluss AC133/AC135	circlip, lock bolt AC133/AC135
32,24,95,009	Scheibe für Verschlussbolzen 1/4drehung	washer, lock bolt 1/4-Rev
32,24,95,011	Verschlussbolzen D9 L20	lock, bolt D9 L20
32,25,01,011	Stangenscharnier gelocht D1,7	hinge drilled DO1,7
32,25,01,026	Scharnier, Stange 30x2 D5 ACR-DA5	hinge, bar 30x2 D5, ACR-DA5
32,25,01,039	Scharnierteil links	hinge, lft. K190
32,25,01,040	Scharnierteil rechts	hinge, rgt. K190
34,01,02,025	Selbstklebefolie transp. 300x130	adhesive folie transp. 300x130
34,01,03,015	Schild 90x70	shield 90x70
34,01,03,042	Schild f. Pressostat HD - rot	shield f. high pressure pressostat
34,01,03,157	Klebefolie f. Luftverteiler 111x85 AC7	label f. air diffuser 111x85, AC7
34,01,03,228	Hinweisschild, für R134a	label, for R134a
34,01,03,251	Schild	shield
34,01,03,263	Schild 622x122 "Carrier Süttrak"	shield 622x122
34,01,03,264	Schild WS 452x89	shield WH 452x89
34,01,03,266	Schild, PVC-hart 266x46	shield WH 266x46
34,01,03,271	Klebeschild f. DL RT AC133	adhesived label f. PL RD, AC133
34,01,03,272	Verbotszeichen D100	label, prohibition D100
34,01,03,291	Alufolie, selbstklebend -CARRIER SÜTRAK- 90x90	label, self adhesive, CARRIER SÜTRAK 90x90
34,01,06,028	Platte, Drucktaste	plate f. switch, press., AC18
34,01,06,029	Platte f. Drucktaster AC10-35	plate f. switch, press., AC10-35

Tabella1

34,01,06,030	Grundplatte f. Thermostat beschriftet	base plate f. thermostat control, labeled
34,01,06,031	Frontplatte beschriftet DA31	front plate, labelled DA31
34,01,06,046	Platte f. Drucktaster	plate f. switch, press.
34,01,06,047	Platte f. D-Taster	plate f. push button
34,01,06,048	Platte f. D-Taster	plate f. switch, press.
34,01,06,049	Grundplatte, Drehzahlsteller	plate, speed control
34,01,06,074	Platte f. Drucktaster	plate f. switch, press.
34,01,06,079	Bedienblende FE4200	panel, driver's control FE4200
34,01,06,280	Frontplatte f. D-Taster	base plate f. switch, press.
-34-00613-07	Schraube P10	bolt P10
-34-00616-00	Unterlegscheibe	washer
-34-01161-00	Mutter, spez.	nut, special
-34-06083-00	Verschlussmutter	locknut
36,03,01,001	Klebeband, weiß aus PVC-Folie	adhesive tape WH
36,03,01,003	Klebeband 38mm/50m	adhesive tape t38 50m
36,10,01,018	Kältemittel 14,0 kg R134a	refrigerant 14,0kg R134a
36,10,01,019	Kältemittel 63kg R134a	refrigerant 63kg
36,10,01,029	Stickstoff getrocknet 4.6 50l	nitro dried 4.6 50l
36,10,01,030	Stickstoff getrocknet 4.6 10l	nitro dried 4.6 10l
36,12,01,001	ersetzt durch 36,12,01,065	use 36,12,01,065
36,12,01,002	Dichtpaste transp. elastisch 310ml	sealing paste transp. elastic 310ml
36,12,01,004	Kleber Sicomet - 50g -	glue, Sicomet 50g
36,12,01,011	Spezialkleber f. Kugellager	special glue f. bearing, ball
36,12,01,013	Dichtmasse	sealing paste 1kg
36,12,01,016	Dichtmasse WS 310ml	sealing kit WH 310ml
36,12,01,017	Dichtmasse GU 310ml	sealing kit GY 310ml
36,12,01,034	Dichtmasse WS 600ml	sealing kit WH 600ml
36,12,01,035	Dichtmasse GU 600ml	sealing kit GY 600ml
36,12,01,037	Dichtmasse SW 0,6l	sealing kit SW 600ml
36,12,01,041	Dichtungsband f. Metallverbindung 0,1x12	sealing tape f. metal connection 0,1x12
36,12,01,042	Lecksuchspray 400ml	leak indicator 400ml
36,12,01,043	Dichtpaste 40g	sealing paste 40g
36,12,01,045	ersetzt durch 36,12,01,002	use > 36,12,01,002
36,12,01,049	Dichtmasse 50ml "Loctite 270"	sealing paste 50ml
36,12,01,052	Dichtmasse WS 310ml	sealing paste WH 310ml

Tabella1

36,12,01,057	Dichtmasse WS 300ml	sealing paste WH 300ml
36,13,01,005	Kältemaschinenöl, 1-Ltr.	refrigeration oil 1L
36,13,01,007	Kältemaschinenöl 1ltr Triton	refrigeration oil 1L
36,13,01,011	Motorenöl 200L	oil, motor 200L
36,13,01,014	Kältemaschinenöl 1Ltr	refrigeration oil 1L
36,13,01,015	Kältemaschinenöl PAG 250ml	refrigeration oil PAG 250ml
36,13,01,019	Schmierpaste 750g	lubricant 750g
36,13,01,022	Schmierstoff hochdruckbeständig	lubricant high pressure resistant
36,13,01,023	Kältemaschinenöl	refrigeration oil
36,15,01,001	Silberlot 2x500	silver brazing 2x500
36,15,01,002	Silberlot 2x500	silver brazing 2x500
38,10,10,001	Einbaurahmen f. Autoradio 180x52	mounting frame f. car radio 180x52
38-50023-00	Gebläserad AirV	blower wheel AirV
38-50024-00	Lüfterflügel	fan blade
40,20,04,008	Ventilratsche	ratchet, refrigerant
40,20,04,102	Tester für Temp.-Regler	tester for thermostat control
-40-00524-00	Bogen M15	elbow M15
-401-100	ersetzt durch AC401-100	use > AC401-100
-401-204	ersetzt durch AC401-204	use > AC401-204
-401-209A	ersetzt durch AC401-209A	use > AC401-209A
-40-60041-00	Anschlußstück Pressostat, ND re	adapter f. pressostat, LP rgt
-418050	BS Ölabscheider	kit oil separator
42-00243-03	O-Ring ORFS 13/16"	O-Ring ORFS, 15,6x1,78
42-00243-04	O-Ring ORFS 1"	O-Ring ORFS 1"
42-00243-11	O-Ring ORFS 1-3/16"	O-Ring ORFS, 1-3/16"
44-50011-00	Verdichtungsring	compression ring
48-60050-00	Spannrolle	pulley, idler
48-60107-00	Distanzstück	spacer
48-60176-00	Spannrolle	pulley, idler
48-60177-00	Spannrolle	pulley, idler
-50-00221-30	SI-Ring O5G	ring, circlip, O5G
-50-00226-50	Kupplungsspule 24VDC	clutch coil 24VDC
-50-01108-00	BG Kupplung 24VDC 2C,9"	assy clutch 24VDC 2C,9"
-50-01122-02	BG Kupplung 24VDC	assy clutch 24VDC
-50-01122-07	BG Kupplung	assy clutch

Tabella1

-50-01122-12	Kupplung	clutch
-50-01122-20	BG Kupplung 24VDC	assy clutch 24VDC
-50-01122-50	Magnetkern 24VDC	coil f. clutch 24VDC
-501-102A	ersetzt durch AC501-102A	use > -AC501-102A
50-60192-04	Keilriemen	V-belt
54-50069-00	Abdichtung, E-Motor	gasket, E-Motor
-58-50058-00	Ausblasgitter, hi horizontal AirV	grill, exhaust, re horizontal, AirV
-58-50062-00	Lagerbock AirV	bearing block, AirV
60,01,06,001	Schalttafel 24VDC AC8	operating panel 24VDC, AC8
60,01,06,010	Schalttafel 12VDC AC8	operating panel 12VDC, AC8
60,01,14,006	Schalttafel 24VDC AC112	operating panel 24VDC, AC112
60,01,14,007	Schalttafel 12VDC AC112	operating panel 12VDC, AC112
60,01,14,018	Schalttafel 24VDC AC112	operating panel 12VDC, AC112
60,01,17,005	Schalttafel 24VDC AC111	operating panel 12VDC, AC111
60,01,20,025	Schalttafel 24VDC AC31	operating panel 24VDC, AC31
60,01,20,093	Schalttafel 24VDC AC31-T	operating panel 24VDC, AC31-T
60,01,21,018	Schalttafel AC310	operating panel, AC310
60,01,21,020	Schalttafel AC310	operating panel, AC310
60,01,21,036	Schalttafel AC310	operating panel, AC310
60,01,21,062	Schalttafel 12VDC AC310	operating panel 12VDC, AC310
60,01,21,065	Schalttafel 24VDC AC310	operating panel 24VDC, AC310
60,01,22,007	Schalttafel 24VDC AC315 vorne	operating panel 24VDC, AC315 front
60,01,22,008	Schalttafel 24VDC AC315 hinten	operating panel 24VDC, AC315 rear
60,01,27,064	Schalttafel 24VDC AC31	operating panel 24VDC, AC31
60,01,27,071	Schalttafel 24VDC AC35	operating panel 24VDC, AC35
60,01,27,085	Schalttafel 24VDC AC35	operating panel 24VDC, AC35
60,01,27,219	Schalttafel AC31/35-USA	operating panel, AC31/35
60,01,28,011	Schalttafel AC350	operating panel, AC350
60,01,28,014	Schalttafel AC350	operating panel, AC350
60,01,28,020	Schalttafel AC350	operating panel, AC350
60,01,28,024	Schalttafel AC350	operating panel, AC350
60,01,28,050	Schalttafel AC310/350	operating panel, AC310/350
60,01,28,052	Schalttafel AC310/350	operating panel, AC310/350
60,01,28,100	Schalttafel AC350	operating panel, AC350
60,01,28,106	Schalttafel 24VDC AC310/350	operating panel 24VDC, AC310/350

Tabella1

60,01,28,120	Schalttafel 12VDC AC310/350	operating panel 12VDC, AC310/350
60,01,28,122	Schalttafel AC350	operating panel, AC350
60,01,28,201	Schalttafel 24VDC AC310/350	operating panel, 24VDC AC310/350
60,01,29,001	Schalttafel AC340-MBT	operating panel, AC340
60,01,31,005	Schalttafel Verd. Li AC355	operating panel evap lft AC355
60,01,31,006	Schalttafel Verd. re	operating panel evap rgt
60,01,31,013	Schaltkasten Verfl.-Gebläse	switch box, cond. Fans
60,01,31,039	Schaltkasten Verflüssiger 24VDC AC355	switch box blower cond. AC355
60,01,32,022	Schalttafel 24VDC AC313/353	operating panel 24VDC, AC313/353
60,01,32,027	Schalttafel 24VDC AC313/353	operating panel 24VDC, AC313/353
60,01,32,137	Schalttafel AC313/353GIII;24VDC	operating panel 24VDC, AC313/353
60,01,37,042	Schalttafel 24VDC AC130	operating panel 24VDC, AC130
60,01,38,009	Schalttafel 24VDC AC131	operating panel 24VDC, AC131
60,01,40,005	Bedienteil AC31	operating device, AC31
60,01,40,006	Bedienteil mit Poti 24VDC	operating device w/Poti 24VDC
60,01,40,007	ersetzt durch 60,01,40,008	use > 60,01,40,008
60,01,40,008	Bedienteil BT320 mod.	operating device, BT320 mod.
60,01,40,010	Bedienteil	operating device
60,01,40,013	Bedienteil	operating device
60,01,40,015	Bedienteil m. Temp.-Anzeige	operating device w. temperature indicator
60,01,40,018	BG Potentiometer einfach 10kOhm	assy potentiometer smpl. 10kOhm
60,01,40,019	BG Potentiometer mit Schalter	assy potentiometer, turn
60,01,40,020	Druckschalter AC18/10-35	switch, press., AC18/10-35
60,01,40,021	BG Druckschalter AC10-35	assy switch, press., AC10-35
60,01,40,030	Potentiometer, Temperatur10kOhm	potentiometer, temp 10kOhm
60,01,40,031	Potentiometer Tandem ohne Kabel	potentiometer
60,01,40,032	Potentiometer Gebläse	potentiometer blower
60,01,40,033	Potentiometer Gebläse mit I/O	potentiometer blower
60,01,40,034	Potentiometer, Temperatur	potentiometer, temp
60,01,40,035	Potentiometer f. Gebläse	potentiometer f. blower
60,01,40,060	Druckschalter AC10-35	switch, press., AC10-35
60,01,40,061	Druckschalter	switch, press.
60,01,40,062	Druckschalter	switch, press
60,01,40,063	Druckschalter	switch, press
60,01,40,065	Potentiometer, Temperatur	potentiometer, temp

Tabella1

60,01,40,066	Potentiometer f. Gebläse	potentiometer f. blower
60,01,40,067	Potentiometer f. Gebläse mit I/O	potentiometer f. blower
60,01,40,068	Potentiometer f. Gebläse mit I/O	potentiometer f. blower
60,01,40,069	Potentiometer mit I/O, Temperatur	potentiometer, temp
60,01,40,070	Bedienteil f. Fahrerstand	operating device f. driver level
60,01,40,077	Potentiometer f. Temperatur mit I/O	potentiometer f. temp
60,01,40,078	Potentiometer f. Gebläse	potentiometer f. blower
60,01,40,082	Bedienteil m. Schalter	operating device w. switch
60,01,40,086	Potentiometer f. Gebläse	potentiometer f. blower
60,01,40,088	Schalter f. Klimaanlage	switch f. unit
60,01,40,089	Smogschalter	smog switch
60,01,40,092	Bedienteil AC7	operating device, AC7
60,01,40,096	Temp.-Fühler aussen	sensor, temp. Outside
60,01,40,098	Bedienteil AC7355	operating device, AC7355
60,01,40,099	BG Bedienteil Unimog	operating device, AC7 Unimog
60,01,40,102	Bedienteil	operating device
60,01,40,103	Druckschalter	switch, press
60,01,40,104	Bedienteil	operating device
60,01,40,105	Bedienteil AC111	operating device AC111
60,01,40,106	Potentiometer	potentiometer
60,01,40,108	Bedienteil mit LED, Poti	operating device w/ LED, Poti
60,01,40,110	Bedienteil ACR DA 8	operating device, ACR DA 8
60,01,40,120	Bedienteil	operating device
60,01,40,238	BG Potentiometer Temp. mit 1-0 MB	potentiometer assy, w/on-off
60,01,40,239	Anzeigeblende	display orifice
60,01,40,240	BG Potentiometer Vent. mit 1-0 MB	potentiometer assy, w/on-off
60,01,40,265	Potentiometer m. Pfeil	potentiometer w. arrow
60,01,40,267	Potentiometer mit I/O	potentiometer
60,01,40,270	Potentiometer f. Gebläse mit I/O	potentiometer w/ I/O
60,01,46,009	Schalttafel KR412 AC136	relay board KR412 AC136
60,01,46,055	Schalttafel AC136	operating panel AC136
60,01,48,015	BG Regelung VIP	assy regulation VIP
60,01,48,015	BG Regelung AC136 Viper	assy regulation AC136 Viper
60,01,48,020	BG Klemmleiste	assy tag block
60,01,49,601	Schalttafel in Verdampfer li AC136	operating panel in evap lft, AC136

Tabella1

60,01,95,000	Bedienteil AC184.3, K350	control panel AC184.3, K350
60,01,95,010	Bedienteil, links Civis	control panel, left Civis
60,01,95,011	Bedienteil Heuliez/Civis	control panel Heuliez/Civis
60,05,07,002	Schalttafel 24VDC AC16	operating panel 24VDC, AC16
60,05,15,025	Schalttafel 24VDC AC18-II	operating panel 24VDC, AC18-II
60,05,19,012	Schalttafel AC18I-III	operating panel, AC18I-III
60,05,19,015	Schalttafel 24VDC AC18-III	operating panel 24VDC, AC18-III
60,05,19,015	Schalttafel 24VDC AC18-III	operating panel 24VDC, AC18-III
60,05,19,017	Schalttafel o. Abdeckhaube AC18-III K40	operating panel w/o cover, AC18-III K40
60,05,19,018	Schalttafel AC18-3 K40	operating panel, AC18-3 K40
60,05,19,025	Schalttafel 24VDC AC18-III	operating panel 24VDC, AC18-III
60,05,27,025	Schalttafel 24VDC AC18-V	operating panel 24VDC, AC18-V
60,05,32,001	Schaltkasten AC23	switch box, AC23
60,05,57,001	Schalttafel AC183	operating panel, AC183
60,05,57,010	Schalttafel AC183-2	operating panel, AC183-2
60,05,58,002	Schalttafel 24VDC AC184/K350	operating panel, AC184/K350
60,05,59,001	Schalttafel 24VDC AC193	operating panel 24VDC, AC193
60,05,69,010	BG Elektrobauteile 24VDC AC18	assy electrical parts 24VDC, AC18
60,05,69,102	Steuertafel Verd.-Gebläse	panel, control blower evap
60,05,69,103	Steuertafel Verd.-Gebläse	panel, control blower evap
60,05,69,104	Steuertafel Verd.-Gebläse	panel, control blower evap
60,05,69,105	Ventil m. E-Anschlüsse V186-USA	valve, SOL w. E-supply, V186-USA
60,05,95,001	Gedruckte Schaltung AC18-2;24VDC	operating panel 24VDC, AC18-2
60,05,95,031	Schaltschrank f. PTC Heizer 18m front	operating panel for PTC heater, front
60,05,95,032	Schaltschrank f. PTC Heizer 18m rear	operating panel for PTC heater, rear
60,05,95,040	Platine de puissance	printed circuit board
60,05,95,051	Bedienteil 18m Civis	control panel 18m Civis
60,05,95,052	Schaltschrank für Heizer Vorne Civis US	control board, heater front Civis US
60,05,95,054	Schaltschrank für Heizer Civis US	control board, heater Civis US
60,15,15,005	BG D-Regler Verfl.-Gebläse AC261/270	assy pressure regulator f. blower cond., AC261/270
60,15,15,007	Schalttafel AC261/270	operating panel, AC261/270
60,15,16,010	Schalttafel 24VDC AC40	operating panel 24VDC, AC40
60,20,01,005	Fernbedienung 12/24VDC FB405	remote control f. refrigeratin regulation 12/24VDC
60,20,01,020	Fernbedienung 12/24VDC TK10	remote control f. refrigeratin regulation 12/24VDC
60,20,01,021	Fernbedienung 12/24VDC TK10-FB1	remote control w. switch, rotary 12/24VDC, TK10-FB1

Tabella1

60,30,01,001	Bedienteil DA31	operating device, DA31
60,30,01,012	Bedienteil 24VDC DA38	operating device 24VDC, DA38
60,30,01,013	Bedienteil DA38	operating device, DA38
60,30,01,070	Bedienteil DA34/39/40	operating device, DA34/39/40
60,30,09,101	Schaltschrank 24VDC DA31	switch cupboard 24VDC, DA31
60,30,09,102	Schaltschrank 24VDC DA31	switch cupboard 24VDC, DA31
60,30,09,110	Zubehör, Kabelbaum DA31	accessory, wiring harness DA31
60,30,15,002	Schaltschrank 24VDC	switch cupboard 24VDC
60,30,16,001	Schaltschrank m. Kupplung elastisch	switch cupboard w. clutch elastic
60,30,16,012	ZUB Kabelbaum Kupplung DA40	accessory, harness clutch DA40
60,50,13,040	Schaltschrankmodul 19" ACR-DA5	switch cupboard modul 19", ACR-DA5
60,50,13,044	Kabelbaum f. Verdi.	harness f. compr.
60,50,13,056	BG Temp.-Fühler, aussen L2500	assy sensor, temp., OSD L2500
60,50,13,057	BG Fühler f. KVT L700 ACR-Talent	assy sensor f. convectors L700, ACR-DA5
60,50,13,069	Klimasteuergerät 19" ACR-S9	clima controller 19", ACR-S9
60,50,13,071	BG Schalttafel ACR-RSH	assy operating panel, ACR-DA5-RSH
60,50,13,073	Gegenstecker 19"	connector, plug 19"
60,50,13,076	ES-Fühler 3,5m	sensor SCR wpf. 3,5m
60,50,13,078	Steckersatz f. Temp.-Fühler	plug kit f. sensor, temp.
60,50,13,083	Klemmgehäuse, Kompr., ACR-DA5	clamphousing compr., ACR-DA5
60,50,13,085	BG Gegenstecker f. W-Pumpe ACR-RSH	assy connector, plug f. water pump, ACR-DA5
60,50,13,086	BG Temp.-Fühler, aussen	assy sensor, temp., OSD wpf.
60,50,13,087	BG Pressostat HD	pressostat HP cpl.
60,50,13,088	BG Pressostat ND	pressostat LP cpl.
60,50,13,108	Schaltschrankmodul 19" AVV	clima controller 19", AVV
60,50,13,114	BG Gegenstecker f. W-Pumpe	assy connector, plug f. water pump
60,50,20,061	Schaltschrank f. Verd. 3Ph 50Hz 400V	clima controller for compr. 400V
60,50,20,063	Schalttafel 2HC-1-2 K50-3 1SQ	operating panel, K50-3 1SQ
60,60,01,002	Klimaregler KR102 DSW ÖBB	clima control, KR102 DSW
60,60,01,111	Klimaregler SWE-2-Teiler FGR-A	climate controller SWE-2-Teiler FGR-A
60,60,01,211	BG Klimaregler Itino 3-teiler FGR A	assy climate controller Itino 3-teiler FGR A
60,60,60,001	Regeleinheit m. SW CTS1325-OEC	controller w. software
60,60,60,019	Regeleinheit m. SW CTS1330-OEC	controller w. software
60,60,60,021	Regler m. SW CTS1305 ACR-DA5	controller w. software, CTS1305 ACR-DA5
60,60,60,023	Klimaregler u. SW ACR-S9	clima control a. software, ACR-S9

Tabella1

60,60,60,025	Regeleinheit m. SW CTS1305-OEC	controller w. software
60,60,60,030	Regeleinheit m. SW CTS1342-OEC	controller w. software
60,60,60,035	Leistungsknoten K1360	controller, power
60,60,60,038	Klimaregler m. SW KR429	clima control w. software, KR429
60,60,60,039	Klimaregler m. Software KR426	clima control w. software, KR426
60,60,60,040	Klimaregler m. Software KR426	clima control w. software, KR426
60,60,60,041	Doppelstockbus KR452	double deck bus, KR452
60,60,60,042	Klimaregler m. SW KR429	clima control w. software, KR429
60,60,60,044	Can Knoten CBS1390	clima controler CBS1390
60,60,60,051	Klimaregler KR 494 V7	clima controller KR494 V7
60,60,60,063	Klimaregler KR494	clima controller KR494
61,99,01,001	Diagnose Software MESS4	software paket MESS4
63,01,15,008	Kabelbaum 12/24VDC AC10-Tropic	wiring harness 12/24VDC AC10-Tropic
63,01,20,009	BS Kabel f. Platine 12/24VDC AC31-Tropic	kit wiring f. printed circuit 12/24VDC, AC31-Tropic
63,01,21,001	BS Kabel 15pol V310	kit wiring 15ts, V310
63,01,21,002	BS Kabel K310	kit wiring, K310
63,01,42,001	Kabelbaum Verd. li AC133	wiring harness evap lft, AC133
63,01,42,002	Kabelbaum f. Verd.re AC133	wiring harness evap rgt, AC133
63,01,95,002	Kabelbaum f. Fahrerkabine	wiring harness, cabin, left
63,01,95,005	Kabelbaum f. Fahrerkabine	wiring harness, cabin, middle
63,01,95,011	Kabelbaum Strom Versorgung 24V	wiring harness, power supply 24VDC
63,01,95,012	Kabelbaum DRG 24V	wiring harness, blower 24VDC
63,01,95,013	Kabelbaum Strom Versorgung 24V	wiring harness, power supply 24VDC
63,01,95,014	Kabelbaum DRG 24V	wiring harness, blower 24VDC
63,01,95,018	Kabelbaum f. PTC Heizer 350VDC 3KW	wiring harness, PTC heater 350VDC 3KW
63,01,95,022	Kabelbaum für Heizer 350VDC 6KW	wiring harness, PTC heater 350VDC 6KW
63,01,95,026	Kabelbaum, Gebläse 24VDC	wiring harness, blower 24VDC
63,01,95,027	Kabelbaum, Gebläse 24VDC	wiring harness, blower 24VDC
63,01,95,040	BG Pressostat HD	pressostat assy HP
63,01,95,041	BG Pressostat ND	pressostat assy LP
63,01,95,043	Kabelbaum, Gebläse 24VDC	wiring harness, blower 24VDC
63,01,95,044	Kabelbaum, Gebläse 24VDC	wiring harness, blower 24VDC
63,01,95,060	Kabelbaum, Gebläse	wiring harness, blower
63,01,95,065	Kabelbaum	wiring harness
63,01,95,068	Kabelbaum AGL-PTC, CIVIS	wiring harness AGL-PTC , CIVIS

Tabella1

63,01,95,070	Kabelbaum, Frontbox 350VDC	wiring harness, Frontbox 350VDC
63,01,95,100	Kabelbaum Leistungs Relaiskarte	wiring harness, relay card
63,30,09,001	Kabelbaum 24VDCD DA31-Hatz	wiring harness 24VDCD, DA31
63,45,01,002	Kabelbaum f. Verdi. VIP00	wiring harness f. compr.
63,45,01,003	Kabelbaum f. Verdi.	wiring harness f. compr.
63,50,13,009	Kabelbaum f. Verfl. ACR-RSH	wiring harness f. cond., ACR-DA5-RSH
63,50,20,010	Kabelbaum K186	wiring harness, K186
63,52,01,001	NS Kabel v. Ventil ACR-DA5	RTF wire fr. valve, SOL, ACR-DA5
63,52,02,001	Adapterkabel f. Gebläse	adapter cable f. brushless blower
63,52,02,002	Verbindungskabel f. Drehzahlregler	adapter cable f. brushless blower
-68G2-8522-1	Distanzstück	spacer
-68-G---2--90-7	Spezialschlüssel P06	key, Crankshaft P06
75,01,01,045	Verd.-Paket V310-1krs	evaporator coil, V310-1krs
75,01,01,046	Verd.-Paket V350-1krs	evaporator coil, V350-1krs
75,01,01,073	Verdampfer-Paket V310 2Krs	evaporator coil, V310-2krs
75,01,01,074	Verd.-Paket V350-2krs	evaporator coil, V350-2krs
75,01,01,184	Verd.-Paket V350 ORFS	evaporator coil, V350 ORFS
75,01,10,035	BG Verdampfer m. Anbauteilen AC6	assy evaporator w/accessory, AC6
75,01,10,039	Verdampfer V33	assy evaporator V33
75,01,10,040	Verdampfer li V18-3-kurz	evaporator lft, V18-3-kurz
75,01,10,041	Verdampfer re V18-3-kurz	evaporator rgt, V18-3-kurz
75,01,10,044	Verdampfer li V18-3-lang	evaporator lft, V18-3-lang
75,01,10,045	Verdampfer re A6 V18-3-lang	evaporator rgt, V18-3-lang
75,01,10,061	Verdampfer V18-3 Kurz rechts	evaporator rgt, V18-3-kurz
75,01,10,077	BG Verdampfer m. Adapterblech V6A	assy evaporator, w/adapter plate AC7
75,01,10,082	Verdampfer m. Gehäuse li V18-lang	evaporator w. housing lft, V18-lang
75,01,10,083	Verdampfer m. Gehäuse re V18-lang	evaporator w. housing rgt, V18-lang
75,01,10,084	Verdampfer m. Gehäuse V18-B-SL	evaporator w. housing, V18-B-SL
75,01,10,085	Verdampfer m. Gehäuse V18-B-SL	evaporator w. housing, V18-B-SL
75,01,10,093	Verdampfer m. Gehäuse V18-B-lang	evaporator w. housing, V18-B-lang
75,01,10,094	Verdampfer re V18-B-lang	evaporator rgt, V18-B-lang
75,01,10,100	Verdampfer m. Hzg. re V186	evaporator rgt, V186
75,01,10,101	Verdampfer m. Hzg. li V186	evaporator w. HTR lft, V186
75,01,10,102	Verdampfer re V186-USA	evaporator rgt, V186
75,01,10,103	Verdampfer li V186-USA	evaporator lft, V186

Tabella1

75,01,10,106	Verdampfer re V186	evaporator rgt, V186
75,01,10,107	Verdampfer li V186	evaporator lft, V186
75,01,10,123	BG Verdampfer re V187	evaporator cpl. rgt, V187
75,01,10,124	BG Verdampfer li V187	evaporator cpl. lft, V187
75,01,20,017	BG Verflüssiger AC6	assy condenser cpl., AC6
75,01,20,028	BG Kondensator, Grund K125-1	assy condenser, K125-1
75,01,30,189	BG AC7-Neoll, Grund	assy AC7-Neoll, base
75,01,42,035	BG Kompressor,antrieb AC403 Split 24VDC	assy compressor, drive AC403 24VDC
75,01,95,007	Verdampfer V184-1 Typ II	assy evaporator V184-1 Typ II
75,01,95,008	Verdampfer V184-1 Typ I	assy evaporator V184-1 Typ I
75,01,95,009	Verdampfer V184-1 mit ND-Press. Typ II	assy evaporator V184-1 Typ II w/LPS
75,01,95,010	Verdampfer V184-1 mit ND-Press. Typ I	assy evaporator V184-1 Typ I w/HPS
75,01,95,020	Verdampfer im Fahrgastraum Civis 7kW	assy evaporator, Civis 7kW
75,01,95,021	Verdampfer im Fahrgastraum 3,5kW Civis	assy evaporator, Civis 3,5kW
75,01,95,022	Verdampferpaket V184 Long US	coil, evap., V184 long US
75,01,95,023	Verdampferpaket V184 Kurz US	coil, evap., V184 short US
75,01,95,025	Zusatzgebläse für RATP	blower, auxilliary RATP
75,01,95,030	BG Verdampfer V184 rechts	assy evaporator V184 right
75,01,95,031	BG Verdampfer V184 links	assy evaporator V184 left
75,01,95,032	BG Verdampf.V184 links m.Pressostat	assy evaporator V184 left w/pressosat
75,01,95,033	BG Verdampf.V184 rechts m.Pressostat.	assy evaporator V184 right w/pressosat
75,01,95,051	Frontbox defroster unter	front box defroster, down
75,01,95,055	Frontbox defroster oben	front box defroster, top
75,01,95,062	ersetzt durch 75,01,95,064	use > 75,01,95,064
75,01,95,063	Frontbox defroster kpl. Civis	front box defroster compl., Civis
75,01,95,064	Frontbox defroster, links 9KW	frontbox defroster, left 9KW
75,01,95,072	Frontbox defroster, mittig 9KW	frontbox defroster, middle 9KW
75,01,95,076	Frontbox defroster m. Wasserheizpaket	front box defroster, w/coil heat
75,01,95,080	Mischkasten für Frontbox Entfroster	air duct, front box defroster
75,01,95,091	Verflüssigereinheit 18m Civis	assy condenser unit 18m Civis
75,01,95,102	Wasser-Heizer 6kW Civis, innen	Heater, 6KW Civis, inside
75,01,95,103	Wasserheizer, Fahrgastraum 3kW	heater, water 3kW
75,01,95,104	ersetzt durch 75,01,95,108	use > 75,01,95,108
75,01,95,105	ersetzt durch 75,01,95,109	use > 75,01,95,109
75,01,95,106	Heizer im Fahrgastraum 6KW	heater 6KW

Tabella1

75,01,95,107	Heizer im Fargastraum 3KW	heater 3KW
75,01,95,108	Heizer, 6KW	heater, 6KW
75,01,95,109	Heizer, 3KW	heater, 3KW
75,01,95,110	ersetzt durch 75,01,95,210	use > 75,01,95,210
75,01,95,210	Verdampfer kpl f. Fahrerkabine	assy evaporator, driver's cab
75,02,21,001	Schlauchleitung HD, Kompr., Dach	liquid line HP, compr., roof
75,02,21,002	Schlauchleitung ND rechter Kreislauf	liquid line LP, right
75,02,21,003	Schlauchleitung ND linker Kreislauf	liquid line LP, left
75,02,21,004	Schlauchleitung FL rechter Kreislauf	liquid line FL, right
75,02,21,005	Schlauchleitung FL linker Kreislauf	liquid line FL, left
75,02,21,006	Flüssigkeitsleitung AC184	liquid line AC184
75,02,21,007	Druckleitung AC184	liquid line, discharge AC184
75,05,01,003	BG Gehäuse, Luftverteilung	assy housing, air diffuser
75,10,01,017	Frischluf-Umluft-Kasten ACR-DA5	air duct, fresh/return air ACR-DA5
75,10,01,022	BG Schalldämpfer LBG DI3	assy muffler, LBG DI3
75,10,01,023	Zuluftkasten f. Fahrerstand	cabinet, supply f. driver level insulated
75,10,01,046	BG Zuluftgebläse o. Hzg. ACR	assy blower, supply non HTR, ACR-DA5
75,19,01,015	BG Umluftgitter m. Filtermatte GU AC35	return air grille AC35
75,19,01,030	BG UML-Gitter, grau AC10-35/130-135/310-350	assy return air grill GY, AC10-35/130-135/310-350
75,19,01,032	Umluftgitter m. Lichtraster 13x13x10	return air grill w. light-grille 13x13x10
75,19,01,037	Umluftgitter AC315	return air grill, AC315
75,19,01,049	Umluftgitter AC315	return air grill, AC315
75,19,01,053	BG Umluftgitter AC355-Trolley	assy return air grill, AC355 Trolley
75,19,01,057	BG UML-Filter ACR-RSH-Mosel	assy return air filter cpl., ACR-DA5
75,19,01,058	BG FRL-Filter ACR-RSH	assy fresh air filter cpl., ACR-DA5
75,19,01,075	BG Umluftfilter FB LH	assy filter, return air, FB LH
75,19,01,076	Rückluftgitter, Kompl. mit Verschluss	assy return air grill
75,20,01,007	BG Wasserabscheider V31-3	assy water drainage V31-3
75,20,01,008	BG W-Abscheider AC35-3	assy water drainage AC35-3
75,23,39,001	BG E-Kupplung 24VDC	clutch assy 24VDC
75,23,52,002	BS Spannelement m. Halter DB 0303	tensioner element w. support cpl.
75,23,95,100	Baugruppe Spannrolle mit Halter	assy tensioner, w/bracket
75,25,01,003	BG Verdampferdeckel m. Verschlüsse V31-3	assy cover evap w. fasteners, V31-3
75,25,01,004	BG Verdampferdeckel m. Verschlüsse V10-3	assy cover evap w. fasteners, V10-3
75,25,01,007	BG Verdampferdeckel m. Verschlüsse V35-3	assy cover evap w. fasteners, V35-3

Tabella1

75,25,01,009	BG Verfl.-Abdeckung m. Verschlüsse K31-3	assy cover cond. w. fasteners cpl., K31-3
75,25,01,011	BG Verfl.-Abdeckung m. Verschlüsse K35-3	assy cover cond. w. fasteners cpl., K35-3
75,25,01,014	BG Gehäusedeckel m. Isolation AC131	assy housing cover w. isolated cpl., AC131
75,25,01,016	BG Gehäusedeckel R8000 AC131	assy housing cover, isolated R8000, AC131
75,25,01,023	BG Deckel WWA basalt-GU ACR-Talent	assy cap WWA basalt-GY, ACR-DA5
75,25,01,024	BG Gehäusedeckel AC111	assy housing cover, AC111
75,25,01,027	BG Verd.-Deckel basalt-GU ACR-Talent	assy cover evap basalt-GY, ACR-DA5
75,25,01,029	BG Gehäusedeckel AC112	assy housing cover, AC112
75,25,01,031	BG Deckel WWA licht-GU ACR-RSH	assy cap WWA light-GY, ACR-DA5
75,25,01,032	BG Verdampferdeckel licht-GU ACR-RSH	assy cover evap light-GY, ACR-DA5
75,25,01,065	BG Verd-Deckel V353 rechts	assy cover, V353 rgt.
75,25,01,065	BG Verd-Deckel V353 rechts	assy cover, V353 rgt.
75,25,01,069	BG Kondensatordeckel K313	assy cover, K313, R=8118
75,25,01,070	BG Kondensatordeckel K313	assy cover, K313, R=10000
75,25,01,073	BG Kondensatordeckel K353	assy cover, K353, R=8118
75,25,01,086	BG Verd-Deckel V353 Rechts R=10000	assy cover, V353 rgt. R=10000
75,25,01,087	BG Verd-Deckel V353 Links R=10000	assy cover, V353 lft. R=10000
75,25,01,088	BG Verdampferdeckel V353 re. R=6800	assy evaporator cover V353 rgt. R=6800
75,25,01,100	BG Verdampferdeckel V355, grau	assy cover V355, grey
75,25,05,115	BG Gehäuseboden K310	assy housing base, K310
75,25,05,116	BG Gehäusedeckel K310	assy condenser cover, K310
75,25,05,120	BG Gehäuseboden K350	assy unit housing K350
75,25,05,121	BG Gehäusedeckel K350	assy housing cover, K350
75,25,05,300	BG Gehäuseboden V310	assy housing bot., V310
75,25,05,301	BG Gehäusedeckel V310	assy housing cover, V310
75,25,05,305	Gehäuseboden V350	housing bot., V350
75,25,05,306	BG Gehäusedeckel V350	assy housing cover, V350
75,25,15,001	Verd-Haube AC7	cover evap insulated, AC7
75,25,15,002	Verd-Haube TK7D2	cover evap insulated, TK7D2
75,25,15,202	BG Anlagenabd. TK7-D-kurz	assy cover, unit, TK7D short
75,25,15,209	BG Anlagenabd. SW K6-2	assy cover, unit BK, K6-2
75,25,15,211	BG Anlagenabd. TK7A	assy cover, unit, TK7A
75,25,15,214	BG Anlagenabd. TK7A2	assy cover, unit, TK7A2
75,25,15,215	BG Anlagenabd. TK7D2	assy cover, unit, TK7D2
75,25,15,216	BG Anlagenabd. verlängert TK7D2	assy cover, unit extended, TK7D2

Tabella1

75,25,15,501	BG Anlagenabd. AC7	assy cover, unit, AC7
75,25,15,510	BG Anlagenabd. AC8	assy cover, unit, AC8
75,25,15,515	BG Anlagenabd. AC8	assy cover, unit, AC8
75,25,15,516	BG Anlagenabd. verlängert +22 AC8-S	assy cover, unit extended +22, AC8-S
75,25,15,517	BG Anlagenabd. AC8-S	assy cover, unit, AC8-S
75,25,15,523	BG Anlagenabd. verlängert +22 K80	assy cover, unit extended +22, K80
75,25,15,530	BG Anlagenabd. AC6	assy cover, unit cpl. cpl., AC6
75,25,15,532	BG Anlagenabd. TK6	assy cover, unit cpl. cpl., TK6
75,25,15,541	BG Gerätehaube AC7	assy cover, AC7 Unimog
75,25,15,543	BG Gerätehaube AC7-AC7/S	assy cover, AC7, AC7S
75,30,15,003	BG D-Schalter 3fach AC18I-V	assy switch, press. 3ts, AC18I-V
75,30,15,009	BG D-Schalter 4fach	assy switch, press. 4ts
75,30,15,018	BG Luftverteiler 12/24VDC AC7	basic turn switch 12/24VDC, AC7
75,30,15,031	BG Potentiometer 11pol 12/24VDC	assy potentiometer 11term. 12/24VDC
75,30,15,032	BG Temp.-Fühler u. Poti 12/24VDC	assy sensor, temp. a. POT 12/24VDC
75,30,15,033	BG Temp.-Fühler u. Poti 12/24VDC	assy sensor, temp. a. POT 12/24VDC
75,30,15,034	BG Poti, Temp. und Drehzahl	assy potentiometer, temp. & speed control 12/24VDC
75,30,20,002	BG Drehschalter 24VDC DA31/33	assy switch, rotary 24VDC, DA31/33
75,30,95,001	BS Serviceschalter	assy switch, service
75,40,01,018	BG FRL-Klappe AC130	assy flap, fresh air AC130
75,40,01,026	BG FRL-Klappe, Pneu. V310/350	assy flap, fresh air w. pneu., V310/350
75,40,01,027	BG UML-Klappe V310	assy return air flap, V310
75,40,01,028	ersetzt durch 75,40,01,109	use > 75,40,01,109
75,40,01,090	BG Klappe u. E-Motor	assy flap a. E-Motor
75,40,01,109	BG UML-Klappe V350	assy return air flap, V350
75,40,15,112	BG Luftverteiler AC8	assy air diffuser, AC8
75,40,15,118	BG Luftverteiler AC6	assy air diffuser, AC6
75,40,15,125	BG Luftverteiler GU AC7-Unimog	assy air diffuser GY, AC7
75,40,15,206	BG Luftverteiler GU AC6	assy air diffuser, AC6
75,40,15,207	BG Luftverteiler AC8	assy air diffuser, AC8
75,40,15,224	Luftkanal AC403	air duct AC403
75,42,95,100	Halter, Kompr. oben	bracket, compr., top
75,45,70,002	Gebläse, DR 24VDC 800m³/h	blower, DR 24VDC 800m³/h
75,45,70,004	Gebläse, DR 24VDC 1000m³/h	blower, DR 24VDC 1000m³/h
75,45,70,005	Gebläse, DR 24VDC 500m³/h	blower, DR 24VDC 500m³/h

Tabella1

75,45,70,006	Gebläse, DR 24VDC 1200m³/h	blower, DR 24VDC 1200m³/h
75,45,70,009	BG Gebläse 24VDC 1200m³/h	assy blower 24VDC 1200m³/h
75,45,70,010	BG Gebläse 24VDC 800m³/h	assy blower 24VDC 800m³/h
75,45,70,013	BG Gebläse 24VDC 1000m³/h	assy blower 1000m³/h 24VDC
75,45,70,015	BG Gebläse, DR 24VDC 1200m³/h DRB100	assy blower, DR 24VDC 1200m³/h, DRB100
75,45,70,016	BG Gebläse, DR 24VDC 1000m³/h DRB80	assy blower, DR 24VDC 1000m³/h, DRB80
75,45,70,017	BG Gebläse, DR 24VDC 800m³/h DRB60	assy blower, DR 24VDC 800m³/h, DRB60
75,45,70,019	BS Gebläse bürstenlos 24VDC 1035m³/h	assy blower, 24VDC brushless 1035m³/h
75,45,70,020	BS Gebläse bürstenlos 24VDC 775m³/h	assy blower, 24VDC brushless 775m³/h
75,45,95,010	BG Zusatzgebläse	assy blower, auxiliary
75,47,05,004	BG Gehäuse m. Verschlüsse V35-3	assy housing w. fasteners insulated, V35-3
75,47,05,006	BG Gehäuse m. Verschlüsse K31-3	assy housing w. fasteners insulated, K31-3
75,47,05,007	BG Gehäuse m. Verschlüsse K35-3	assy housing w. fasteners insulated, K35-3
75,47,05,079	Verdampferboden re AC355	bottom evap rgt AC355
75,47,05,080	Verdampferboden li AC355	bottom evap lft AC355
75,47,05,093	BG Spoiler AC136-2030	assy spoiler, AC136-2030
75,47,05,106	BG Gehäusedeckel K31	assy housing cover, K31
75,47,05,115	BG Gehäuseboden K310	assy housing bot., K310
75,47,05,116	BG Gehäusedeckel K310	assy housing cover, K310
75,47,05,117	BG Gehäusedeckel m. Spoiler K310	assy housing cover w. spoiler, K310
75,47,05,120	BG Gehäuse Boden K350	housing, K350
75,47,05,121	Gehäusedeckel K350	housing cover, K350
75,47,05,127	Haltewinkel re LVT Unimog AC7	bracket bended f. wood-framework rgt, AC7
75,47,05,128	Haltewinkel li LVT Unimog AC7	bracket bended f. wood-framework lft, AC7
75,47,05,133	BG Winkel f. Luftverteiler vrn AC7	assy angle bracket f. air diffuser frt, AC7
75,47,05,134	BG Winkel f. Luftverteiler hi AC7	assy angle bracket f. air diffuser re, AC7
75,47,05,140	Gehäusedeckel K310, low noise	housing cover K310, low noise
75,47,05,212	BG Gehäuseboden AC131	assy housing bot., AC131
75,47,05,300	BG Gehäuse m. FRL-Auschnitt V310	assy housing bot. w. fresh air opening, V310
75,47,05,301	BG Gehäusedeckel V310	assy housing cover, V310
75,47,05,306	Verdampferabdeckung V350	assy housing cover, V350
75,47,05,310	BG Gehäusedeckel m. Spoiler K350	assy housing cover w. spoiler, K350
75,47,05,328	Verdampfer Deckel V350	assy housing cover, V350
75,47,05,387	BG Gehäuseboden AC353	assy housing base, AC353
75,47,05,413	BG Gehäusedeckel K350 low noise	assy cover cond., K350 low noise

Tabella1

75,47,05,430	ersetzt durch 75,47,05,140	use > 75,47,05,140
75,47,05,431	BG Gehäusedeckel Kompl. K350, low noise	assy cover cond., compl. K350 low noise
75,47,05,457	BG Gehäusedeckel K350, low noise	assy cover cond., K350 low noise
75,47,05,646	BG Gehäusedeckel K310 m. Spoiler	assy cover cond., K310 low noise w/spoiler
75,47,18,001	BG Verschluss, Verd.-Haube AC8	assy stopper, cover evap, AC8
75,47,18,009	BG Schnellverschluss AC 133/135	assy quick stopper AC133/135
75,47,20,001	BG Halter f. Verdi. DB O303	assy support f. compr.
75,47,20,012	Zubehör, pneum. f. Verdi.-Halter DBO404	accessory, pneu. f. bracket compr.
75,47,20,015	ersetzt durch 75,47,20,049	use > 75,47,20,049
75,47,20,024	BG Kompressor,halter, Grund 50/50	assy support f. compr. 50/50
75,47,20,041	BG Kompressor,halter, Grund 50/50 B12B	assy support f. compr. Basic, 50/50 B12B
75,47,20,042	ersetzt durch 75,47,20,049	use > 75,47,20,049
75,47,20,045	BG Kompressor,halter, Grund A51 EUR3	assy support f. compr. Basic, A51
75,47,20,047	BG Kompressor,halter, Grund, große Neigung	assy support f. compr. Basic, larger inclination
75,47,20,048	BG Kompressor,halter, Grund, ohne pneu. Schlaue	assy support f. compr. Basic, w/o pneu. Hose
75,47,20,049	BG Pneum.-Zylinder Kompl. 50/50	assy pneumatic cylinder, compl. 50/50
75,50,01,102	BG Kompressor, 24VDC SPB	compressor, 24VDC SPB
75,50,01,106	BG Kompressor, 24VDC 9PK150	compressor, 24VDC 9PK150
75,50,01,129	BG Kompressor, 24VDC 9PK150	compressor, 24VDC 9PK150
75,50,01,154	BG Kompressor, 670ccm LR=1	assy compressor, 670ccm, 1xCR
75,50,01,156	BG Kompressor, 670ccm LR=0	assy compressor, 670ccm, w/o CR
75,50,01,207	BG Kompressor, 466ccm LR=1	assy compressor, 466ccm, 1xCR
75,50,01,500	BG Kompressor, 390ccm LR=0	assy compressor, 390ccm w/o CR
75,50,01,501	BG Kompressor, 670ccm mit Kupplung LR=2	assy compressor, w/ clutch 2xCR
75,50,01,504	BG Kompressor, 670ccm mit Kupplung LR=2	assy compressor, w/ clutch 2xCR
75,50,01,510	BG Kompressor, 655ccm mit Kupplung LR=1	assy compressor, w/ clutch 1xCR
75,50,01,532	BG Kompressor, 470ccm LR=0 90°	assy compressor, 470ccm w/o CR, 90°
75,50,01,532-(BG Kompressor, 470ccm LR=0 90°		assy compressor, 470ccm w/o CR, 90°
75,50,01,532-(BG Kompressor, 470ccm LR=0 45°		assy compressor, 470ccm w/o CR, 45°
75,50,01,533	BG Kompressor, 470ccm LR=1 90°	assy compressor, 470ccm, 1xCR, 90°
75,50,01,533-(BG Kompressor, 470ccm LR=1 90°		assy compressor, 470ccm, 1xCR, 90°
75,50,01,533-(BG Kompressor, 470ccm LR=1 90° mit Kuppl.		assy compressor, 470ccm, 1xCR, 90° w/clutch
75,50,01,538	BG Kompressor, 470ccm LR=0	assy compressor, 470ccm, w/o CR
75,50,01,545	BG Kompressor, 470ccm LR=0	assy compressor, 470ccm w/o CR
75,50,01,563	BG Kompressor, 560ccm LR=0 90°	assy compressor, 560ccm, w/o CR 90°

Tabella1

75,50,01,564 BG Kompressor, 560ccm LR=1 90°	assy compressor, 560ccm, 1xCR 90°
75,50,01,564-(BG Kompressor, FKX40-560K	assy compressor, 560ccm, 1xCR
75,50,01,571 BG Kompressor, 560ccm 90° LR=0	assy compressor, 560ccm, LR=0, 90°
75,50,01,572 BG Kompressor, 560ccm LR=0 mit Kuppl.	assy compressor, 560ccm, w/o CR w/clutch
75,50,01,576 BG Kompressor, 560ccm 90° LR=0	assy compressor, 560ccm, w/o CR, 90°
75,50,01,583-(BG Kompressor, 470ccm LR=0 mit Wärmeschutz	assy compressor, 560ccm, w/o CR, w/thermostat
75,50,01,590 BG Kompressor, 470ccm LR=0 mit Kupplung	assy compressor, 470ccm, w/o CR, w/clutch
75,50,01,610 BG Kompressor, 655ccm 90° LR=0	assy compressor, 655ccm, 90° w/o CR
75,50,01,611 BG Kompressor, 655ccm 90° LR=1	assy compressor, 655ccm, 90° w/o CR
75,50,01,615-BG Kompressor, 655ccm 0° LR=1	assy compressor, 6505cm,0° 1xCR
75,50,02,040 BG Kompressor, SD7H15 24VDC, axial	compressor, assy SD7H15 24VDC, axial
75,50,02,057 BG Kompressor, TRS 12VDC mit Absperrventil	compressor, assy TRS 12VDC w/shutt-off valve
75,50,02,059 BG Kompressor, TRS 12VDC	compressor, assy TRS 12VDC
75,50,02,124 BG Kompressor, 230/400V 50Hz 3Ph	compressor, assy, 230/400V 50Hz 3Ph
75,50,02,133 BG Kompressor, 400V/50Hz/3Ph 24VDC	compressor, assy 400/50Hz/3Ph, 24VDC
75,50,02,134 BG Kompressor, 400V/50Hz/3Ph, 24VDC	compressor, assy 400V/50Hz/3Ph, 24VDC
75,50,02,138 BG Kompressor, 400V/50Hz/3Ph, 24VDC	compressor, assy 400V/50Hz/3Ph, 24VDC
75,50,02,140 BG Kompressor, 480V/60Hz/3Ph, 24VDC	compressor, assy 480V/60Hz/3Ph, 24VDC
75,50,02,239 BG Kompressor, SD5H14 24VDC, axial	compressor, assy SD5H14 24VDC, axial
75,50,02,240 BG Kompressor, SD5H14 24VDC radial	compressor, assy SD5H14 24VDC, radial
75,50,02,241 BG Kompressor, SD5H14 24VDC, axial	compressor, assy SD5H14 24VDC, axial
75,50,02,242 BG Kompressor, SD5H14 24VDC, radial	compressor, assy SD5H14 24VDC, radial
75,50,02,243 BG Kompressor, SD5H14 24VDC, axial	compressor, assy SD5H14 24VDC, axial
75,50,02,245 BG Kompressor, SD5H09 12VDC, radial	compressor, assy SD5H09 12VDC, radial
75,50,02,246 BG Kompressor, SD5H09 24VDC, radial	compressor, assy SD5H09 24VDC, radial
75,50,02,247 BG Kompressor, SD5H09 24VDC, radial	compressor, assy SD5H09 24VDC, radial
75,50,02,248 BG Kompressor, SD5H09 24VDC, radial	compressor, assy SD5H09 24VDC, radial
75,50,02,250 BG Kompressor, SD7H15 12VDC, axial	compressor, assy SD7H15 12VDC, axial
75,50,02,251 BG Kompressor, SD7H15 24VDC, radial	compressor, assy SD7H15 24VDC, radial
75,50,02,252 BG Kompressor, SD7H15 12VDC, radial	compressor, assy SD7H15 12VDC, radial
75,50,02,253 BG Kompressor, SD7H15,24VDC, axial	compressor, assy SD7H15 24VDC, axial
75,50,02,255 BG Kompressor, m. Ventil DKS32 24VDC	compressor, DKS32 24VDC
75,50,02,256 BG Kompressor, 8PK 24VDC	compressor, 8PK 24VDC
75,50,02,258 BG Kompressor, 2SPB 24VDC	compressor, 2SPB 24VDC
75,50,02,262 BG Kompressor, 8PK 24VDC	compressor, 8PK 24VDC

Tabella1

75,50,05,274	BG Frontbox 24VDC ACR DA5	assy frontbox 24VDC, ACR-DA5
75,50,05,278	BG Heizölpumpe ACR-S9	assy pump, fuel oil, ACR-S9
75,50,05,280	BG W-Pumpe ACR DA5	assy water pump, ACR-DA5
75,50,05,284	ersetzt durch 75,50,05,330	use > 75,50,05,330
75,50,05,287	ersetzt durch 75,50,05,330	use > 75,50,05,330
75,50,05,288	BG Wasserpumpe 24VDC ACR-S12	water pump cpl. 24VDC, ACR-S12
75,50,05,330	BG Wasserpumpe m. Kupplung	water pump w. clutch, magn.
75,50,05,780	BG Wasserpumpe Itino	water pump cpl. Itino
75,50,16,007	ersetzt durch 75,50,16,048 G=S oder 75,50,16,149	use > 75,50,16,048 oder 75,50,16,149
75,50,16,008	ersetzt durch 75,50,16,049 G=2 oder 75,50,16,149	use > 75,50,16,049 oder 75,50,16,149
75,50,16,048	BG Bdienteil BT324 24VDC G=S	controller 24VDC, BT324, G=S
75,50,16,049	BG Bedienteil BT324 12VDC G=2	controller 12VDC, BT324, G=2
75,50,16,050	BG Bédienteil BT324 24VDC G=S H=1	controller 24VDC, BT324, G=S, H=1
75,50,16,051	BG Bédienteil BT324 24VDC G=S Eco Mode	controller 24VDC, BT324, G=S, Eco Mode
75,50,16,052	BG Bédienteil BT324 12VDC G=S Eco Mode	controller 12VDC, BT324, G=S, Eco Mode
75,50,16,148	BG Bedienteil BT324 24VDC G=2	controller 24VDC, BT324, G=2
75,50,16,149	BG Bedienteil BT324 12VDC G=S	controller 12VDC, BT324, G=S
75,50,95,100	Kompressorhalter, TM31 Agora EU3	bracket, compr., TM31, Agora EU3
75,50,95,101	Kit Kompressor, Agora EU3 m. Schläuche	kit compressor, Agora EU3 w/hoses
75,50,95,102	Kompressorhalter, kompl, TM31 Agora EU3	bracket, compr., compl., TM31, Agora EU3
75,50,95,103	Kit Kompressor, Agora EU3	kit compressor, Agora EU3
75,50,95,104	BG Kompressor,halter mit Spannrolle	assy bracket, compr., w/tensioner
75,50,95,319	ersetzt durch 24,01,03,023	use > 24,01,03,023
75,50,95,320	ersetzt durch 24,01,03,024	use > 24,01,03,024
75,50,95,450	BG Kompressor, 8PK 24VDC	compressor, assy 8PK 24VDC
75,50,95,451	BG Kompressor, und Träger	assy bracket compr., w/support
75,50,95,899	BG Verdichter VSK 4141	assy compr., VSK 4141
75,50,95,900	BG Verdichter 230V/3Ph/50Hz	assy compr., 230V/3Ph/50Hz
75,53,01,001	BS Wasserventil E=35 A=28 F	valve, water cpl. E=35 A=28
75,55,03,021	Konvektor KVT2,1 ACR DA5	convector, ACR-DA5
75,55,03,024	Konvektor KVT3,2 ACR DA5	convector, ACR-DA5
75,55,03,026	Konvektor KVT4,2 ACR DA5	convector, ACR-DA5
75,55,03,029	Konvektor KVT6,1 ACR DA5	convector, ACR-DA5
75,55,03,037	Heizkörper f. WC	radiator f. WC
75,55,03,048	Konvektor KVT8 ACR DA5	convector, ACR-DA5

Tabella1

75,55,03,055	Konvektor KVT4 ACR DA5	convector, ACR-DA5
75,55,03,060	Konvektor KVT1.2 Itino	convector KVT1.3 Itino
75,55,03,062	Konvektor KVT2.2 Itino	convector KVT2.3 Itino
75,55,03,063	Konvektor KVT3 Itino	convector KVT3 Itino
75,55,03,064	Konvektor KVT4 Itino	convector KVT4 Itino
75,55,03,065	Konvektor KVT5 Itino	convector KVT5 Itino
75,55,03,067	Konvektor KVT6 Itino	convector KVT6 Itino
75,55,03,068	Konvektor KVT7 Itino	convector KVT7 Itino
75,55,03,069	Konvektor KVT8 Itino	convector KVT8 Itino
75,55,03,071	Konvektor KVT 9 Itino	convector KVT 9 Itino
75,55,03,072	Konvektor KVT 10 Itino	convector KVT 10 Itino
75,55,20,029	BG Lamellenheizkörper 230V 1,5KW	assy ribbed heating radiator 230V 1,5KW
75,55,20,035	Rohrheizkörper kompl. 230V 1,3KW	assy ribbed heating radiator 230V 1,3KW
75,57,01,015	BG W-Heizung, rechts V350	assy water heater, right V350
75,58,01,003	Dichtrahmen AC133	gasket frame, AC133
75,59,01,002	BG Leistungsregler, Kompr., AC350	assy capacity regulation, compr., AC350
75,60,01,003	BG Isolierungen V31-3	assy insulationen, V31-3
75,60,01,007	BG Isolierungen AC7	assy insulationen cpl., AC7
75,60,01,011	BG Isolierung Standard AC8	assy insulation standard, AC8
75,60,01,019	BG Isolierung, Gehäuseboden AC130/131	assy insulation, housing bot., AC130/131
75,60,01,027	BG Isolierung f. Gehäuse li DA5	assy insulation f. housing lft, DA5
75,60,01,032	BG Isolierung T5 AC110	assy insulation, AC110
75,60,01,053	BG Isolierung f. Luftverteiler AC8	assy insulation f. air diffuser, AC8
75,60,01,054	BG Isolierung f. Mischkasten	assy insulation f. mixed air box
75,60,95,006	Isolierung Verdampfer	isolation mat, evap.
75,60,95,007	BG Isolation Zuschnitt V184	assy, isolation mat V184
75,61,01,012	S-D-Kombination AC35-USA	comb. S-P, AC35
75,61,01,083	BS Schlauchleitung z. Ölabscheider	hose pipe f. oil separat OR=1 cpl.
75,61,01,086	BS Schlauchleitung z. Steigrohr	hose pipe f. riser pipe cpl.
75,61,01,090	BS Schlauchleitung	hose pipe, compl.
75,61,01,091	BS Schlauchleitung zur Dachanlage	hose pipe to rooftop unit cpl.
75,61,01,092	BS Schlauchleitung zur Dachanlage	hose pipe to rooftop unit cpl.
75,61,01,138	Schlauchleitung z. Steigrohr DS	hose pipe f. riser pipe DIS
75,61,01,139	Schlauchleitung z. Steigrohr SS	hose pipe f. riser pipe SS
75,61,01,160	BG KM-Leitung Heck DS 1,35m AC132	assy refrigerant line rear DIS 1,35m, AC132

Tabella1

75,61,01,161	BG KM-Leitung Heck SS 1,35m AC132	assy refrigerant line rear SS 1,35m, AC132
75,61,01,162	BG KM-Leitung E-Motorraum DS 1,00m AC132	assy refrigerant line engine room DIS 1,00m, AC132
75,61,01,163	BG KM-Leitung E-Motorraum SS 1,20m AC132	assy refrigerant line engine room SS 1,20m, AC132
75,61,01,164	BG KM-Leitung E-Motorraum DS 0,46m AC132	assy refrigerant line engine room DS 0,46m, AC132
75,61,01,165	BG KM-Leitung E-Motorraum SS 0,85m AC132	assy refrigerant line engine room SS 0,85m, AC132
75,61,01,218	BG KM-Leitung Kompl., Motorraum DS 90° AC132	assy refrigerant line engine room DS 90° AC132
75,61,02,001	BS Ölabscheider f. Verdi. AC6/7/8	kit oil separator f. compr., AC6/7/8
75,61,02,002	BS Ölabscheider f. Verdi. AC16/110/111	kit oil separator f. compr., AC16/110/111
75,61,02,003	Saug-Druckanschluß Radial	conn. S-P f. compr. radial
75,61,02,008	BG Füllventil ND	assy valve, service LP
75,61,02,009	BG Füllventil HD	assy valve, service HP
75,61,02,010	BG Expansionsventil 4,5	assy valve, exp. 4,5
75,61,02,011	BS Ölabscheider f. Verdi. AC8/16/111	kit oil separator w. valve, shutoff, AC8/16/111
75,61,02,012	BG Rückschlagventil M30x2	assy valve, check w. adapter, sold. M30x2
75,61,02,015	BG Rückschlagventil NW20	assy valve, check w/flange NM20
75,61,02,018	BS Ölabscheider f. Verdi. TM31	kit oil separator w/valve, shutoff TM31
75,61,15,032	Anschluß, Heizung AC261/270	connection f. HW, AC261/270
75,61,95,100	BS Schlauchleitung ND L=2780	assy hose, ref., LP, L=2780
75,61,95,101	BS Schlauchleitung HD, L=2820	assy hose, ref., HP, L=2820
75,61,95,102	BS Schlauchleitung ND, L=2820	assy hose, ref., LP, L=2820
75,61,95,103	BS Schlauchleitung HD, L=2860	assy hose, ref., HP, L=2860
75,61,95,104	BG Schlauchleitung ND, L=4070	assy hose, ref., LP, L=4070
75,61,95,105	BG Schlauchleitung HD, L=3900	assy hose, ref., HP, L=3900
75,61,95,202	Schlauch und Nippelsatz HD	kit, ref., hose & nipple HP
75,61,95,302	Schlauch und Nippelsatz ND	kit, ref., hose & nipple LP
75,62,01,001	BG Fitting 90°-9/16" SZ6 SQ	assy fitting 90°-9/16" SZ6
75,62,08,001	SD-Kombination TK7A2/FE/E	fitting, discharge & suction, w/adapter plate
75,62,08,002	SD-Kombination m. Adapterblech TK7A2/F	fitting, discharge and suction w/adapter plate
75,62,13,002	Kreuzstück 3x7/8" 1x5/8"	cross nipple 3x7/8" 1x5/8"
75,65,04,007	Verfl.-Paket K353 Tropic GEN3	condenser coil, K353 Tropic GEN3
75,65,07,004	BG Kondensator K40-2	assy, condenser K40-2
75,70,01,008	BG Sammler-Trocner 0,7L	assy receiver w. drier 0,7L
75,70,01,009	BG Sammelflasche K50-130	assy receiver, K50-130
75,70,01,013	BG Sammelflasche K10-35	assy receiver, K10-35
75,70,01,014	BG Sammelflasche m. Trockner 3,28l	assy receiver w. drier 3,28l

Tabella1

75,70,01,015	BG Sammelflasche m. Trockner K40	assy receiver w. drier, K40
75,70,05,019	BG Sammler-Trockner 5/8"-5/8" AC7	assy receiver-drier 5/8"-5/8" , AC7
75,80,01,009	Tauwasserleitung 1/2"	pipe, drain water sht. 1/2", AC10-35
75,80,01,022	Tauwasserleitung 1/2" V310/350	pipe, drain water fr. kit drain 1/2", V310/350
75,90,01,025	BG Verdampfer AC8 mit Saugleitung	assy, evaporator w/suction line AC8
75,91,01,004	BS Serviceeinheit	kit, service unit
75,91,01,006	Serviceeinheit m. Bypass	kit, service unit
75,91,01,007	BS Serviceeinheit kompl.	kit, service unit
75,91,04,001	Rückschlagventil DS	valve, check DS
75,91,04,002	Rückschlagventil saugs.	valve, check suct.
75,95,01,002	BG Schalldämpfer AC132	assy muffler, AC132
75,95,01,003	BG Geräuschdämpfer M30x2	assy sound absorber M30x2
76,01,95,011	Verdampfer Kompl., Fahrerkabine 24VDC	evaporator assy, driver cab 24VDC
76,50,01,002	BG Kompressor, 560ccm mit Kuppl.	assy compressor, 560ccm, w/clutch
76,50,95,100	ersetzt durch 75,50,95,101	use > 75,50,95,101
-76-62006	Kompressor, 12VDC 6PK	compressor, 12VDC 6PK
-76-62027-04	BG Kompressor, 12VDC 8PK	compressor, assy 12VDC 8PK
77-62112-42	BG Verdampfer EM1 12VDC, GEN5, grau	assy evaporator EM1 12VDC, GEN5, gray
77-62122-20	BG Kondensator CM2 12VDC	assy condenser CM2 12VDC
77-62123-20	BG Kondensator CM3 12VDC	assy condenser CM3 12VDC
77-62124-42	BG Verdampfer EM1 24VDC, GEN5, grau	assy evaporator EM1 24VDC, GEN5, gray
78,05,01,003	Schalterabdeckung f. Temperatur	cover f. switch f. temp
78,05,01,004	Schalterabdeckung f. Gebläse	cover f. switch f. blower
78,06,01,001	Pressostat ND, eingestellt	LP-Switch, adjusted
78,11,01,002	AT Fitting M30x2 21,8	fitting, reworked M30x2 21,8
78,11,01,003	AT Fitting M36x2 27	fitting, reworked M36x2 27
78,11,01,005	Lötstutzen nachgearbeitet 7/8"-UNF	fitting,sold reworked 7/8"-UNF
78,11,01,008	AT Fitting 7/8" SZ10	fitting, AT, 7/8" SZ10
78,11,01,013	Fitting 1'5/16"-12UNF 22,4 AC35-3	fitting 1'5/16"-12UNF 22,4, AC35-3
78,11,01,014	Fitting 1'5/8"-12UNF 35,1 AC35-3	fitting 1'5/8"-12UNF 35,1, AC35-3
78,11,01,021	Anschlussgehäuse DA34-39-40	connection cage DA40-39-40
78,11,01,025	BS Winkelanschluss, Kompr.	angle connection cpl., compr.
78,12,01,010	Kompressor, 12VDC SD5H09	compressor, 12VDC SD5H09
78,12,01,011	Kompressor, 24VDC SD5H09	compressor, 24VDC SD5H09
78,12,01,012	Kompressor, SD5H09, radial	compressor, SD5H09, radial

Tabella1

78,12,01,016	Kompressor, 12VDC SD5H14	compressor, 12VDC SD5H14
78,12,01,017	Kompressor, 12VDC SD5H14	compressor, 12VDC SD5H14
78,12,01,019	Kompressor, 24VDC SD5H14	compressor, 24VDC SD5H14
78,12,01,020	Kompressor, 24VDC SD5H14	compressor, 24VDC SD5H14
78,12,01,022	Kompressor, 24VDC SD5H14	compressor, 24VDC SD5H14
78,12,01,024	Kompressor, 24VDC SD7H15	compressor, 24VDC SD7H15
78,12,01,025	Kompressor, 12VDC SD7H15	compressor, 12VDC SD7H15
78,12,01,026	Kompressor, 24VDC SD7H15	compressor, 12VDC SD7H15
78,12,01,027	Kompressor, 12VDC SD7H15	compressor, 12VDC SD7H15
78,12,01,030	Kompressor, 12VDC TRS105	compressor, 12VDC TRS105
78,12,01,041	BG Kompressor, 24VDC DKS32	compressor, 24VDC DKS32
78,12,01,043	Kompressor, 24VDC DKS32	compressor, 24VDC DKS32
78,12,01,048	BG Kompressor, 24VDC TM31	compressor, 24VDC TM31
78,12,01,050	BG Kompressor, 24VDC 8PK TM31	compressor, 24VDC 8PK TM31
78,13,01,003	BG Elektromotor 24VDC	assy, El. E-Motor 24VDC
78,13,01,004	BG Verdampfergebläse links AC131	assy blower, lft. 24VDC, AC131
78,13,01,009	Geblase DR m. Stecker 12VDC	blower DR 12VDC
78,13,01,010	Gebläse DR m. Stecker 12VDC	assy blower, 12VDC
78,13,01,011	BG Elektromotor 24VDC	assy, El. E-Motor 24VDC
78,13,01,012	BG Elektromotor 24VDC	assy, El. E-Motor 24VDC
78,14,01,004	Isoschlauch DN160 L1650	insulating hose insulated DN160 L1650
78,14,01,005	Isoschlauch DN 160 L2100	insulating hose DN 160 L2100
78,14,01,006	Isoschlauch z. Mischkasten L700	insulating hose f. mixed air box L700
78,14,01,007	Isoschlauch z. Mischkasten L500	insulating hose f. mixed air box L500
78,14,01,013	Isoschlauch f. Fahrerstand L5200	insulating hose f. driver level L5200
78,14,01,014	Isoschlauch f. Fahrerstand L1000	insulating hose f. driver level L1000
78,14,01,015	Isoschlauch f. Fahrerstand L1300	insulating hose f. driver level L1300
78,14,01,017	Isoschlauch f. Fahrerstand L1000	insulating hose f. driver level L1000
78,14,01,018	Isoschlauch f. Fahrerstand L720	insulating hose f. driver level L720
78,14,01,019	Isoschlauch L4,2m DN160 AD2	insulating hose w. insulation add. L4200 DN160
78,14,01,020	Isoschlauch L3,8m DN160 AD2	insulating hose w. insulation add. L3800 DN160
78,14,01,021	Luftverteiler HTM AC8	air diffuser, AC8
78,14,01,022	Isoschlauch L500	insulating hose L500
78,14,01,028	Isoschlauch f. Fahrerstand L1600	insulating hose f. driver level L1600
78,15,01,011	Scharnier	hinge

Tabella1

78,15,01,023	ersetzt durch 10,61,08,006	use > 10,61,08,006
78,17,01,008	Nippel 0° 3/4" SZ8 7/16"	nipple 0° 3/4" SZ8 7/16"
78,17,01,013	Nippel 45° 3/4" SZ8 7/16"	nipple 45° 3/4" SZ8 7/16"
78,17,01,014	SD-Anschluß DKS32-axial	conn. S-P
78,17,01,016	Nippel 45° 7/8" SZ10 7/16"	nipple 45° 7/8" SZ10 AD7/16"
78,17,01,019	Nippel 7/8" 90° SZ16 mit Schrader 7/16"	Nipple 7/8" 90° SZ16 w/schrader 7/16"
78,17,01,020	Nippel 3/4" 90° SZ12 mit Schrader 7/16"	Nipple 3/4" 90° SZ12 w/schrader 7/16"
78,18,01,101	Verdampfer m. Temp.-Fühler 24VDC	evaporator w. sensor, temp. 24VDC
78,18,01,104	Verdampfer m. Fühler 24VDC BT283	evaporator w. sensor, temp. 24VDC
78,18,01,160	BG Verdampferpaket V313 OR=1	assy evaporator coil, V313, OR=1
78,20,01,006	Gerätehaube AC7, AC7/S	assy, cover AC7, AC7S
78,20,01,017	BG Deckel, Verdampfer V355	cover, evaporator V355
78,20,01,018	BG Deckel, Verdampfer V355	cover assy, varnished V355
-99-00469-04	Luftverteiler AirV	air diffuser, AirV
-AC010-006	BG Schalttafel	assy operating panel
-AC010-562	BG Schalttafel 24VDC AC552/553	assy operating panel 24VDC, AC552/553
-AC022-708-S	BG Verdampferpaket EM1	assy evaporator coil, EM1
-AC030-005	Halterung f. Verfl.-Gebläse montiert	bracket f. E-Motor cond. mounted
-AC030-234	Überwachung f. Verfl.-Gebläse	control device, cond. Fan
-AC031-001	Verflüssiger 12VDC CM7	condenser 12VDC, CM7
-AC033-220	BG Verfl.-Paket	assy condenser coil
-AC101-105	Ventil TXV	valve
-AC101-107	Exp.-Ventil	valve, exp., therm.
-AC101-200	Schauglas 1/2"	sight glass 1/2"
-AC101-302	Sammler-Trockner Kombination	receiver-drier combination
-AC101-303	Filtertrockner 16in	filter drier 16in
-AC101-312	Filtertrockner f. Trockner	filter drier f. drier
-AC201-105	Unterbrecher 20A manuell	circuit breaker 20A manual
-AC201-106	Unterbrecher 30A manuell	circuit breaker 30A
-AC201-112	Unterbrecher 40A manuell	circuit breaker 40A
-AC201-119	Unterbrecher 40A	circuit breaker 40A
-AC201-305	Schalter f. Gebläse DRZ	switch f. blower speed controlling device
-AC201-400	Pressostat HD	pressostat, HP
-AC201-412	Pressostat, ND	pressostat, LP
-AC201-414	Pressostat HD	pressostat, HP

Tabella1

-AC201-500	Schalter f. Temp.-Regler	switch f. temp. Control
-AC201-501	Thermostat, Defrost	thermostat control, defrost
-AC201-611	Widerstand 1,8Ohm	resistor 1,8Ohm
-AC201-806	Relais 12VDC 40A	relay 12VDC 40A
-AC202-300	Schalter m. Lüftungssymbol	switch w. ventilation symbol
-AC202-303	Schalter m. Klimasymbol	switch w. clima symbol
-AC202-305	Abdeckung f. Schraube	cover f. bolt
-AC301-102	KM-Schlauch 10ft	hose, freon 10ft
-AC301-103	KM-Schlauch 12ft	hose, freon 12ft
-AC301-417	Fitting 0 3/8"	fitting sgt. 3/8"
-AC301-428	Fitting 0 3/8"	fitting sgt. 3/8"
-AC301-464	Fitting 0 3/8"	fitting sgt. 3/8"
-AC302-437	Fitting 1/2"	fitting 1/2"
-AC401-100	Lüfterflügel 10"	fan blade 10"
-AC401-110	GebläseE-Motor f. Verfl.	blower E-Motor f. cond.
-AC401-118	BG Gebläse 24VDC	assy blower 24VDC
-AC401-204	Gebläse 24VDC EM14	blower 24VDC, EM14
-AC401-209A	Gebläse 12VDC GEN II	blower 12VDC, GEN II
-AC401-210A	BS Gebläse	kit blower
-AC401-222	Gebläse DR 24VDC	blower evap 24VDC
-AC401-232	Gebläse, DR 12VDC EM3-Excel	blower, DR 12VDC, EM3 Excel
-AC401-233	Gebläse, DR 24VDC	blower evap 24VDC
-AC501-102A	Gebläse f. Verfl. 12VDC	blower f. cond. 12VDC
-AC501-103A	Verflüssiger 24VDC	condenser 24VDC
-AC502-204A	Kompressor, 24VDC 2SPA	compressor,
-AC502-209A	Kompressor, TM15	compressor,
-AC502-216A	Kompressor, 12VDC 1SPA	compressor,
-AC502-216E	Kompressor, 12VDC 1SPA	compressor,
-AC801-419	Filter	filter
-AC801-461	Umluftfilter 28,5"x5"	filter, return air 28,5"x5"
AU11AR241	Unterlegscheibe, Kupplung 05G	washer, clutch 05G
-CM203-030	Schauglas	sight glass
-CM204-058R	Schraube	bolt
-CM205-004R	BG Gebläse dual 24VDC	assy blower dual 24VDC
-CM205-146R	Expansionsventil	Expansion valve

Tabella1

-CM205-197	Axialventilator 24VDC	fan axial 24VDC
-CM213-048A	(Temp.-Fühler m. AS-Kabel	sensor, temp. w. connecting cable
-CM288-707A	(BG Verflüssiger GR60	assy condenser cpl., GR60
-CM983-021R	(Buchsenkontakt	connector
-CM983-027R	(Steckergehäuse 6pol	plug housing 6ts
-CM983-028R	(Steckergehäuse 3pol	plug housing 3ts
-CM983-067R	(Buchsenkontakt	connector
-CM983-109R	(Steckergehäuse m. Schraubring 16pol	plug housing w. threaded ring 16.ts
-CTI09752	Druckwächter ND/HP	pressostat, HP/LP
-CTI20255565	Drehknopf	switch, rotary
-CTI37092	Thermostat 3pol 220V	Thermostat 3pol 220V
-CTI50200SV	BG Filtertrockner	assy filter drier
-CTI50406	BS Verflüssiger 3/4"16UNF 12VDC K25	condenser cpl. 3/4" 16UNF-2A 12VDC, K25
-CTI50482	Lüfterflügel	fan blade
-CTI52001	Filtertrockner	filter dryer
-CTI55086	Verdampfermotor 24VDC	blower motor, evaporator 24VDC
-CTI56585	Potentiometer	potentiometer
-CTI82068	Gleichstrommotor 24VDC	E-Motor DC 24VDC
-CTI82069	E-Motor f. Verfl.-Gebläse 12VDC	E-Motor f. blower cond. 12VDC
-CTI82254SV	BG Trockner	dryer assy
-CTI82457	ersetzt durch 28,21,01,025	use > 28,20,01,025
-CTI83477	EM-Kupplung 24VDC 2SPB für V70	clutch 2-groove 24VDC f. V70
-CTI83877	Kupplung 24VDC DKS26	clutch 24VDC DKS32
-CTI88110	Abdeckhaube RIO45	cover RIO45
-CTI88722	Bedienteil Schaltkasten	operating device switch box
-CTI88727	Schalter	switch
-CTM203164R	Filtertrockner	filter drier
-CTM203662R	Sicherung 100A	fuse 100A
-CTM20366RC	Filtertrockner TD-305	filter dryer TD-305
-CTM203681R	Bedienteil f. Schaltkasten	operating panel
-CTM205004R	Gebläse DR 24VDC	blower evap., 24VDC
-CTM205042R	Erstzt durch CM205-197	use > CM205-197
-CTM205043R	Relais 24VDC 100A	relay 24VDC 100A
-CTM205075R	Exp.-Ventil	valve, exp.
-CTM205110R	Pressostat HD	Pressostat HD

Tabella1

-CTM205139R	Gebläse DR 24VDC	blower evap., 24VDC
-CTM205148RE	-Motor 24VDC	E-Motor 24VDC
-CTM205154R	Ventil f. FI.-Leitung 24VDC	valve, solenoid 24VDC
-CTM206212R	Bedienteil f. Kabine 24VDC	operating device f. cab 24VDC
-CTM215001R	Schalttafel prozessor gesteuert Capri280	operating panel processor controled, Capri280
-CTM215002R	Bedienteil 24VDC Capri280	operating device 24VDC, Capri280
-CTM288962R	Gebläse, DR 24VDC	blower, DR 24VDC
-CTM983609R	Schalter	switch
-CTM983611R	Potentiometer	potentiometer
IT 40164	Fitting speziell, Iveco	fitting special, Iveco
IT10318	Verdampfer Iceberg 24V, ohne Deckel	evaporator Iceberg 24V, w/o cover
IT10406	Kondensatorpaket, Iveco Daily	coil, condenser Iveco Daily
IT10443	Kondensatorpaket, AC130 DX links	coil, condenser AC130 DX, left
IT10444	Kondensatorpaket AC380	coil, condenser AC380
IT10450	Kondensatorpaket AC130 SX rechts	coil, condenser, AC130 SX, right
IT10453	Kondensatorpaket FB Iveco 491	coil, condenser FB Iveco 491
IT105120	Schutzgitter Verdichter	shield, protective compr.
IT105121	Befestigungszange	clamp, mount
IT106101	Heizungspaket, für 491	coil, heat , 491
IT10616	Heizpaket CACC, ENG	coil, heat CACC, ENG
IT10706	Wasserpumpe 24V	pump, water 24VDC
IT10801	Verdampferpaket, AC380 DX rechts	coil, evaporator AC380 SX, right
IT10802	Verdampferpaket, AC380 SX, links	coil, evaporator AC380 SX, left
IT10804	Verdampferpaket AC130	coil, evaporator AC130
IT110011	Keilriemen SPA 1280	V-belt SPA 1280
IT110014	Keilriemen SPA 1132	V-belt SPA 1132
IT110015	Keilriemen SPA1180	V-belt, SPA 1180
IT11046	Keilriemen BX 28 750	V-belt, BX28 750
IT11049	Keilriemen SPA 1700	V-belt SPA 1700
IT11059	Keilriemen, LiMa	V-belt, alternator
IT11075	Keilriemen 5PK1790	V-belt, 5PK1790
IT11103	Kraftband, 2SPB 2340	poer belt, 2SPB 2341
IT11108	Keilriemen 6PK 1638	V-belt 6PK 1638
IT11109	Keilriemen XPB 1250	V-belt, XPB 1250
IT20331	Pumpe, Waschbecken in Toilettenkabine	pump, WC-cabin

Tabella1

IT20337	Elektrische Steuerung für WC-Kabine	controller, WC-cabin
IT20339	Wasserventil, pneum., f. WC-Kabine	valve solenoid, WC-Kabine
IT20341	Wasserpumpe	pump, ,water
IT20342	Wasserpumpe 24V für WC-Kabine	pump, water 24VDC, WC-cabin
IT20351	Verbindung, Wassertank, WC-Kabine	fitting, water tank, WC-cabin
IT20352	Verbindung, Ventil der WC-Kabine	fitting, valve, WC-cabin
IT20354	2/2 Wegeventil, Wasserstop, WC-Kabine	valve 2/2 way, water stop, WC-Kabine
IT20533	Pneumatikzylinder 50/50	cylinder, pneum. 50/50
IT20535	Druck-Reduzierstück	fitting, reducing, pressure
IT20536	Manometer ABS	manomete,r ABS
IT20537	Halterung, Druck-Reduzierstück	bracket, fitting reducing
IT20543	Schalldämpfer	silencer
IT20546	Fitting	fitting
IT20555	Fitting 90°, super rapid	fitting 90°, super rapid
IT20577	Ventil, Pneumat. Kompr.-Halter	valve, pneum. compr., bracket
IT20601	Düse Luftverteiler	nozzle, air grille
IT30218	Schlauch, Kühler 28x36	hose, radiator 28x36
IT40104	Fitting 0°, female #12/16	fitting 0°, female #12/16
IT40112	Fitting 0°, Female #10/10 mit Fassung	fitting 0°, female #10/10 w/support
IT40130	Fitting 0°, 10/10	fitting 0°, 10/10
IT40132	Fitting 0°, female, #8/8 mit Fassung	fitting 0°, female #8/8, w/support
IT40134	Fitting 0°, female #04, mit Fassung	fitting 0°, female #04, w/support
IT40137	Fitting 0°, female #6/6 Fassung	fitting 0°, female #6/6 support
IT40143	Fitting	fitting
IT40152	Fitting	fitting
IT40155	Fitting	fitting
IT40164	Fitting speziell, Iveco	fitting, special Iveco
IT40179	Fitting 0° female #08	fitting 0° female #09
IT40228	Fitting speziel, Iveco	fitting special, Iveco
IT40228	Fitting speziel, Iveco	fitting special, Iveco
IT40229	Fitting speziell, Iveco	fitting special, Iveco
IT40229	Fitting speziell, Iveco	fitting special, Iveco
IT40231	Fitting spezielle 491 PG	fitting special, 491 PG
IT40251	Durchführungstülle 90° 1/2", Kompr. OR=1	bushing 90° 1/2", compr., OR=1
IT40252	Durchführung male 90°, 5/8", Kompr., OR=1	bushing 90° 5/8", male, OR=1

Tabella1

IT40280	Nipple, Kompr., Mit Fassung #20	nipple, compr. w/support #20
IT403006	BG KM-Schlauch mit Anschlüssen #08 FS	assy, hose ref., w/fitting #08 FS
IT403007	BG KM-Schlauch mit Anschlüssen #08	assy, ref. hose, w/fitting #08
IT40320	Fitting 90°, female #11/10 OR=1	fitting 90°, female #11/10 OR=1
IT40321	Fitting 90°, female #11/12, OR=1	fitting 90°, female #11/12, OR=1
IT40336	Fitting O-Ring x Ventil A 12-10	Fitting, O-Ring x valve A 12-10
IT40366	ersetzt durch 10,60,15,101 & 102	use > 10,60,15,10 & 102
IT40378	Fitting für Ventil	fitting, valve
IT40378	Fitting für Ventil	fitting, valve
IT40387	Fitting 90°, male, #10/12 OR=1	fitting 90°, male, #10/12 OR=1
IT40388	Fitting 90°, male #6/8, OR=1	fitting 90°, male #6/8, OR=1
IT40393	Verschraubung 90° 6/8, Ventil	fitting, 90°, 6/8, valve
IT40398	Schlauchverbindung L=4650	hose, ref., L=4650
IT404010	Anschluss F/F 1/4" , 7/16"	fitting, F/F, 1/4", 7/16"
IT40403	T-stück 1/4" SAE	T-Piece 1/4" SAE
IT40409	T-Stück	T-Piece
IT40410	T-Stück	T-Piece
IT40414	Verbindung	fitting
IT40416	Doppelmutter	nut, double
IT40417	Reduzierstück 1/2"; 3/8"	fitting, reducing 1/2"; 3/8"
IT40421	Nippel 1/4" SAE #06	nippel 1/4" SAE #07
IT40425	Fitting	fitting
IT40444	Füllventil, R134	valve, service R134a
IT40445	Lötnippel 5/8"	nipple 5/8", solder
IT40452	Steckerverschraubung 1/4"	bushing 1/4"
IT40461	Kopf 1/4"	head, 1/4"
IT40472	O-Ring, #10, Frigoclick	O-Ring, #10, Frigoclick
IT40583	KM-Schlauch incl. Fitting	hose, ref., w/fitting
IT40612	Fitting speziell, Kompr., M240 BMB	fitting special, Kompr., M240 BMB
IT40613	Fitting speziell, Kompr., M240 BMB	fitting special, Kompr., M240 BMB
IT40614	KM-Schlauch mit Fittings	hose, ref., w/fitting
IT50117	Kompressor, KV 54	compressor KV54
IT50118	Verdichter, V44	compressor V44
IT50134	Kompressor 465ccm	compressor 465ccm
IT50137	O-Ring, vertical	O-Ring, vertical

Tabella1

IT501431	O-Ring für Reduzierstück 1/2", #08	O-Ring, fitting 1/2", #08
IT50149	Verdichter, 470ccm	compressor, 470ccm
IT50150	Kompressor, FKX2	assy compressor FKX2
IT50153	BG Verdichter, FK2	assy compressor FK2
IT50155	BG Verdichter TM31	assy compressor TM31
IT50166	Kompressor 24VDC, 8PK Rotalock, axial	compressor 24VDC, 8PK Rotalock, axial
IT50181	Kompressor,24VDC Rotalock, axial	compressor,24VDC Rotalock, axial
IT50191	Kompressor 24VDC, Rotalock, radial	compressor 24VDC, rotalock, radial
IT50408	Reduzierstück 5/8" OR=1	fitting, reducing OR=1 5/8"
IT50417	Reduzierstück OR=1, 3/4"	fitting, reducing OR=1 3/4"
IT50601	Wellenabdichtung V54/V35/V44/V70	shaft seal, V54/V35/V44/V71
IT50605	Wellenabdichtung, 5CFA	shaft seal, 5CFA
IT50606	Wellenabdichtung, KV54	shaft seal KV54
IT50609	Dichtring, Ventil ND KV54	ring, seal, valve LP KV54
IT50612	Ventil, HD KV54	valve, service HP, KV54
IT50614	Ventilplatte, KV54	valve plate, KV54
IT50615	Dichtung Ventil ND KV54	gasket, valve LP KV54
IT50617	Spule, Leistungsregulierung	solenoid, unloader
IT50618	Zylinderkopf normal, 4T-57	cylinder cover, normal 4T-57
IT50619	Dichtring für Wellenabdichtung	ring, shaft seal
IT506251	Wellenabdichtung 4T, GEN1	shaft seal 4T, GEN2
IT506252	Wellenabdichtung, GEN2	shaft seal assy, GEN2
IT50633	Leistungsregler 24VDC, Kompr., 4T	unloader 24VDC, compr., 4T
IT50637	Dichtung, Ventilplatte unten, 4T57	gasket, valve plate, lower, 4T57
IT50638	Dichtung, Ventilplatte , 4T57	gasket, valve plate 4T57
IT50639	Dichtung, oval f. Ventil	gasket, oval, valve
IT50640	Dichtungen Satz, Kompr., 4T	kit, gasket compr., 4T
IT50652	Satz Dichtungen, V54 P08	gasket, kit V54 P08
IT50654	Deckel Zylinderkopf, V70	cover, cylinder V70
IT50655	Ölpumpe, Kompr. V70.2	pump, oil compr. V70.2
IT50656	Dichtungssatz, Kompr., V70	gasket kit, compr., V70
IT508038	Keilriemenspanner CAM	tensioner, belt CAM
IT508039	Befestigung f. Keilriemenspanner	bracket, belt tensioner
IT508052	Halter Kit Kompr., 50 C 13 Daily 2001	bracket kit compr., 50 C 13 Daily 2001
IT50828	Feder 5mm groß	spring 5mm, large

Tabella1

IT50867	Feder für Pneu. Zylinder	spring, pneum. Cyl.
IT50876	Feder 5 klein	spring 5, small
IT509003	Kupplung 24VDC, KK73.1	clutch 24VDC, KK73.1
IT509008	EM-Kupplung 24VDC, KK73.1, GEN1	clutch assy 24VDC, KK73.1, GEN1
IT509012	EM-Kupplung 24VDC, 2SPB=210; 1SPA=250	clutch assy 24VDC, 2SPB=210; 1SPA=250
IT50908	Kupplung 24VDC, für FK5	clutch 24VDC, for FK5
IT50909	Kupplung, 3 Rillen, V54	clutch, 3-grooves, V54
IT50917	Kupplung 24VDC, ohne Rillen	clutch 24VDC, w/o pulley
IT50920	EM-Kupplung 24VDC, 2SPB210, KV54	clutch assy 24VDC, 2SPB210, KV54
IT50922	Rolle für Kupplung KK 73.0	roller, for clutch KK73.0
IT50925	Kupplung KK32.17, KV54	clutch 24VDC, KK32.17, KV54
IT50943	EM-Kupplung, D=195mm, FK2	clutch assy, D=195mm, FK2
IT51800	Rolle f. Motor MAN EU3	roller, motor MAN EU3
IT60119	Gebläse DR, 24VDC, 3V	blower DR, 24VDC, 3V
IT60148	Gebläse 12VDC, Radial, 1V	blower 12VDC, radial, 1V
IT60160	Gebläse 24VDC, Radial, 3V	blower 24VDC, Radial, 3V
IT60172	Axialventilator 24VDC, Saugend	ventilator, axial 24VDC, suction
IT60177	Gebläse, Radial, 24VDC, 3V	blower, radial 24VDC 3V
IT60312	Klimasteuerung KR422	clima control KR422
IT60349	Klimasteuerung KR422 Orlandi Top Class	clima control, KR422 Orlandi Top Class
IT60352	Gedruckte Schaltung f. Thermostat 24V	printed circuit board, thermostat 24V
IT60353	Gedruckte Schaltung f. Thermostatventil	printed circuit board, valve, thermostat
IT60425	Schalter	switch
IT60426	Steuerungszentrum 8660 GEN3	control system 8660 GEN3
IT60429	Schalter	switch
IT605009	Kabel	cable
IT605025	Stecker, Ventil	plug, valve
IT605026	Verbindung Ventil	fitting, valve
IT605089	Schutz	contactor
IT605124	E-Motor 12VDC, Verdampfer Iceberg	E-Motor 12VDC, Iceberg-Evap.
IT605125	E-Motor Doppelwelle, Iceberg-Verdampfer	E-Motor, double shaft, Iceberg-Evap.
IT60528	Thermostat digital	thermostat, digital
IT60529	Fühler mit Kabel, für digitalen Thermostat	Sensor, w/cable, digital thermostat
IT60531	Thermostat digital 2-Stufen	thermostat digital 2-Step
IT60611	Relais	relay

Tabella1

IT60649	Gummiteil	rubber element
IT60650	Relais	relay
IT60654	Schütz	contactor
IT70101	Filtertrockner 164	dryer, filter 164
IT70110	Filtertrockner KPM	dryer, filter KPM
IT70113	Filtertrockner 163	dryer, filter 163
IT70114	Filtertrockner 304	dryer, filter 304
IT70116	Filtertrockner 5/8	dryer, filter 5/8"
IT70201	Sammelflasche 380	receiver 380
IT70208	Sammelflasche	receiver
IT70322	Ventilkörper	valve, body
IT70327	Elektroventil	valve, El.,
IT70328	Verbindung Elektroventil	fitting, solenoid valve
IT70330	Ventil kugelförmig	valve, spherical
IT70332	Expansionsventil TMV	valve, expansion TMV
IT70337	Elektroventil 24V 3/4" m. Verbindung	valve, solenoid 24VDC, w/fitting
IT70338	Expansionsventil	valve, expansion
IT70369	2/2 Wege Motorregelventil	motor valve, solenoid 2/2 way
IT70374	Elektroventil, 3-Wege	valve, El., 3-way
IT70403	Druckschalter HD	pressostat HP
IT704031	BS Druckschalter HD	assy, pressostat HP
IT70404	Druckschalter ND	pressostat LP
IT704041	BG Druckschalter ND	assy, pressostat LP
IT70407	Druckschalter HD, 2-Kabel	pressostat HP, 2-cable
IT70408	Druckschalter ND 2-Kabel	pressostat LP, 2-cable
IT70527	ersetzt durch 30,13,01,036	use > 30,13,01,036
IT70597	Schwingungsdämpfer AC38	damper, vibration AC38
IT70601	Schauglas 1/2" M/F	sight glass 1/2" M/F
IT70610	Schauglas 1/2" M-M	sight glass 1/2" M-M
IT80118	Schwingungsdämpfer	damper, vibration
IT80206	Einspritzpumpe	pump, injection
IT80207	Schlauch	hose
IT80316	Spule	solenoid
IT80321	Luftfilter	filter, air
IT80324	Einspeisungspumpe	pump, intake

Tabella1

IT80325	Klemmstück	clamp, piece
IT80327	Öldrucklampe	lamp, oil pressure
IT80328	Keilriemen poly-V	V-belt, Poly V
IT80329	Wechselstromgenerator 28V 40A	alternator 28V, 40A
IT80330	Starter f. Motor	starter, motor
IT80334	Magnetventil	valve, solenoid
IT80336	Ölfilter	filter, oil
IT80340	O-Ring	O-Ring
IT80343	Kraftstoffleitung	hose, fuel
IT80346	Kraftstoffleitung	pipe, fuel
IT80349	Gehäuse 3L	crankcase 3L
IT80350	Schutz Luftgitter	shield, air grille
IT80353	Dichtung	gasket
IT80355	Schlauch	hose
IT80364	Kraftstoffpumpe	pump, fuel
IT80365	O-Ring	O-Ring
IT80366	O-Ring	O-Ring
IT80367	Bolzen	bolt
IT80368	Ölmessstab	oil dip stick
IT80369	Satz Kolben	piston, set
IT80370	Kit Zylinder & Kolben	kit, cylinder & piston
IT80371	Satz Zylinder & Kolben	kit, cylinder & piston
IT80372	Ventildichtung	seal, valve
IT80373	Mutter, Regulierung	nut, adjusting
IT80374	Feder f. Zylinderkopf	spring, cylinder cover
IT80375	Kit, Ölfilter	kit, oil filter
IT80376	Bolzen für Ventil	bolt, valve
IT80377	Haltebolzen	lock, bolt
IT80378	Haltebolzen, Einspritzung	bolt, support, fuel injector
IT80380	Ventil	valve
IT80382	Schrauben Regulierung	screw, adjusting
IT80384	Schalter	switch
IT80385	Getriebe	gear
IT80386	Seegerring	Ring, Seeger
IT80387	Scheibe	washer, clutch 05G

Tabella1

IT80388	Lager	bearing
IT80389	O-Ring	O-Ring
IT80390	Filterkörper	filter, case
IT80391	O-Ring	O-Ring
IT80392	O-Ring	O-Ring
IT80393	O-Ring	O-Ring
IT80394	O-Ring	O-Ring
IT80408	Luftgitter PR3713X	grille, air PR3713X
IT80409	Ventilator 85/70 DX rechts	ventilator 85/70 DX right
IT80629	Lager f. Keilriemenspannrolle	bearing, tensioner pulley
IT80636	Welle f. Spannrolle Keilriemen	shaft, tensioner pulley
IT806731	Kit Rolle & Welle	kit, roller & shaft
IT80675	Antriebswelle L=380mm	shaft, drive L=380mm
IT90112	Kältemittelöl PAG, 250g	oil, ref., PAG 250g
V8001065SAV	Schraubenset	screw, set